# AUTHOR INDEX

VOLUME 63, 1989

*British Journal of Anaesthesia*

*ARS* = Anaesthetic Research Society papers
*C* = Correspondence
*E* = Editorial
*R* = Book review


ABDEL-SALAM, M. G., PHILLIPS, D. E. and MOSTAFA, S. M. An unusual cause of stridor following anaesthesia requiring tracheostomy 606–608
ABDEL-SALAM, M. G. *see* TARR, T. J., (*ARS*) 634P
ABERNETHY, L. J., ALLAN, P. L. and DRUMMOND, G. B. Movement of the tongue on induction of anaesthesia, (*ARS*) 236P
ABHAY, K. *see* BONNET, F. 465–469
ACHOLA, K. J. *see* LAVIES, N. G. 429–434
ADRIAENSEN, H. F. *see* VERMEYEN, K. M. 44–50
AGOSTON, S. *see* WIERDA, J. M. K. H., (*ARS*) 627–628P
AITKEN, H. *see* MCLINTOCK, T. T. C., (*ARS*) 629–630P
AITKENHEAD, A. R. Analgesia and sedation in intensive care 196–206
AITKENHEAD, A. R. and ROBINSON, S. Influence of morphine and pethidine on the incidence of anastomotic dehiscence after colonic surgery, (*ARS*) 230–231P
AITKENHEAD, A. R. *see* WILKINS, C. J. 346–347
ALDHUWAILIA, A. *see* COLLIER, P. S., (*ARS*) 621–622P
ALIFIMOFF, J. K. and GOUDSOUZIAN, N. G. Continuous infusion of mivacurium in children 520–524
ALLAN, P. L. *see* ABERNETHY, L. J., (*ARS*) 236P
ANDERSEN, C. *see* MADSEN, G. M. 360–361
ANDERSEN, P. *see* SKIELBOE, M. 554–557
ANDERSEN, P. H. *see* BJERRING, P. 655–660
ANDERSON, S. K. *see* LOUGHNAN, B. A. 561–564
ANTROBUS, J. H. L. and JONES, J. G. Use of a respiratory mass spectrometer by untrained personnel, (*ARS*) 232P
ARENDT-NIELSEN, L. *see* BJERRING, P. 655–660
ARMENGOL, J. High frequency ventilation in acute lung injury 11–15S
ARMITAGE, E. N. Postoperative pain—prevention or relief? (*E*) 136–138
ARMSTRONG, P., BROCKWAY, M. and WILDSMITH, J. A. W. Effect of alkalinization of prilocaine on i.v. regional anaesthesia, (*ARS*) 625–626P
ARNDT, J. O. *see* PETERS, J. 470–476
ARUNDEL, P. A., COCKSHOTT, I. D. and GLEN, J. B. Explicit: an interactive pharmacokinetics simulator for injectable anaesthetics, (*ARS*) 230P
ASBURY, A. J. *see* HUMPHREYS, K. J., (*ARS*) 242P; MACLEOD, A. D. 31–35
AVERY, A. F. *see* POWER, K. J. 116–120
AYRES, S. *see* SHOEMAKER, W. K., (*R*) 503

BAILIE, R., CHRISTMAS, L., PRICE, N., RESTALL, J., SIMPSON, P. and WESNES, K. Effects of temazepam premedication on cognitive recovery following alfentanil–propofol anaesthesia 68–75
BAKKER, W. H. *see* BOS, J. A. H. 59–64S
BALDRY, P. E. *Acupuncture, Trigger Points and Musculoskeletal Pain*, (*R*) 368
BALLANCE, J. H. W. Journals for Poland, (*C*) 128
BALLARD, P. *see* WILSON, I. H., (*C*) 501–502
BAMBER, P. A. *see* CRUICKSHANK, R. H. 536–540
BANNISTER, J., CLARK, C. and LITTLEWOOD, D. G. Ropivacaine: a preliminary clinical trial, (*ARS*) 237P
BARNES, P. K. *see* TYLER, C. K. G., (*C*) 501
BARROWCLIFFE, M. P. *see* THORNTON, C. 113–115
BAUM, M., MUTZ, N. and BENZER, H. Influence of end-expiratory lung volume on carbon dioxide elimination during high frequency ventilation in dogs 53–58S
BAUM, M., PUTZ, G., MUTZ, N., PUTENSEN, C., KLIMA, G. and BENZER, H. Influence of high frequency ventilation at different end-expiratory lung volumes on the development of lung damage during lung lavage in rabbits 65–70S
BEAN, V. E. *see* BUTTERWORTH, J. F. 351–353
BEATTIE, A. *see* YEOMAN, P. M. 315–320
BECKETT, G. J. *see* RAY, D. C. 531–535
BEECKMAN, C. P. *see* VERMEYEN, K. M. 44–50
BEEMER, G. H., BJORKSTEN, A. R., DAWSON, P. J. and CRANKSHAW, D. P. Production of laudanosine following infusion of atracurium in man and its effects on awakening 76–80
BELL, P. F., STANLEY, J. C., MIRAKHUR, R. K. and CLARKE, R. S. J. Monitoring of vecuronium-induced neuromuscular block: comparison of mechanomyography and integrated electromyography, (*ARS*) 241–242P
BELL, P. F. *see* STANLEY, J. C., (*ARS*) 240P
BELL, W. E. *Orofacial Pains*, 4th Edn, (*R*) 368
BELON, M. *see* BONNET, F. 93–96
BENGTSON, A. *see* BENGTSON, J. P. 453–457
BENGTSON, J. P., BENGTSON, A. and STENQVIST, O. The circle system as a humidifier 453–457
BENNETT, M. H. *see* GOLDHILL, D. R., (*ARS*) 239–240P
BEN-SHLOMO, I. *see* TVERSKOY, M. 109–112
BENVENISTE, J. *see* GATEAU, O. 692–695
BENZER, H. *see* BAUM, M. 53–58S; 65–70S
BILL, K. M., FEE, J. P. H. and MOORE, J. Antagonism of midazolam-induced sedation with flumazenil or doxapram, (*ARS*) 627P
BILL, K. M. *see* DUNDEE, J. W. 612–618
BIVONA, C. *see* TURNER, D. R. 348–350
BJERRING, P., ANDERSEN, P. H. and ARENDT-NIELSEN, L. Vascular response of human skin after analgesia with EMLA cream 655–660
BJORKSTEN, A. R. *see* BEEMER, G. H. 76–80
BLACK, A., HOUGHTON, K. and TAYLOR, B. Effects of

suxamethonium on recovery from atracurium and vecuronium, (*ARS*) 622P
BLACK, G. W. *see* LAIRD, C. R. D., (*ARS*) 623P
BLOOM, S. R. *see* DESBOROUGH, J. P. 508–515
BODENHAM, A., QUINN, K. G. and PARK, G. R. Extrahepatic morphine metabolism in man during the anhepatic phase of orthotopic liver transplantation 380–384
BOHN, D. High frequency oscillation 16–23S
BOICO, O. *see* BONNET, F. 93–96; 465–469
BOLDY, D. A. R. *see* HOARE, A. M., (*C*) 246–247
BONE, M. E. *see* COLEY, S. 423–428
BONNET, F., BOICO, O., ROSTAING, S., SAADA, M., LORIFERNE, J.-F., TOUBOUL, C., ABHAY, K. and GHIGNONE, M. Postoperative analgesia with extradural clonidine 465–469
BONNET, F., DIALLO, A., SAADA, M., BELON, M., GUILBAUD, M. and BOICO, O. Prevention of tourniquet pain by spinal isobaric bupivacaine with clonidine 93–96
BOS, J. A. H., SCHAIRER, W., SCHAFFERS, J. T., TENBRINCK, R., TENHAVE-OPBROEK, A. A. W., BAKKER, W. H., WOLLMER, P. and LACHMANN, B. Effects of high frequency jet ventilation on the pulmonary clearance of $^{99m}$Tc-DTPA in respiratory failure in rabbits 59–64S
BOTTIGLIERI, T. *see* MCARTHUR, S. E., (*ARS*) 231P
BOURGAIN, J. L., MCGEE, K., COSSET, M. F., BROMLEY, L. and DESRUENNES, E. Carbon dioxide monitoring during high frequency jet ventilation for direct laryngoscopy, (*ARS*) 620P
BOURGAIN, J.-L. *see* GATEAU, O. 692–695
BOUSSIGNAC, G. *see* ISABEY, D. 71–77S
BOWER, S., SEAR, J. W., ROY, R. C. and CARTER, R. Differing effects of hepatic pathology on alfentanil kinetics, (*ARS*) 635P
BOWMAN, W. C. *see* MUIR, A. W. 400–410
BOYD, S. G. *see* LOUGHNAN, B. A. 561–564
BRACEY, B. J. *see* GOLDHILL, D. R., (*ARS*) 239–240P
BRADSHAW, K. *see* YEOMAN, P. M. 315–320
BRADY, M. M. *see* FEE, J. P. H. 756–758
BRAUDE, N. and GHOSH, S. Atracurium and Double Burst Stimulation, (*C*) 637–638
BRAUDE, N. *see* FLETCHER, M. E. 266–275
BREMME, J. *see* FREITAG, L. 38–43S; 44–46S
BRIDGES, R., KIRK, D., STRUNIN, L. and SHAFFER, E. Acute effects of halothane and isoflurane on bile secretion in the rat, (*ARS*) 631–632P
BROCKWAY, M. *see* ARMSTRONG, P., (*ARS*) 625–626P
BROCKWAY, M. S., WINTER, A. W. and WILDSMITH, J. A. W. Prolonged brachial plexus block with 0.42% bupivacaine 604–605
BROCKWAY, M. S. *see* MURRAY, A. W. 601–603
BROMLEY, L. *see* BOURGAIN, J. L., (*ARS*) 620P
BROWN, B. R. jr *Anesthesia in Hepatic and Biliary Tract Disease*, 1st Edn, (*R*) 130
BROWN, D. T. *see* WILDSMITH, J. A. W. 444–452
BUCKHORN, C. *see* HOFFMAN, J. 103–108
BUCKOKE, P. C. *see* GRIFFIN, R. M., (*ARS*) 624–625P
BUDD, K. Recent advances in the treatment of chronic pain 207–212
BURNS, J. M. A., HART, D. M., HUGHES, R. L., KELMAN, A. W. and HILLIS, W. S. Arrhythmias during laparoscopy, (*C*) 365
BURRIN, J. M. *see* DESBOROUGH, J. P. 508–515
BURROWS, F. A., VOLGYESI, G. A. and JAMES, P. D. Clinical evaluation of the augmented delta quotient monitor for intraoperative electroencephalographic monitoring in children during surgery and cardiopulmonary bypass for repair of congenital cardiac defects 565–573
BUSH, E. H. *see* SPAHN, D. R. 112S
BUTTERWORTH, J. F., BEAN, V. E. and ROYSTER, R. L. Premedication determines the circulatory responses to rapid sequence induction with sufentanil for cardiac surgery 351–353
CALDWELL, J. E., HEIER, T., KITTS, J. B., LYNAM, D. P., FAHEY, M. R. and MILLER, R. D. Comparison of the neuromuscular block induced by mivacurium, suxamethonium or atracurium during nitrous oxide–fentanyl anaesthesia 393–399
CALOW, P. *see* MCKENZIE, J. D. 489–491
CALVO, M. B. *see* PEDRAZ, J. L. 671–674
CALZIA, E. *see* MEYER, M. 95–101S
CAMPBELL, T. *see* LEWIS, R. P., (*ARS*) 229–230P
CARCELES, M. D., MIRALLES, F. S., LAORDEN, M. L. and HERNANDEZ, J. Interactions between diltiazem and inhalation anaesthetics in the isolated heart 321–325
CAREY, C. *see* WHITHINGTON, P. S., (*ARS*) 243P
CARLI, F., EMERY, P. W. and FREEMANTLE, C. A. J. Effect of peroperative normothermia on postoperative protein metabolism in elderly patients undergoing hip arthroplasty 276–282
CARSON, R. J. *see* LAISHLEY, R. S. 439–443; 721–725
CARTER, R. *see* BOWER, S., (*ARS*) 635P
CHAKRABARTI, M. K., HOLDCROFT, A., SAPSED-BYRNE, S. and WHITWAM, J. G. Circulatory depression with high PEEP in the surfactant-deficient rabbit 732–735
CHAMBERS, M. *see* FEE, J. P. H. 756–758
CHANG, H. K. Transthoracically-induced high frequency ventilation 24–31S
CHARTERS, P., FAMY, L. and HORTON, W. A. Airways re-revisited, (*C*) 128
CHARTERS, P. *see* HORTON, W. A. 435–438
CHAUVIN, M. *see* LEBRAULT, C. 389–392
CHESTNUTT, W. N. *see* DUNDEE, J. W. 612–618
CHIARANDA, M. *see* GIUNTA, F. 102–106S
CHRISTENSEN, K. N. *see* THOMSEN, C. E. 36–43
CHRISTIANSEN, C. *see* SKIELBOE, M. 554–557
CHRISTMAS, L. *see* BAILIE, R. 68–75
CLARK, C. *see* BANNISTER, J., (*ARS*) 237P
CLARKE, R. S. J. *see* BELL, P. F., (*ARS*) 241–242P; DWYER, R., (*ARS*) 630–631P; FEE, J. P. H. 756–758; STANLEY, J. C., (*ARS*) 240P
CLUTTON-BROCK, T. *see* PATIL, C., (*ARS*) 634–635P
COCKSHOTT, I. D. *see* ARUNDEL, P. A., (*ARS*) 230P; SAINT-MAURICE, C. 667–670
COLEY, S., MOBLEY, K. A., BONE, M. E. and FELL, D. Haemodynamic changes after induction of anaesthesia and tracheal intubation following propofol or thiopentone in patients of ASA grade I and III 423–428
COLEY, S. *see* MEIKLEJOHN, B. H. 283–286
COLLIER, P. S., ALDHUWAILIA, A., FEE, J. P. H., DWYER, R. and MCCULLAGH, P. Spectral edge analyses and pharmacokinetic studies following induction of anaesthesia with propofol, (*ARS*) 621–622P
COLVIN, M. P. *see* WHITHINGTON, P. S., (*ARS*) 243P
COSSET, M. F. *see* BOURGAIN, J. L., (*ARS*) 620P
COULTAS, R. J. Universal breathing system? (*C*) 366
CRANKSHAW, D. P. *see* BEEMER, G. H. 76–80
CRAWSHAW, C. *see* YEOMAN, P. M. 315–320
CREAN, P. M. *see* LAIRD, C. R. D., (*ARS*) 623P
CROSSLEY, A. W. A., HULL, C. J., STAFFORD, M. A. and SMITH, D. A. Pharmacological responses in vascular smooth muscle determined by elastance measurement, (*ARS*) 232P
CROTON, R. *see* HAWKYARD, S., (*ARS*) 624P
CRUICKSHANK, R. H., MORRISON, D. A., BAMBER, P. A. and NIMMO, W. S. Effect of i.v. omeprazole on the pH and volume of gastric contents before surgery 536–540

DAVENPORT, H. T., (editor) *Anaesthesia and the Aged Patient*, (*R*) 130–131
DAVIES-EVANS, J. *see* SANDERS, L. D. 726–731
DAVIS, W. O. M. *see* THORBURN, J., (*C*) 638–639
DAWSON, P. J. *see* BEEMER, G. H. 76–80
DAY, S. J. *see* GRIFFIN, R. M., (*ARS*) 624–625P

DEPEURSINGE, C. Evaluation and significance of respiratory acoustical impedance 113–114S
DESBOROUGH, J. P., EDLIN, S. A., BURRIN, J. M., BLOOM, S. R., MORGAN, M. and HALL, G. M. Hormonal and metabolic responses to cholecystectomy: comparison of extradural somatostatin and diamorphine 508–515
DESRUENNES, E. *see* BOURGAIN, J. L., (*ARS*) 620P
DESSANGES, J. F. *see* MORISOT, P. 97–102
DIALLO, A. *see* BONNET, F. 93–96
DICK, W. *see* ELLMAUER, S., (*ARS*) 228P
DIEDERICKS, J., LEONE, B. J., FOËX, P. and RYDER, W. A. Effect of acute afterloading on myocardium with normal and critically restricted blood supply, (*ARS*) 234P
DIEDERICKS, J., LEONE, B. J., PHILBIN, D. M. and FOËX, P. Effect of verapamil on canine left ventricular function in the presence of fentanyl when apical blood flow is critically limited 458–464
DIRKES, W. E. *see* ROSENBERG, J. 651–654
DOBSON, M. B. *Anaesthesia at the District Hospital*, 1st Edn, (*R*) 131–132
DODD, P. *see* GRIFFIN, R. M., (*ARS*) 624–625P
DOMINGUEZ-GIL, A. *see* PEDRAZ, J. L. 671–674
DORÉ, C. J. *see* THORNTON, C. 113–115; 411–417
DORRINGTON, K. L. *see* YOUNG, J. D. 541–547
DOUGLAS, E. J. *see* SAINT-MAURICE, C. 667–670
DOWD, T. *see* SWEENEY, J. 688–691
DOWNIE, C. *see* MCLINTOCK, T. T. C., (*ARS*) 629–630P
DOYLE, L. *see* HAWKYARD, S., (*ARS*) 624P
DRENCK, N. E. *see* HANSEN, H. C. 287–289
DRUMMOND, G. B. Influence of thiopentone on upper airway muscles 12–21; Site of airway obstruction in anaesthetized patients, (*ARS*) 625P
DRUMMOND, G. B. *see* ABERNETHY, L. J., (*ARS*) 236P; RAY, D. C. 531–535
DUNCAN, P. W. Ventilation requirements during Caesarean section, (*C*) 247
DUNDAS, C. R. and NORTON, A. C. "Induction" dose of midazolam in a young male population, (*ARS*) 635–636P
DUNDAS, C. R. *see* NORTON, A. C., (*ARS*) 626P
DUNDEE, J. W. and GHALY, R. G. Does the timing of P6 acupuncture influence its efficacy as a postoperative anti-emetic? (*ARS*) 630P
DUNDEE, J. W., GHALY, R. G., BILL, K. M., CHESTNUTT, W. N., FITZPATRICK, K. T. J. and LYNAS, A. G. A. Effect of stimulation of the P6 antiemetic point on postoperative nausea and vomiting 612–618
DUNDEE, J. W. *see* GHALY, R. G., (*ARS*) 235P
DUNPHY, J. A. *see* LEWIS, R. P., (*ARS*) 229–230P
DUTHIE, D. J. R. *see* ROWBOTHAM, D. J. 56–59
DUVALDESTIN, P. *see* LEBRAULT, C. 389–392
DWYER, R., FEE, J. P. H., HOWARD, P. J. and CLARKE, R. S. J. Arterial partial pressures of isoflurane during induction of anaesthesia in young and elderly subjects, (*ARS*) 630–631P
DWYER, R. *see* COLLIER, P. S., (*ARS*) 621–622P
DYKES, M. H. M. and OVASSAPIAN, A. Dissemination of fibreoptic airway endoscopy skills by means of a workshop utilizing models 595–597

EASTLEY, R. J. *see* LOWRIE, A. 751–753
EDDLESTON, J. *see* GWINNUTT, C. L., (*ARS*) 235–236P
EDDLESTON, J. M., HARPER, N. J. N., POLLARD, B. J., EDWARDS, D. and GWINNUTT, C. L. Concentrations of atracurium and laudanosine in cerebrospinal fluid and plasma during intracranial surgery 525–530
EDLIN, S. A. *see* DESBOROUGH, J. P. 508–515
EDSTROM, H. H. *see* VENN, P. J. H. 682–687
EDWARDS, D. *see* EDDLESTON, J. M. 525–530
ELLIOTT, P. *see* STANLEY, J. C., (*ARS*) 240P
ELLMAUER, S., OTTO, S. and DICK, W. Effects of opioids on the pulmonary circulation and gas exchange, (*ARS*) 228P
ELTON, R. A. *see* JONES, G. 254–259; LEW, J., (*ARS*) 236–237P
EMERY, P. W. *see* CARLI, F. 276–282
EMMOTT, R. S. *see* GOLDHILL, D. R., (*ARS*) 239–240P
ERPELS, F. A. *see* VERMEYEN, K. M. 44–50
EVANS, D. *see* FARQUHAR, I., (*ARS*) 619–620P
EVANS, D. H. *see* MORRIS, P. J., (*ARS*) 233–234P
EZRY, J. *see* TVERSKOY, M. 109–112

FAHEY, M. R. *see* CALDWELL, J. E. 393–399; SHI, W.-Z. 598–600
FAHY, L. *see* HORTON, W. A. 435–438
FAMY, L. *see* CHARTERS, P., (*C*) 128
FARMER, J. G. *see* LOGAN, M., (*E*) 645–647
FARQUHAR, I. and EVANS, D. Arterial pressure measurement in the critically ill: comparison of Finapres and intra-arterial cannula, (*ARS*) 619–620P
FARRÉ, R. *see* NAVAJAS, D. 85–90S
FEE, J. P. H., BRADY, M. M., FURNESS, G., CHAMBERS, M. and CLARKE, R. S. J. Analgesia after hip replacement surgery: comparison of nalbuphine with morphine 756–758
FEE, J. P. H. *see* BILL, K. M., (*ARS*) 627P; COLLIER, P. S., (*ARS*) 621–622P; DWYER, R., (*ARS*) 630–631P
FELL, D. *see* COLEY, S. 423–428; LAVIES, N. G. 429–434
FINGER, J. *see* TVERSKOY, M. 109–112
FISHER, D. M. *see* SHI, W.-Z. 598–600
FITZPATRICK, K. T. J. *see* DUNDEE, J. W. 612–618; GHALY, R. G., (*ARS*) 235P
FLETCHER, M. E., STOCKS, J., RIDLEY, S., BRAUDE, N., YATES, A. P. B. and HATCH, D. J. Total respiratory compliance during anaesthesia in infants and young children 266–275
FLETCHER, R., JONMARKER, C., WERNER, O., LARSSON, A. and MALMKVIST, G. Relationship between airway deadspace and lung volume in anaesthetized patients: effects of sternotomy, (*ARS*) 242P
FLETCHER, R. and JONSON, B. A new method for calculation of ventilatory deadspace, (*C*) 639–640
FLETCHER, R. *see* MALMKVIST, G. 696–701
FLEYSHMAN, G. *see* TVERSKOY, M. 109–112
FLYNN, P. J. *see* GOLDHILL, D. R., (*ARS*) 239–240P
FOËX, P. *see* DIEDERICKS, J., (*ARS*) 234P; 458–464; JEWKES, C., (*ARS*) 619P
FONTRIER, T. *see* LEWIS, J. M., (*R*) 765
FRANCIS, R. N. *see* SAMAAN, A. A., (*ARS*) 238P
FRATER, R. A. S., MOORES, M. A., PARRY, P. and HANNING, C. D. Analgesia-induced respiratory depression: comparison of meptazinol and morphine in the postoperative period 260–265
FREEMANTLE, C. A. J. *see* CARLI, F. 276–282
FREITAG, L., BREMME, J. and SCHROER, M. High frequency oscillation for respiratory physiotherapy 44–46S
FREITAG, L., SCHROER, M. and BREMME, J. High frequency oscillators with adjustable waveforms: practical aspects 38–43S
FREUND, U. *see* KOHL, J. 107S
FREYE, E. C., HARTUNG, E. and SCHENK, G. K. Somatosensory-evoked potentials during block of surgical stimulation with propofol 357–359
FRISK, C. and OLSSON, S. G. Combined high frequency and conventional ventilation 115S
FURNESS, G. *see* FEE, J. P. H. 756–758

GALLAGHER, W. J. *see* MILDE, L. N. 710–715
GALLOWAY, D. W. Rebreathing during pre-oxygenation: improved ventilation after propofol, (*ARS*) 624P
GATEAU, O., BOURGAIN, J.-L., GAUDY, J.-H. and

BENVENISTE, J. Effects of ketamine on isolated human bronchial preparations 692–695
GAUDY, J.-H. *see* GATEAU, O. 692–695
GENT, J. P. *see* SANGHERA, S., (*ARS*) 628–629P
GHALY, R. G., DUNDEE, J. W. and FITZPATRICK, K. T. J. Non-invasive application of electro acupuncture: a perioperative anti-emetic, (*ARS*) 235P
GHALY, R. G. *see* DUNDEE, J. W. 612–618; (*ARS*) 630P
GHIGNONE, M. *see* BONNET, F. 465–469
GHOSH, S. *see* BRAUDE, N., (*C*) 637–638
GIBSON, M. J. *see* YEOMAN, P. M. 315–320
GIESECKE, K. Paravertebral block for post-cholecystectomy pain relief, (*C*) 129
GIRON, G. P. *see* GIUNTA, F. 102–106S
GIUNTA, F., CHIARANDA, M., MANANI, G. and GIRON, G. P. Clinical uses of high frequency jet ventilation in anaesthesia 102–106S
GLEN, J. B. *see* ARUNDEL, P. A., (*ARS*) 230P
GOLDHILL, D. R., BRACEY, B. J., BENNETT, M. H., EMMOTT, R. S., INNIS, R. F., YATE, P. M. and FLYNN, P. J. Haemodynamic effects of doxacurium, pancuronium and vecuronium in patients undergoing coronary artery bypass grafting, (*ARS*) 239–240P
GOLDSMITH, J. P. and KAROTKIN, E. H., (editors) *Assisted Ventilation of the Neonate*, 2nd Edn, (*R*) 640–641
GOODCHILD, C. S. and SERRAO, J. M. Cardiovascular effects of propofol in the anaesthetized dog 87–92
GOODCHILD, C. S. *see* SANGHERA, S., (*ARS*) 628–629P
GOODMAN, N. W., VANNER, R. G. and WADE, J. A. Effects of incremental doses of alfentanil and propofol on the breathing of anaesthetized patients 548–553
GOUCH, B. G. *see* SMIT, J. C., (*ARS*) 632–633P
GOUDSOUZIAN, N. G. *see* ALIFIMOFF, J. K. 520–524
GRAHAM, T. *see* WHITHINGTON, P. S., (*ARS*) 243P
GRANT, I. S. *see* MACKENZIE, N., (*C*) 637
GRAY, W. M. *see* MACLEOD, A. D. 31–35
GREBENIK, C. R. Anaesthetic management of malignant tracheo–oesophageal fistula 492–496
GREEN, K. L. *see* MUIR, A. W. 400–410
GRENVIK, A. *see* SHOEMAKER, W. K., (*R*) 503
GREULICH, A. *see* LUND, C. 516–519
GRIFFIN, R. M., DODD, P., BUCKOKE, P. C., TOSH, G. C. and DAY, S. J. Cardiovascular responses to insertion of the Brain Laryngeal Mask, (*ARS*) 624–625P
GROSSKOPFF, G. *see* LUNKENHEIMER, P. P. 3–10S
GUILBAUD, M. *see* BONNET, F. 93–96
GUIRIMAND, F. *see* LEBRAULT, C. 389–392
GWINNUTT, C. L., EDDLESTON, J., HARPER, N. J. and POLLARD, B. J. Cerebrospinal fluid and plasma concentrations of atracurium and laudanosine in man, (*ARS*) 235–236P
GWINNUTT, C. L. *see* EDDLESTON, J. M. 525–530

HAHN, R. G. and RUNDGREN, M. Vasopressin and amino acid concentrations in serum following absorption of irrigating fluid containing glycine and ethanol 337–339; Vasopressin responses during transurethral resection of the prostate 330–336
HALL, G. M. *see* DESBOROUGH, J. P. 508–515; LOUGHNAN, B. A. 561–564; 587–594
HANNING, C. D. Obstructive sleep apnoea 477–488
HANNING, C. D. *see* FRATER, R. A. S. 260–265; PATEMAN, J. A. 648–650
HANSEN, H. C., HARBOE, H. and DRENCK, N. E. Local irritation after administration of diazepam in a rectal solution 287–289
HANSEN, P. A. *see* JENSEN, A. G., (*C*) 244
HANSEN, T. D., WARNER, D. S., TODD, M. M. and VUST, L. J. Effects of nitrous oxide and volatile anaesthetics on cerebral blood flow 290–295
HARBOE, H. *see* HANSEN, H. C. 287–289
HARF, A. *see* ISABEY, D. 71–77S
HARMEY, J. L. *see* SAINT-MAURICE, C. 667–670
HARPER, N. J. and WILSON, A. Characteristics of atracurium block in the gastrocnemius muscle, (*ARS*) 240–241P
HARPER, N. J. *see* GWINNUTT, C. L., (*ARS*) 235–236P
HARPER, N. J. N. *see* EDDLESTON, J. M. 525–530
HART, D. M. *see* BURNS, J. M. A., (*C*) 365
HARTUNG, E. *see* FREYE, E. C. 357–359
HATCH, D. J. *see* FLETCHER, M. E. 266–275; SUMNER, E., (*R*) 764
HAWKYARD, S., MORRISON, A., DOYLE, L., CROTON, R. and WAKE, P. Fibreoptic intubation: attenuating the hypertensive response to laryngoscopy and intubation, (*ARS*) 624P
HAYDON, D. A. *see* HENDRY, B. M., (*ARS*) 237–238P
HEALY, T. E. J. *see* MCCONACHIE, I. 558–560
HEIER, T. *see* CALDWELL, J. E. 393–399
HEMMINGSEN, C., POULSEN, J. A. and RISBO, A. Prophylactic ephedrine during spinal anaesthesia: double-blind study in patients in ASA groups I–III 340–342
HENDRY, B. M. and HAYDON, D. A. Effects of fluorinated convulsants and anaesthetics on the potassium conductance of the squid axon, (*ARS*) 237–238P
HERNANDEZ, J. *see* CARCELES, M. D. 321–325
HETREED, M. A. *see* LOUGHNAN, B. A. 561–564
HILLEL, Z. *see* REICH, D. L. 675–681
HILLIS, W. S. *see* BURNS, J. M. A., (*C*) 365
HJORTSØ, N.-C. *see* LUND, C. 516–519
HOARE, A. M. and BOLDY, D. A. R. Sedation for endoscopy, (*C*) 246–247
HOFFMAN, J., KONOPKA, K., BUCKHORN, C., KOOP, D. R. and WASKELL, L. Ethanol-inducible cytochrome P450 in rabbits metabolizes enflurane 103–108
HOLBROOK, P. R. *see* SHOEMAKER, W. K., (*R*) 503
HOLDCROFT, A. *see* CHAKRABARTI, M. K. 732–735
HOLLOWAY, T. E. *see* KELLY, J. E. 609–611
HOPKINS, P. M., MACDONALD, R. and LYONS, G. Caesarean section at 27 weeks gestation with removal of phaeochromocytoma 121–124
HORTC.., W. A., FAHY, L. and CHARTERS, P. Disposition of cervical vertebrae, atlanto–axial joint, hyoid and mandible during x-ray laryngoscopy 435–438
HORTON, W. A. *see* CHARTERS, P., (*C*) 128
HOUGHTON, K. *see* BLACK, A., (*ARS*) 622P
HOUSTON, J. *see* MUIR, A. W. 400–410
HOWARD, P. J. *see* DWYER, R., (*ARS*) 630–631P
HOWE, J. P. *see* MCKEATING, K. T., (*ARS*) 633P
HOWIE, A. F. *see* RAY, D. C. 531–535
HUGHES, R. L. *see* BURNS, J. M. A., (*C*) 365
HULL, C. J. *see* CROSSLEY, A. W. A., (*ARS*) 232P
HUMPHREY, S. J. E. and WHITE, D. C. Measurement of response time of gas analysers, (*ARS*) 227P
HUMPHREYS, K. J. and ASBURY, A. J. Preoperative arterial pressure measurements: relationship to resting values, (*ARS*) 242P
HUNTER, J. M. *see* KENT, A. P. 661–666; PARKER, C. J. R., (*ARS*) 622–623P
HUTCHINSON, A. *see* YEOMAN, P. M. 315–320
HUTTON, P. *see* MONK, C. R. 22–30; PATIL, C., (*ARS*) 634–635P

INNIS, R. F. *see* GOLDHILL, D. R., (*ARS*) 239–240P
ISABEY, D., BOUSSIGNAC, G. and HARF, A. Increase in tracheal pressure during jet ventilation 71–77S
IWASAKI, M. Effects of pentobarbitone, ketamine and lignocaine on synaptic transmission in the rat olfactory cortex *in vitro* 306–314

JACOB, G. *see* LUNKENHEIMER, P. P. 3–10S
JAMES, M. F. M. *see* REYNEKE, C. J. 418–422

JAMES, P. D. *see* BURROWS, F. A. 565–573
JANI, K. *see* SAMAAN, A. A., (*ARS*) 238P
JANSEN, J. R. C. *see* VAN VUGHT, A. J. 110–111S
JANSSEN, L. A. *see* VERMEYEN, K. M. 44–50
JARNVIG, I.-L. *see* SKIELBOE, M. 554–557
JENSEN, A. G. and HANSEN, P. A. Non-fatal paradoxical air embolism, (*C*) 244
JEWKES, C., VERHOEFF, F., SEAR, J. W. and FOËX, P. Non-invasive cardiac output measurement by bioimpedance: is it reliable? (*ARS*) 619P
JOHNSON, R. *see* REYNEKE, C. J. 418–422
JOHNSON, S. *see* WILDSMITH, J. A. W. 444–452
JONATHAN, D. *see* KELLY, J. E. 609–611
JONES, G., PAUL, D. L., ELTON, R. A. and MCCLURE, J. H. Comparison of bupivacaine and bupivacaine with fentanyl in continuous extradural analgesia during labour 254–259
JONES, G. *see* MCCLURE, J. H., (*C*) 637
JONES, J. G. *see* ANTROBUS, J. H. L., (*ARS*) 232P; SMIT, J. C., (*ARS*) 632–633P; THORNTON, C. 113–115; 411–417
JONES, M. J., MOTTRAM, S. D. and LIN, E. S. A method of measuring ratio of entrained to injected gas during high frequency jet ventilation, (*ARS*) 227–228P
JONES, M. J. *see* LOWRIE, A. 751–753; MOTTRAM, S. D. 108–109S
JONES, R. M. The priming principle: how does it work and should we be using it? (*E*) 1
JONMARKER, C. *see* FLETCHER, R., (*ARS*) 242P
JONSON, B. *see* FLETCHER, R., (*C*) 639–640
JØRGENSEN, B. *see* SKIELBOE, M. 554–557

KAO, Y. J. *see* TURNER, D. R. 348–350
KAPLAN, J. A. *see* REICH, D. L. 675–681
KARALLIEDDE, L. and SENANAYAKE, N. Organophosphorus insecticide poisoning 736–750
KAROTKIN, E. H. *see* GOLDSMITH, J. P., (*R*) 640–641
KAUL, B. *see* THORNTON, C. 411–417
KEARNEY, E. J. *see* MCKEATING, K. T., (*ARS*) 633P
KEAVENY, J. P. *see* MCCONACHIE, I. 558–560
KEHLET, H. Surgical stress: the role of pain and analgesia 189–195
KEHLET, H. *see* LUND, C. 516–519; ROSENBERG, J. 651–654
KEILTY, S. R. *see* LAIRD, C. R. D., (*ARS*) 623P
KELLY, J. *see* WILES, J. R. 125–127
KELLY, J. E., SIMPSON, M. T., JONATHAN, D. and HOLLOWAY, T. E. Lipoid proteinosis: Urbach–Wiethe disease 609–611
KELMAN, A. W. *see* BURNS, J. M. A., (*C*) 365
KENDIG, J. J. *see* MACIVER, M. B. 296–305
KENNY, G. *see* MURRAY, A. W., (*C*) 244–245
KENNY, G. N. C. *see* MCLINTOCK, T. T. C., (*ARS*) 629–630P; MOFFAT, A. C., (*ARS*) 629P; MURRAY, A. W. 601–603; WHITE, M., (*ARS*) 620–621P
KENT, A. P., PARKER, C. J. R. and HUNTER, J. M. Pharmacokinetics of atracurium and laudanosine in the elderly 661–666
KIM, J.-M. and MANGOLD, J. Sensitivity to both vecuronium and neostigmine in a sero-negative myasthenic patient 497–500
KIMOVEC, M. A. *see* SLOAN, T. B. 51–55
KIRBY, R. R. *see* MILLER, R. D., (*R*) 368–369
KIRK, D. *see* BRIDGES, R., (*ARS*) 631–632P
KITTS, J. B. *see* CALDWELL, J. E. 393–399
KLIMA, G. *see* BAUM, M. 65–70S
KNIGHT, A. B. *see* THORNTON, C. 411–417
KOEHLI, N. Accelerated recovery from neuromuscular block, (*C*) 761
KOHL, J., FREUND, U. and KOLLER, E. A. Neurophysiological mechanisms inducing apnoea during HFO 107S
KOLLER, E. A. *see* KOHL, J. 107S
KONIECZKO, K. M. *see* THORNTON, C. 113–115; 411–417
KONOPKA, K. *see* HOFFMAN, J. 103–108
KONSTADT, S. N. *see* REICH, D. L. 675–681
KOOP, D. R. *see* HOFFMAN, J. 103–108
KOUSOULIS, L. *see* PETERS, J. 470–476
KUMAR, C. M. Paravertebral block for post-cholecystectomy pain relief, (*C*) 129

LACHMANN, B. *see* BOS, J. A. H. 59–64S
LAIRD, C. R. D., CREAN, P. M., BLACK, G. W. and KEILTY, S. R. Atropine should be given to children before induction of anaesthesia with isoflurane, (*ARS*) 623P
LAISHLEY, R. S., CARSON, R. J. and REYNOLDS, F. Effect of adrenaline on placental transfer of bupivacaine in the perfused *in situ* rabbit placenta 439–443; Effect of adrenaline on the distribution of bupivacaine in the rabbit fetus 721–725
LAKE, C. L., (editor) *Pediatric Cardiac Anesthesia*, 1st Edn, (*R*) 248–249
LAMB, K. S. R. *see* STONE, P. A., (*C*) 366–367
LANAO, J. M. *see* PEDRAZ, J. L. 671–674
LAORDEN, M. L. *see* CARCELES, M. D. 321–325
LARSSON, A. *see* FLETCHER, R., (*ARS*) 242P
LAVIES, N. G., MEIKLEJOHN, B. H., MAY, A. E., ACHOLA, K. J. and FELL, D. Hypertensive and catecholamine response to tracheal intubation in patients with pregnancy-induced hypertension 429–434
LAYMAN, P. R. Airways re-revisited, (*C*) 128
LEBRAULT, C., CHAUVIN, M., GUIRIMAND, F. and DUVALDESTIN, P. Relative potency of vecuronium on the diaphragm and the adductor pollicis 389–392
LEE, J. A. *see* WILDSMITH, J. A. W., (*E*) 505–507
LEIGH THOMPSON, W. *see* SHOEMAKER, W. K., (*R*) 503
LEONE, B. J. *see* DIEDERICKS, J., (*ARS*) 234P; 458–464
LEUTHOLD, R. *see* SPAHN, D. R. 112S
LEVENE, M. I. *see* MORRIS, P. J., (*ARS*) 233–234P
LEW, J., ELTON, R. A. and SPENCE, A. A. Complications associated with inhalation anaesthesia, (*ARS*) 236–237P
LEWIS, C. T. *see* WHITHINGTON, P. S., (*ARS*) 243P
LEWIS, J. M. and FONTRIER, T. *Near Misses in Anesthesia*, 1st Edn, (*R*) 765
LEWIS, R. P., DUNPHY, J. A., CAMPBELL, T. and REILLY, C. S. Drug metabolism after anaesthesia, (*ARS*) 229–230P
LIN, E. S. *see* JONES, M. J., (*ARS*) 227–228P; MOTTRAM, S. D. 108–109S
LINKENS, D. A. *see* MACLEOD, A. D. 31–35
LITTLEWOOD, D. G. *see* BANNISTER, J., (*ARS*) 237P
LOCKHART, A. *see* MORISOT, P. 97–102
LOCKWOOD, G. G. and WHITE, D. C. NARKUP: a program demonstrating the effect on anaesthetic uptake of changes in physiological variables and of breathing systems, (*ARS*) 633–634P
LOGAN, M. and FARMER, J. G. Anaesthesia and the ozone layer, (*E*) 645–647
LORIFERNE, J.-F. *see* BONNET, F. 465–469
LOUGHNAN, B. A., ANDERSON, S. K., HETREED, M. A., WESTON, P. F., BOYD, S. G. and HALL, G. M. Effects of halothane on motor evoked potential recorded in the extradural space 561–564
LOUGHNAN, B. A. and HALL, G. M. Spinal cord monitoring 1989 587–594
LOWRIE, A., JONES, M. J. and EASTLEY, R. J. Effect of a eutectic mixture of local anaesthetic agents (EMLA) on tourniquet pain in volunteers 751–753
LUCE, J. N. and PIERSON, D. J., (editors) *Critical Care Medicine*, 1st Edn, (*R*) 642
LUND, C., QVITZAU, S., GREULICH, A., HJORTSØ, N.-C. and KEHLET, H. Comparison of the effects of extradural clonidine with those of morphine on postoperative pain, stress responses, cardiopulmonary function and motor and sensory block 516–519

LUNDBERG, D. B. A. *see* MUELLER, R. A., (*R*) 130
LUNKENHEIMER, A. *see* LUNKENHEIMER, P. P. 3–10S
LUNKENHEIMER, P. P., GROSSKOPFF, G., REDMANN, K., THEISSEN, J., LUNKENHEIMER, A., JACOB, G. and WHIMSTER, W. F. High frequency ventilation and regional compliance 3–10S
LUNKENHEIMER, P. P. *see* WHIMSTER, W. F. 32–37S
LYNAM, D. P. *see* CALDWELL, J. E. 393–399
LYNAS, A. G. A. *see* DUNDEE, J. W. 612–618
LYONS, G. *see* HOPKINS, P. M. 121–124

MCARTHUR, S. E., ROYSTON, B. D., BOTTIGLIERI, T. and NUNN, J. F. Effect of methionine on impaired DNA synthesis during exposure to nitrous oxide, (*ARS*) 231P
MCCLOY, R. F. *see* PEARSON, R. C., (*C*) 245–246
MCCLURE, J. H. and JONES, G. Comparison of bupivacaine and bupivacaine with fentanyl in continuous extradural analgesia during labour, (*C*) 637
MCCLURE, J. H. *see* JONES, G. 254–259
MCCONACHIE, I., KEAVENY, J. P., HEALY, T. E. J., VOHRA, S. and MILLION, L. Effect of anaesthesia on the QT interval 558–560
MCCULLAGH, P. *see* COLLIER, P. S., (*ARS*) 621–622P
MACDONALD, R. *see* HOPKINS, P. M. 121–124
MCGEE, K. *see* BOURGAIN, J. L., (*ARS*) 620P
MCHUGH, P., PARSLOE, M., WYLD, R., NIMMO, W. S. and REILLY, C. S. Continuous ambulatory ECG monitoring for detection of perioperative ischaemia in surgical patients, (*ARS*) 234–235P
MCHUGH, P. *see* MILLIGAN, K. A., (*ARS*) 628P
MACIVER, M. B. and KENDIG, J. J. Enflurane-induced burst discharge of hippocampal CA1 neurones is blocked by the NMDA receptor antagonist APV 296–305
MCKEATING, K. T., HOWE, J. P. and KEARNEY, E. J. Forearm blood flow during anaesthesia induced and maintained with propofol, (*ARS*) 633P
MCKENZIE, J. D., CALOW, P. and NIMMO, W. S. A model to test the potency of inhalation anaesthetics 489–491
MACKENZIE, N. and GRANT, I. S. Relative potencies of propofol and methohexitone infusions, (*C*) 637
MACLEOD, A. D., ASBURY, A. J., GRAY, W. M. and LINKENS, D. A. Automatic control of neuromuscular block with atracurium 31–35
MCLEOD, C. N. *see* SEHATI, S. 47–52S
MCLINTOCK, T. T. C., AITKEN, H., DOWNIE, C. and KENNY, G. N. C. Intraoperative suggestions and postoperative analgesic requirements, (*ARS*) 629–630P
MCQUAY, H. J. Opioids in chronic pain 213–226
MADSEN, G. M. and ANDERSEN, C. Pacemaker-induced tachycardia during general anaesthesia: a case report 360–361
MALMKVIST, G., FLETCHER, R., NORDSTRÖM, L. and WERNER, O. Effects of lung surgery and one-lung ventilation on pulmonary arterial pressure, venous admixture and immediate postoperative lung function 696–701
MALMKVIST, G. *see* FLETCHER, R., (*ARS*) 242P
MANANI, G. *see* GIUNTA, F. 102–106S
MANARA, A. R., SMITH, D. C. and NIXON, C. Sedation during spinal anaesthesia: a case for the routine administration of oxygen 343–345
MANGOLD, J. *see* KIM, J.-M. 497–500
MAPLESON, W. W., SMITH, G. and SYKES, M. K. High frequency ventilation, (*E*) 1–2S
MARSHALL, I. G. *see* MUIR, A. W. 400–410
MARSHALL, R. J. *see* MUIR, A. W. 400–410
MATTEO, R. S. *see* SCHWARTZ, A. E. 385–388
MAUGHAN, L. *see* SAGAWA, K., (*R*) 641
MAY, A. E. *see* LAVIES, N. G. 429–434
MEIKLEJOHN, B. H. and COLEY, S. Pressor and catecholamine response to nasal intubation of the trachea 283–286
MEIKLEJOHN, B. H. *see* LAVIES, N. G. 429–434
MEYER, M., CALZIA, E., MOHR, M., SCHULZ, H., NEUFELD, G. and PIIPER, J. Cardiogenic mixing: mechanisms and experimental evidence in dogs 95–101S
MILDE, J. H. *see* MILDE, L. N. 710–715
MILDE, L. N., MILDE, J. H. and GALLAGHER, W. J. Cerebral effects of fentanyl in dogs 710–715
MILLARD, R. K. *see* MONK, C. R. 22–30
MILLER, D. M. Enclosed afferent reservoir systems, (*C*) 760
MILLER, R. D., KIRBY, R. R., OSTHEIMER, G. W., ROIZEN, M. F. and STOELTING, R. K., (editors) *Yearbook of Anesthesia 1988*, (*R*) 368–369
MILLER, R. D. *see* CALDWELL, J. E. 393–399; SHI, W.-Z. 598–600
MILLIGAN, K. A., MCHUGH, P. and ROWBOTHAM, D. J. Effects of concomitant administration of cisapride and ranitidine on plasma concentrations in volunteers, (*ARS*) 628P
MILLION, L. *see* MCCONACHIE, I. 558–560
MIRAKHUR, R. K. *see* BELL, P. F., (*ARS*) 241–242P; STANLEY, J. C., (*ARS*) 240P; 754–755
MIRALLES, F. S. *see* CARCELES, M. D. 321–325
MITCHELL, R. W. D. and SMITH, G. The control of acute postoperative pain 147–158
MOBLEY, K. A. *see* COLEY, S. 423–428
MOFFAT, A. C., KENNY, G. N. C. and PRENTICE, J. W. Evaluation of the morphine sparing effects of nefopam and diclofenac after upper abdominal surgery, (*ARS*) 629P
MOHR, M. *see* MEYER, M. 95–101S
MONK, C. R., MILLARD, R. K., HUTTON, P. and PRYS-ROBERTS, C. Automatic arterial pressure regulation using isoflurane: comparison with manual control 22–30
MONK, C. R. and VALENTINE, S. Preoxygenation in the elderly patient using the four maximal breaths technique, (*ARS*) 623–624P
MOORE, J. *see* BILL, K. M., (*ARS*) 627P
MOORES, M. A. *see* FRATER, R. A. S. 260–265
MORGAN, M. The rational use of intrathecal and extradural opioids 165–188
MORGAN, M. *see* DESBOROUGH, J. P. 508–515
MORISOT, P., DESSANGES, J. F., REGNARD, J. and LOCKHART, A. Ventilatory response to carbon dioxide during extradural anaesthesia with lignocaine and fentanyl 97–102
MORRIS, P. J., RENNIE, J., EVANS, D. H. and LEVENE, M. I. Regional cerebral blood flow and Doppler flow velocity in the middle cerebral artery of the cat, (*ARS*) 233–234P
MORRISON, A. *see* HAWKYARD, S., (*ARS*) 624P
MORRISON, D. A. *see* CRUICKSHANK, R. H. 536–540
MOSS, E. Volatile anaesthetic agents in neurosurgery, (*E*) 4
MOSTAFA, S. M. *see* ABDEL-SALAM, M. G. 606–608; SWEENEY, J. 688–691; WILES, J. R. 125–127
MOTTRAM, S. D., JONES, M. J., LIN, E. S. and SMITH, G. Frequency response and gas exchange during high frequency jet ventilation in the pig 108–109S
MOTTRAM, S. D. *see* JONES, M. J., (*ARS*) 227–228P
MUELLER, R. A. and LUNDBERG, D. B. A. *Manual of Drug Interactions for Anesthesiology*, (*R*) 130
MUIR, A. W., HOUSTON, J., GREEN, K. L., MARSHALL, R. J., BOWMAN, W. C. and MARSHALL, I. G. Effects of a new neuromuscular blocking agent (Org 9426) in anaesthetized cats and pigs and in isolated nerve–muscle preparations 400–410
MURAT, I. and VENTURA-CLAPIER, R. Effects of halothane

on contractile properties of cardiac skinned fibres from cardiomyopathic animals, (*ARS*) 631P
MURIEL, C. *see* PEDRAZ, J. L. 671–674
MURRAY, A. W., BROCKWAY, M. S. and KENNY, G. N. C. Comparison of the cardiorespiratory effects of ketorolac and alfentanil during propofol anaesthesia 601–603
MURRAY, A. W. and KENNY, G. Sedation for endoscopy, (*C*) 244–245
MURRAY, J. F. and NADEL, J. A., (editors) *Textbook of Respiratory Medicine*, 1st Edn, (*R*) 640
MUTZ, N. *see* BAUM, M. 53–58S; 65–70S
MYERS, D. *see* SMIT, J. C., (*ARS*) 632–633P
MYLES, P. Arrhythmias during laparoscopy, (*C*) 365

NADEL, J. A. *see* MURRAY, J. F., (*R*) 640
NAVAJAS, D. and FARRÉ, R. Respiratory input impedance during high frequency oscillatory ventilation 85–90S
NEUFELD, G. *see* MEYER, M. 95–101S
NEWTON, D. E. F. *see* THORNTON, C. 113–115
NIEDERER, P. F. *see* SPAHN, D. R. 112S
NIMMO, W. S. and SMITH, G., (editors) *Anaesthesia*, (*R*) 763–764
NIMMO, W. S. *see* CRUICKSHANK, R. H. 536–540; MCHUGH, P., (*ARS*) 234–235P; MCKENZIE, J. D. 489–491; PARSLOE, M. R., (*ARS*) 229P; ROWBOTHAM, D. J. 56–59
NIXON, C. *see* MANARA, A. R. 343–345
NOLTE, H. *see* RAJ, P., (*R*) 369
NORDSTRÖM, L. *see* MALMKVIST, G. 696–701
NORTON, A. C. and DUNDAS, C. R. Flumazenil in antagonism of midazolam-induced general anaesthesia for day-case surgery, (*ARS*) 626P
NORTON, A. C. *see* DUNDAS, C. R., (*ARS*) 635–636P
NUNN, J. F. *see* MCARTHUR, S. E., (*ARS*) 231P

OLSSON, S. G. *see* FRISK, C. 115S
ORNSTEIN, E. *see* SCHWARTZ, A. E. 385–388
OSTHEIMER, G. W. *see* MILLER, R. D., (*R*) 368–369
OTTO, S. *see* ELLMAUER, S., (*ARS*) 228P
OVASSAPIAN, A. *see* DYKES, M. H. M. 595–597

PARBROOK, E. O. *see* PARBROOK, G. D. 81–86
PARBROOK, G. D., STILL, D. M. and PARBROOK, E. O. Comparison of i.v. sedation with midazolam and inhalation sedation with isoflurane in dental outpatients 81–86
PARK, G. R. *see* BODENHAM, A. 380–384; SHELLY, M. P. 375–379
PARKER, C. J. R. and HUNTER, J. M. A new four-parameter threshold model for the plasma atracurium–response relationship, (*ARS*) 622–623P
PARKER, C. J. R. *see* KENT, A. P. 661–666
PARRY, P. *see* FRATER, R. A. S. 260–265
PARSLOE, M. *see* MCHUGH, P., (*ARS*) 234–235P
PARSLOE, M. R., WYLD, R., REILLY, C. S. and NIMMO, W. S. Electrocardiographic changes after surgery, (*ARS*) 229P
PATEL, R. *see* SAMAAN, A. A., (*ARS*) 238P
PATEMAN, J. A. and HANNING, C. D. Postoperative myocardial infarction and episodic hypoxaemia 648–650
PATIL, C., STOKES, M., CLUTTON-BROCK, T. and HUTTON, P. Automated analysis of the capnogram and its derived parameters, (*ARS*) 634–635P
PAUL, D. *see* WILDSMITH, J. A. W. 444–452
PAUL, D. L. *see* JONES, G. 254–259
PEACOCK, J. E. *see* ROWBOTHAM, D. J. 56–59
PEARSON, R. C. and MCCLOY, R. F. Sedation for endoscopy, (*C*) 245–246
PEDRAZ, J. L., CALVO, M. B., LANAO, J. M., MURIEL, C., SANTOS LAMAS, J. and DOMINGUEZ-GIL, A. Pharmacokinetics of rectal ketamine in children 671–674
PESLIN, R. Computer simulation of respiratory impedance and flow transfer functions during high frequency oscillations 91–94S
PETERS, J., KOUSOULIS, L. and ARNDT, J. O. Effects of segmental thoracic extradural analgesia on sympathetic block in conscious dogs 470–476
PHILBIN, D. M. *see* DIEDERICKS, J. 458–464
PHILLIPS, D. E. *see* ABDEL-SALAM, M. G. 606–608
PIERSON, D. J. *see* LUCE, J. N., (*R*) 642
PIIPER, J. *see* MEYER, M. 95–101S
POLLARD, B. J. Priming with alcuronium and tubocurarine accelerates the onset of neuromuscular block 7–11
POLLARD, B. J. *see* EDDLESTON, J. M. 525–530; GWINNUTT, C. L., (*ARS*) 235–236P; THOMAS, A. N., (*ARS*) 228–229P
POULSEN, J. A. *see* HEMMINGSEN, C. 340–342
POWER, K. J. and AVERY, A. F. Extradural analgesia in the intrapartum management of a patient with pulmonary hypertension 116–120
PRENTICE, J. W. *see* MOFFAT, A. C., (*ARS*) 629P
PRICE, N. *see* BAILIE, R. 68–75
PRYS-ROBERTS, C. *see* MONK, C. R. 22–30
PUTENSEN, C. *see* BAUM, M. 65–70S
PUTZ, G. *see* BAUM, M. 65–70S

QUINN, K. G. *see* BODENHAM, A. 380–384; SHELLY, M. P. 375–379
QVITZAU, S. *see* LUND, C. 516–519

RAFFERTY, M. P. *see* TYLER, C. K. G., (*C*) 501
RAJ, P., NOLTE, H. and STANTON-HICKS, M. *Illustrated Manual of Regional Anaesthesia*, (*R*) 369
RAMPSON, A. J. Ventilation requirements during Caesarean section, (*C*) 247
RATCLIFF, A. *see* THOMAS, A. N., (*ARS*) 228–229P
RAY, D. C., HOWIE, A. F., BECKETT, G. J. and DRUMMOND, G. B. Preoperative cimetidine does not prevent subclinical halothane hepatotoxicity in man 531–535
RAYMOND, R. *see* REICH, D. L. 675–681
REDMANN, K. *see* LUNKENHEIMER, P. P. 3–10S
REED, P. N. *see* WILKINS, C. J. 346–347
REEVES, J. T. *see* WEIR, E. K., (*R*) 641–642
REGNARD, J. *see* MORISOT, P. 97–102
REICH, D. L., KONSTADT, S. N., THYS, D. M., HILLEL, Z., RAYMOND, R. and KAPLAN, J. A. Effects of doxacurium chloride on biventricular cardiac function in patients with cardiac disease 675–681
REILLY, C. S. *see* LEWIS, R. P., (*ARS*) 229–230P; MCHUGH, P., (*ARS*) 234–235P; PARSLOE, M. R., (*ARS*) 229P
RENNIE, J. *see* MORRIS, P. J., (*ARS*) 233–234P
RESTALL, J. *see* BAILIE, R. 68–75
REYNEKE, C. J., JAMES, M. F. M. and JOHNSON, R. Alfentanil and propofol infusions for surgery in the burned patient 418–422
REYNOLDS, F. Extradural opioids in labour, (*E*) 251–253
REYNOLDS, F. *see* LAISHLEY, R. S. 439–443; 721–725
RICHARD, M. O. *see* SAINT-MAURICE, C. 667–670
RIDLEY, S. *see* FLETCHER, M. E. 266–275
RISBO, A. *see* HEMMINGSEN, C. 340–342
ROBINSON, J. O. *see* SANDERS, L. D. 726–731
ROBINSON, S. *see* AITKENHEAD, A. R., (*ARS*) 230–231P
ROIZEN, M. F. *see* MILLER, R. D., (*R*) 368–369
ROSEN, M. *see* SANDERS, L. D. 726–731
ROSENBERG, J., DIRKES, W. E. and KEHLET, H. Episodic arterial oxygen desaturation and heart rate variations following major abdominal surgery 651–654

ROSENFALCK, A. *see* THOMSEN, C. E. 36–43
ROSTAING, S. *see* BONNET, F. 465–469
ROWBOTHAM, D. J., WYLD, R., PEACOCK, J. E., DUTHIE, D. J. R. and NIMMO, W. S. Transdermal fentanyl for the relief of pain after upper abdominal surgery 56–59
ROWBOTHAM, D. J. *see* MILLIGAN, K. A., (*ARS*) 628P
ROY, R. C. *see* BOWER, S., (*ARS*) 635P
ROYSTER, R. L. *see* BUTTERWORTH, J. F. 351–353
ROYSTON, B. D. *see* MCARTHUR, S. E., (*ARS*) 231P
RUBIN, A. P. *see* VENN, P. J. H. 682–687
RUNDGREN, M. *see* HAHN, R. G. 330–336; 337–339
RYAN, J. P. *see* THOMAS, A. N., (*ARS*) 228–229P
RYDER, W. A. *see* DIEDERICKS, J., (*ARS*) 234P

SAADA, M. *see* BONNET, F. 93–96; 465–469
SAGAWA, K., MAUGHAN, L., SUGA, H. and SUNAGAWA, K. *Cardiac Contraction and the Pressure–Volume Relationship*, 1st Edn, (*R*) 641
SAINT-MAURICE, C., COCKSHOTT, I. D., DOUGLAS, E. J., RICHARD, M. O. and HARMEY, J. L. Pharmacokinetics of propofol in young children after a single dose 667–670
SALO, M. Effects of thiopentone on immunoglobulin production *in vitro* 716–720
SAMAAN, A. A., JANI, K., PATEL, R. and FRANCIS, R. N. Effect of preoperative water, famotidine or ranitidine on gastric volume and pH, (*ARS*) 238P
SANDERS, L. D., DAVIES-EVANS, J., ROSEN, M. and ROBINSON, J. O. Comparison of diazepam with midazolam as i.v. sedation for outpatient gastroscopy 726–731
SANGHERA, S., SERRAO, J. M., GOODCHILD, C. S. and GENT, J. P. ICI 197067 produces analgesia at a spinal kappa receptor, (*ARS*) 628–629P
SANTOS LAMAS, J. *see* PEDRAZ, J. L. 671–674
SAPSED-BYRNE, S. *see* CHAKRABARTI, M. K. 732–735
SCHAFFERS, J. T. *see* BOS, J. A. H. 59–64S
SCHAIRER, W. *see* BOS, J. A. H. 59–64S
SCHENK, G. K. *see* FREYE, E. C. 357–359
SCHMID, E. R. *see* SPAHN, D. R. 112S
SCHNEERSON, J. *Disorders of Ventilation*, 1st Edn, (*R*) 369
SCHROER, M. *see* FREITAG, L. 38–43S; 44–46S
SCHULZ, H. *see* MEYER, M. 95–101S
SCHWARTZ, A. E., MATTEO, R. S., ORNSTEIN, E., YOUNG, W. L. and THORNHILL, M. Pharmacokinetics of sufentanil in neurosurgical patients undergoing hyperventilation 385–388
SCHWILDEN, H. Relative potencies of propofol and methohexitone infusions, (*C*) 637
SCOTT, D. B. "Maximum recommended doses" of local anaesthetic drugs, (*E*) 373–374
SEAR, J. W. Sufentanil disposition in patients undergoing renal transplantation: influence of choice of kinetic model 60–67
SEAR, J. W. *see* BOWER, S., (*ARS*) 635P; JEWKES, C., (*ARS*) 619P
SEHATI, S., YOUNG, J. D., SYKES, M. K. and MCLEOD, C. N. Monitoring of end-tidal carbon dioxide partial pressure during high frequency jet ventilation 47–52S
SENANAYAKE, N. *see* KARALLIEDDE, L. 736–750
SERPELL, M. G. and THOMSON, M. F. Comparison of piroxicam with placebo in the management of pain after total hip replacement 354–356
SERPICO, L. C. *see* SLOAN, T. B. 51–55
SERRAO, J. M. *see* GOODCHILD, C. S. 87–92; SANGHERA, S., (*ARS*) 628–629P
SHAFFER, E. *see* BRIDGES, R., (*ARS*) 631–632P
SHANSON, D. C., (editor) *Septicaemia and Endocarditis*, 1st Edn, (*R*) 763
SHELLY, M. P., QUINN, K. G. and PARK, G. R. Pharmacokinetics of morphine in patients following orthotopic liver transplantation 375–379
SHI, W.-Z., FAHEY, M. R., FISHER, D. M. and MILLER, R. D. Modification of central nervous system effects of laudanosine by inhalation anaesthetics 598–600
SHIRES, G. T., (editor) *Fluids, Electrolytes and Acid Bases*, (*R*) 248
SHOEMAKER, W. K., AYRES, S., GRENVIK, A., HOLBROOK, P. R. and LEIGH THOMPSON, W., (editors) *Textbook of Critical Care*, 2nd Edn, (*R*) 503
SIMPSON, D. A. *see* VENN, P. J. H. 682–687
SIMPSON, M. T. *see* KELLY, J. E. 609–611
SIMPSON, P. *see* BAILIE, R. 68–75
SIVAGNANARATNAM, V. *see* TING, P. L. 326–329
SKIELBOE, M., ANDERSEN, P., WEBER, M., JARNVIG, I.-L., JØRGENSEN, B. and CHRISTIANSEN, C. Antagonism of diazepam sedation by flumazenil 554–557
SLATER, R. M., SYMRENG, T., STARR, J. and TATMAN, D. Effect of respiratory alkalosis on oxygen consumption under general anaesthesia, (*ARS*) 232–233P
SLOAN, T. B., KIMOVEC, M. A. and SERPICO, L. C. Effects of thiopentone on median nerve somatosensory evoked potentials 51–55
SMIT, J. C., MYERS, D., GOUCH, B. G. and JONES, J. G. Synergism in acute lung injury, (*ARS*) 632–633P
SMITH, D. A. *see* CROSSLEY, A. W. A., (*ARS*) 232P
SMITH, D. C. *see* MANARA, A. R. 343–345
SMITH, G. Commentary—Guest reviewers for 1989 759
SMITH, G. *see* MAPLESON, W. W., (*E*) 1–2S; MITCHELL, R. W. D. 147–158; MOTTRAM, S. D. 108–109S; NIMMO, W. S., (*R*) 763–764
SNOWDON, S. L. *see* TARR, T. J., (*ARS*) 634P
SONI, N. Enclosed afferent reservoir system, (*C*) 760–761
SOUTHAN, A. P. and WANN, K. T. *In vitro* actions of ketamine and methohexitone in the rat hippocampus 574–580; Inhalation anaesthetics block accommodation of pyramidal cell discharge in the rat hippocampus 581–586
SPAHN, D. R., SCHMID, E. R., BUSH, E. H., LEUTHOLD, R. and NIEDERER, P. F. Resonant amplification during high frequency oscillation 112S
SPENCE, A. A. *see* LEW, J., (*ARS*) 236–237P
STAFFORD, M. A. *see* CROSSLEY, A. W. A., (*ARS*) 232P
STANLEY, J. C. and MIRAKHUR, R. K. Comparative potency of pipecuronium bromide and pancuronium bromide 754–755
STANLEY, J. C., MIRAKHUR, R. K., BELL, P. F., ELLIOTT, P. and CLARKE, R. S. J. Neuromuscular effects of pipecuronium bromide, (*ARS*) 240P
STANLEY, J. C. *see* BELL, P. F., (*ARS*) 241–242P
STANTON-HICKS, M. *see* RAJ, P., (*R*) 369
STARR, J. *see* SLATER, R. M., (*ARS*) 232–233P
STENQVIST, O. *see* BENGTSON, J. P. 453–457
STEWART, K. G. Clinical evaluation of pressure support ventilation 362–364
STILL, D. M. *see* PARBROOK, G. D. 81–86
STIRT, J. A. Accelerated recovery from neuromuscular block, (*C*) 761–762
STOCKS, J. *see* FLETCHER, M. E. 266–275
STOELTING, R. K., (editor) *Advances in Anesthesia Volume 6*, 1st Edn, (*R*) 641
STOELTING, R. K. *see* MILLER, R. D., (*R*) 368–369
STOKES, M. *see* PATIL, C., (*ARS*) 634–635P
STONE, P. A., THORBURN, J. and LAMB, K. S. R. Complications of spinal anaesthesia following extradural block for Caesarean section, (*C*) 366–367
STRUNIN, L. *see* BRIDGES, R., (*ARS*) 631–632P
SUGA, H. *see* SAGAWA, K., (*R*) 641
SUMNER, E. and HATCH, D. J., (editors) *Textbook of Paediatric Anaesthetic Practice*, (*R*) 764
SUNAGAWA, K. *see* SAGAWA, K., (*R*) 641
SWEENEY, J., UNDERHILL, S., DOWD, T. and MOSTAFA, S. M. Modification by fentanyl and alfentanil of the intraocular pressure response to suxamethonium and tracheal intubation 688–691

SYKES, M. K. *see* MAPLESON, W. W., (*E*) 1–2S; SEHATI, S. 47–52S
SYMRENG, T. *see* SLATER, R. M., (*ARS*) 232–233P

TARHAN, S., (editor) *Cardiovascular Anesthesia and Postoperative Care*, 2nd Edn, (*R*) 764–765
TARR, T. J., SNOWDON, S. L. and ABDEL-SALAM, M. G. A method for determining blood/gas solubility coefficient and blood concentrations of volatile anaesthetic agents, (*ARS*) 634P
TATMAN, D. *see* SLATER, R. M., (*ARS*) 232–233P
TAYLOR, B. *see* BLACK, A., (*ARS*) 622P
TAYLOR, P. M. Equine stress responses to anaesthesia 702–709
TENBRINCK, R. *see* BOS, J. A. H. 59–64S
TENHAVE-OPBROEK, A. A. W. *see* BOS, J. A. H. 59–64S
THEISSEN, J. *see* LUNKENHEIMER, P. P. 3–10S
THOMAS, A. N., POLLARD, B. J., RATCLIFF, A. and RYAN, J. P. Haemodynamic responses to induction with thiopentone and propofol measured using impedance cardiography, (*ARS*) 228–229P
THOMSEN, C. E., CHRISTENSEN, K. N. and ROSENFALCK, A. Computerized monitoring of depth anaesthesia with isoflurane 36–43
THOMSON, M. F. *see* SERPELL, M. G. 354–356
THORBURN, J. and DAVIS, W. O. M. The Ohmeda OAV 7710 Ventilator, (*C*) 638–639
THORBURN, J. *see* STONE, P. A., (*C*) 366–367
THORNHILL, M. *see* SCHWARTZ, A. E. 385–388
THORNTON, C., BARROWCLIFFE, M. P., KONIECZKO, K. M., VENTHAM, P., DORÉ, C. J., NEWTON, D. E. F. and JONES, J. G. The auditory evoked response as an indicator of awareness 113–115
THORNTON, C., KONIECZKO, K. M., KNIGHT, A. B., KAUL, B., JONES, J. G., DORÉ, C. J. and WHITE, D. C. Effect of propofol on the auditory evoked response and oesophageal contractility 411–417
THYS, D. M. *see* REICH, D. L. 675–681
TING, P. L. and SIVAGNANARATNAM, V. Ultrasonographic study of the spread of local anaesthetic during axillary brachial plexus block 326–329
TODD, M. M. *see* HANSEN, T. D. 290–295
TOSH, G. C. *see* GRIFFIN, R. M., (*ARS*) 624–625P
TOUBOUL, C. *see* BONNET, F. 465–469
TURNER, D. R., KAO, Y. J. and BIVONA, C. Neuromuscular block by suxamethonium following treatment with histamine type 2 antagonists or metoclopramide 348–350
TVERSKOY, M., BEN-SHLOMO, I., EZRY, J., FINGER, J. and FLEYSHMAN, G. Midazolam acts synergistically with methohexitone for induction of anaesthesia 109–112
TYLER, C. K. G., BARNES, P. K. and RAFFERTY, M. P. Controlled ventilation with a Mapleson A (Magill) breathing system, (*C*) 501

UNDERHILL, S. *see* SWEENEY, J. 688–691

VALENTINE, S. *see* MONK, C. R., (*ARS*) 623–624P
VANNER, R. G. Gastro–oesophageal reflux in pregnancy at term and after delivery, (*ARS*) 238–239P
VANNER, R. G. *see* GOODMAN, N. W. 548–553
VAUGHAN, R. S. Airways re-revisited, (*C*) 129
VENN, P. J. H., SIMPSON, D. A., RUBIN, A. P. and EDSTROM, H. H. Effect of fluid preloading on cardiovascular variables after spinal anaesthesia with glucose-free 0.75% bupivacaine 682–687
VENTHAM, P. *see* THORNTON, C. 113–115
VENTURA-CLAPIER, R. *see* MURAT, I., (*ARS*) 631P
VERHOEFF, F. *see* JEWKES, C., (*ARS*) 619P
VERMEYEN, K. M., ERPELS, F. A., BEECKMAN, C. P., JANSSEN, L. A. and ADRIAENSEN, H. F. Low-dose sufentanil–isoflurane anaesthesia for coronary artery surgery 44–50
VERSPRILLE, A. *see* VAN VUGHT, A. J. 110–111S
VOHRA, S. *see* MCCONACHIE, I. 558–560
VOLGYESI, G. A. *see* BURROWS, F. A. 565–573
VAN VUGHT, A. J., VERSPRILLE, A. and JANSEN, J. R. C. Apnoea during high frequency jet ventilation in piglets 110–111S
VUST, L. J. *see* HANSEN, T. D. 290–295

WADE, J. A. *see* GOODMAN, N. W. 548–553
WAKE, P. *see* HAWKYARD, S., (*ARS*) 624P
WANN, K. T. *see* SOUTHAN, A. P. 574–580; 581–586
WARNER, D. S. *see* HANSEN, T. D. 290–295
WASKELL, L. *see* HOFFMAN, J. 103–108
WATT, J. and WOOD, C., (editors) *Talking Health: Conventional and Complementary Approaches*, (*R*) 370–371
WEBER, M. *see* SKIELBOE, M. 554–557
WEIR, E. K. and REEVES, J. T., (editors) *Pulmonary Vascular Physiology and Pathophysiology*, 1st Edn, (*R*) 641–642
WELLER, R. *see* ZORAB, J. S. M., (*R*) 248
WERNER, O. *see* FLETCHER, R., (*ARS*) 242P; MALMKVIST, G. 696–701
WESNES, K. *see* BAILIE, R. 68–75
WESTON, P. F. *see* LOUGHNAN, B. A. 561–564
WHIMSTER, W. F. and LUNKENHEIMER, P. P. Review of respiratory tract structure in relation to high frequency ventilation 32–37S
WHIMSTER, W. F. *see* LUNKENHEIMER, P. P. 3–10S
WHITE, D. *see* WHITHINGTON, P. S., (*ARS*) 243P
WHITE, D. C. *see* HUMPHREY, S. J. E., (*ARS*) 227P; LOCKWOOD, G. G., (*ARS*) 633–634P; THORNTON, C. 411–417
WHITE, M. and KENNY, G. N. C. Intraoperative control of propofol using a computerized infusion system, (*ARS*) 620–621P
WHITHINGTON, P. S., GRAHAM, T., CAREY, C., WHITE, D., LEWIS, C. T. and COLVIN, M. P. Haemodynamic effects of an implantable left ventricular assist device (LVAD) in the calf, (*ARS*) 243P
WHITWAM, J. G. *see* CHAKRABARTI, M. K. 732–735
WIERDA, J. M. K. H. and AGOSTON, S. Pharmacokinetics of vecuronium during hypothermic bypass, (*ARS*) 627–628P
WILDSMITH, J. A. W. Aspects of pain, (*E*) 135; Complications of spinal anaesthesia following extradural block for Caesarean section, (*C*) 366; Developments in local anaesthetic drugs and techniques for pain relief 159–164
WILDSMITH, J. A. W., BROWN, D. T., PAUL, D. and JOHNSON, S. Structure–activity relationships in differential nerve block at high and low frequency stimulation 444–452
WILDSMITH, J. A. W. and LEE, J. A. Neurological sequelae of spinal anaesthesia, (*E*) 505–507
WILDSMITH, J. A. W. *see* ARMSTRONG, P., (*ARS*) 625–626P; BROCKWAY, M. S. 604–605
WILES, J. R., KELLY, J. and MOSTAFA, S. M. Hypotension and bradycardia following superior laryngeal nerve block 125–127
WILKINS, C. J., REED, P. N. and AITKENHEAD, A. R. Hypoxaemia after inhalation of 50% nitrous oxide and oxygen 346–347
WILSON, A. *see* HARPER, N. J., (*ARS*) 240–241P
WILSON, I. H. and BALLARD, P. Controlled ventilation with a Mapleson A (Magill) breathing system, (*C*) 501–502
WINTER, A. W. *see* BROCKWAY, M. S. 604–605
WOLLMER, P. *see* BOS, J. A. H. 59–64S
WOOD, C. *see* WATT, J., (*R*) 370–371

WOOLF, C. J. Recent advances in the pathophysiology of acute pain 139–146
WYLD, R. *see* MCHUGH, P., (*ARS*) 234–235P; PARSLOE, M. R., (*ARS*) 229P; ROWBOTHAM, D. J. 56–59

YATE, P. M. *see* GOLDHILL, D. R., (*ARS*) 239–240P
YATES, A. P. B. *see* FLETCHER, M. E. 266–275
YEOMAN, P. M., GIBSON, M. J., HUTCHINSON, A., CRAWSHAW, C., BRADSHAW, K. and BEATTIE, A. Influence of induced hypotension and spinal distraction on feline spinal somatosensory evoked potentials 315–320
YOUNG, J. D. Controlled ventilation with a Mapleson A (Magill) breathing system, (*C*) 501; Mathematical model of jet ventilation 78–84S
YOUNG, J. D. and DORRINGTON, K. L. Peak airway pressure during high frequency jet ventilation: theory and measurement 541–547
YOUNG, J. D. *see* SEHATI, S. 47–52S
YOUNG, W. L. *see* SCHWARTZ, A. E. 385–388

ZORAB, J. S. M. and WELLER, R., (editors) *Lectures in Anaesthesiology 1988/1*, 1st Edn, (*R*) 248

# SUBJECT INDEX


**"Accelerated recovery"**, Accelerated recovery from neuromuscular block, KOEHLI, N., (*C*) 761
——, Accelerated recovery from neuromuscular block, STIRT, J. A., (*C*) 761–762
**Accommodation**, Inhalation anaesthetics block accommodation of pyramidal cell discharge in the rat hippocampus, SOUTHAN, A. P., *et al.* 581–586
**Acid aspiration**, Gastro-oesophageal reflux in pregnancy at term and after delivery, VANNER, R. G., (*ARS*) 238–239P
**Acupuncture**, Does the timing of P6 acupuncture influence its efficacy as a postoperative anti-emetic? DUNDEE, J. W., *et al.*, (*ARS*) 630P
——, Effect of stimulation of the P6 antiemetic point on postoperative nausea and vomiting, DUNDEE, J. W., *et al.* 612–618
——, Non-invasive application of electro acupuncture: a perioperative anti-emetic, GHALY, R. G., *et al.*, (*ARS*) 235P
*Acupuncture, Trigger Points and Musculoskeletal Pain*, BALDRY, P. E., (*R*) 368
**Acute lung injury**, High frequency oscillation, BOHN, D. 16–23S
——, High frequency ventilation in acute lung injury, ARMENGOL, J. 11–15S
**Acute pain**, Aspects of pain, WILDSMITH, J. A. W., (*E*) 135
——, Recent advances in the pathophysiology of acute pain, WOOLF, C. J. 139–146
**Acute postoperative pain**, Aspects of pain, WILDSMITH, J. A. W., (*E*) 135
——, The control of acute postoperative pain, MITCHELL, R. W. D., *et al.* 147–158
**Acute pulmonary congestion**, Evaluation and significance of respiratory acoustical impedance, DEPEURSINGE, C. 113–114S
**Acute respiratory distress syndrome**, Synergism in acute lung injury, SMIT, J. C., *et al.*, (*ARS*) 632–633P
**Addiction**, Opioids in chronic pain, MCQUAY, H. J. 213–226
**Adductor pollicis**, Characteristics of atracurium block in the gastrocnemius muscle, HARPER, N. J., *et al.*, (*ARS*) 240–241P
——, Relative potency of vecuronium on the diaphragm and the adductor pollicis, LEBRAULT, C., *et al.* 389–392
**Adrenaline**, Effect of adrenaline on placental transfer of bupivacaine in the perfused *in situ* rabbit placenta, LAISHLEY, R. S., *et al.* 439–443
——, Effect of adrenaline on the distribution of bupivacaine in the rabbit fetus, LAISHLEY, R. S., *et al.* 721–725
*Advances in Anesthesia Volume* 6, 1st Edn, STOELTING, R. K., (editor), (*R*) 641
**Age**, Arterial partial pressures of isoflurane during induction of anaesthesia in young and elderly subjects, DWYER, R., *et al.*, (*ARS*) 630–631P
——, Pharmacokinetics of atracurium and laudanosine in the elderly, KENT, A. P., *et al.* 661–666
**Airway deadspace**, Relationship between airway deadspace and lung volume in anaesthetized patients: effects of sternotomy, FLETCHER, R., *et al.*, (*ARS*) 242P
**Airway obstruction**, Influence of thiopentone on upper airway muscles, DRUMMOND, G. B. 12–21
——, Movement of the tongue on induction of anaesthesia, ABERNETHY, L. J., *et al.*, (*ARS*) 236P
——, Site of airway obstruction in anaesthetized patients, DRUMMOND, G. B., (*ARS*) 625P
**Airway pressure**, Increase in tracheal pressure during jet ventilation, ISABEY, D., *et al.* 71–77S
——, Peak airway pressure during high frequency jet ventilation: theory and measurement, YOUNG, J. D., *et al.* 541–547
**Airways**, Airways re-revisited, CHARTERS, P., *et al.*, (*C*) 128
——, Airways re-revisited, LAYMAN, P. R., (*C*) 128
——, Airways re-revisited, VAUGHAN, R. S., (*C*) 129
**Airways resistance**, Effects of ketamine on isolated human bronchial preparations, GATEAU, O., *et al.* 692–695
**Alcuronium**, Priming with alcuronium and tubocurarine accelerates the onset of neuromuscular block, POLLARD, B. J. 7–11
**Alfentanil**, Alfentanil and propofol infusions for surgery in the burned patient, REYNEKE, C. J., *et al.* 418–422
——, Analgesia and sedation in intensive care, AITKENHEAD, A. R. 196–206
——, Antagonism of diazepam sedation by flumazenil, SKIELBOE, M., *et al.* 554–557
——, Comparison of the cardiorespiratory effects of ketorolac and alfentanil during propofol anaesthesia, MURRAY, A. W., *et al.* 601–603
——, Differing effects of hepatic pathology on alfentanil kinetics, BOWER, S., *et al.*, (*ARS*) 635P
——, Effects of incremental doses of alfentanil and propofol on the breathing of anaesthetized patients, GOODMAN, N. W., *et al.* 548–553
——, Effects of opioids on the pulmonary circulation and gas exchange, ELLMAUER, S., *et al.*, (*ARS*) 228P
——, Effects of temazepam premedication on cognitive recovery following alfentanil–propofol anaesthesia, BAILIE, R., *et al.* 68–75
——, Modification by fentanyl and alfentanil of the intraocular pressure response to suxamethonium and tracheal intubation, SWEENEY, J., *et al.* 688–691
**Alkalinization**, Effect of alkalinization of prilocaine on i.v. regional anaesthesia, ARMSTRONG, P., *et al.*, (*ARS*) 625–626P
**Alkylpipecoloxylidide series**, Structure–activity relationships in differential nerve block at high and low frequency stimulation, WILDSMITH, J. A. W., *et al.* 444–452
**Alpha-2 adrenergic agonist**, Postoperative analgesia with extradural clonidine, BONNET, F., *et al.* 465–469
**Amino acids**, Vasopressin and amino acid concentrations in serum following absorption of irrigating fluid containing glycine and ethanol, HAHN, R. G., *et al.* 337–339
*Anaesthesia*, NIMMO, W. S., *et al.*, (editors), (*R*) 763–764
*Anaesthesia and the Aged Patient*, DAVENPORT, H. T., (editor), (*R*) 130–131
*Anaesthesia at the District Hospital*, 1st Edn, DOBSON, M. B., (*R*) 131–132

**Anaesthetic blood concentration**, A method for determining blood/gas solubility coefficient and blood concentrations of volatile anaesthetic agents, TARR, T. J., *et al.*, (*ARS*) 634P
**Anaesthetic synergism**, Midazolam acts synergistically with methohexitone for induction of anaesthesia, TVERSKOY, M., *et al.* 109–112
**Anaesthetic uptake**, NARKUP: a program demonstrating the effect on anaesthetic uptake of changes in physiological variables and of breathing systems, LOCKWOOD, G. G., *et al.*, (*ARS*) 633–634P
**Anastomotic dehiscence**, Influence of morphine and pethidine on the incidence of anastomotic dehiscence after colonic surgery, AITKENHEAD, A. R., *et al.*, (*ARS*) 230–231P
*Anesthesia in Hepatic and Biliary Tract Disease*, 1st Edn, BROWN, B. R. jr, (*R*) 130
**Anti-emetic**, Does the timing of P6 acupuncture influence its efficacy as a postoperative anti-emetic? DUNDEE, J. W., *et al.*, (*ARS*) 630P
——, Non-invasive application of electro acupuncture: a perioperative anti-emetic, GHALY, R. G., *et al.*, (*ARS*) 235P
**Antipyrine**, Effect of adrenaline on placental transfer of bupivacaine in the perfused *in situ* rabbit placenta, LAISHLEY, R. S., *et al.* 439–443
**Apnoea**, Apnoea during high frequency jet ventilation in piglets, VAN VUGHT, A. J., *et al.* 110–111S
——, Neurophysiological mechanisms inducing apnoea during HFO, KOHL, J., *et al.* 107S
——, Rebreathing during pre-oxygenation: improved ventilation after propofol, GALLOWAY, D. W., (*ARS*) 624P
——, Sensitivity to both vecuronium and neostigmine in a sero-negative myasthenic patient, KIM, J.-M., *et al.* 497–500
**APV**, Enflurane-induced burst discharge of hippocampal CA1 neurones is blocked by the NMDA receptor antagonist APV, MACIVER, M. B., *et al.* 296–305
**Arrhythmias**, Arrhythmias during laparoscopy, BURNS, J. M. A., *et al.*, (*C*) 365
——, Arrhythmias during laparoscopy, MYLES, P., (*C*) 365
**Arterial partial pressure**, Arterial partial pressures of isoflurane during induction of anaesthesia in young and elderly subjects, DWYER, R., *et al.*, (*ARS*) 630–631P
**Arterial pressure**, Automatic arterial pressure regulation using isoflurane: comparison with manual control, MONK, C. R., *et al.* 22–30
——, Cardiovascular responses to insertion of the Brain Laryngeal Mask, GRIFFIN, R. M., *et al.*, (*ARS*) 624–625P
——, Comparison of the effects of extradural clonidine with those of morphine on postoperative pain, stress responses, cardiopulmonary function and motor and sensory block, LUND, C., *et al.* 516–519
——, Fibreoptic intubation: attenuating the hypertensive response to laryngoscopy and intubation, HAWKYARD, S., *et al.*, (*ARS*) 624P
——, Preoperative arterial pressure measurements: relationship to resting values, HUMPHREYS, K. J., *et al.*, (*ARS*) 242P
——, Prophylactic ephedrine during spinal anaesthesia: double-blind study in patients in ASA groups I–III, HEMMINGSEN, C., *et al.* 340–342
**Arterial pressure measurement**, Arterial pressure measurement in the critically ill: comparison of Finapres and intra-arterial cannula, FARQUHAR, I., *et al.*, (*ARS*) 619–620P
**Aspiration pneumonitis**, Gastro–oesophageal reflux in pregnancy at term and after delivery, VANNER, R. G., (*ARS*) 238–239P
**Assisted ventilation**, Clinical evaluation of pressure support ventilation, STEWART, K. G. 362–364
*Assisted Ventilation of the Neonate*, 2nd Edn, GOLDSMITH, J. P., *et al.*, (editors), (*R*) 640–641
**Asthmatic patients**, Evaluation and significance of respiratory acoustical impedance, DEPEURSINGE, C. 113–114S
**Asystole**, Arrhythmias during laparoscopy, BURNS, J. M. A., *et al.*, (*C*) 365
——, Arrhythmias during laparoscopy, MYLES, P., (*C*) 365
**Atracurium**, A new four-parameter threshold model for the plasma atracurium–response relationship, PARKER, C. J. R., *et al.*, (*ARS*) 622–623P
——, Accelerated recovery from neuromuscular block, KOEHLI, N., (*C*) 761
——, Accelerated recovery from neuromuscular block, STIRT, J. A., (*C*) 761–762
——, Atracurium and Double Burst Stimulation, BRAUDE, N., *et al.*, (*C*) 637–638
——, Automatic control of neuromuscular block with atracurium, MACLEOD, A. D., *et al.* 31–35
——, Cerebrospinal fluid and plasma concentrations of atracurium and laudanosine in man, GWINNUTT, C. L., *et al.*, (*ARS*) 235–236P
——, Characteristics of atracurium block in the gastrocnemius muscle, HARPER, N. J., *et al.*, (*ARS*) 240–241P
——, Comparison of the neuromuscular block induced by mivacurium, suxamethonium or atracurium during nitrous oxide–fentanyl anaesthesia, CALDWELL, J. E., *et al.* 393–399
——, Concentrations of atracurium and laudanosine in cerebrospinal fluid and plasma during intracranial surgery, EDDLESTON, J. M., *et al.* 525–530
——, Effects of suxamethonium on recovery from atracurium and vecuronium, BLACK, A., *et al.*, (*ARS*) 622P
——, Pharmacokinetics of atracurium and laudanosine in the elderly, KENT, A. P., *et al.* 661–666
——, Production of laudanosine following infusion of atracurium in man and its effects on awakening, BEEMER, G. H., *et al.* 76–80
**Atracurium–vecuronium combination**, Accelerated recovery from neuromuscular block, KOEHLI, N., (*C*) 761
——, Accelerated recovery from neuromuscular block, STIRT, J. A., (*C*) 761–762
**Atropine**, Atropine should be given to children before induction of anaesthesia with isoflurane, LAIRD, C. R. D., *et al.*, (*ARS*) 623P
**Auditory evoked response**, Effect of propofol on the auditory evoked response and oesophageal contractility, THORNTON, C., *et al.* 411–417
——, The auditory evoked response as an indicator of awareness, THORNTON, C., *et al.* 113–115
**Augmented delta quotient**, Clinical evaluation of the augmented delta quotient monitor for intraoperative electroencephalographic monitoring in children during surgery and cardiopulmonary bypass for repair of congenital cardiac defects, BURROWS, F. A., *et al.* 565–573
**Automatic arterial pressure regulation**, Automatic arterial pressure regulation using isoflurane: comparison with manual control, MONK, C. R., *et al.* 22–30
**Automatic control**, Automatic control of neuromuscular block with atracurium, MACLEOD, A. D., *et al.* 31–35
**Autonomic nervous system**, Effects of a new neuromuscular blocking agent (Org 9426) in anaesthetized cats and pigs and in isolated nerve–muscle preparations, MUIR, A. W., *et al.* 400–410
**Autoradiography**, Effects of nitrous oxide and volatile

anaesthetics on cerebral blood flow, HANSEN, T. D., *et al.* 290–295
**Awake tracheal intubation**, Hypotension and bradycardia following superior laryngeal nerve block, WILES, J. R., *et al.* 125–127
**Awakening**, Production of laudanosine following infusion of atracurium in man and its effects on awakening, BEEMER, G. H., *et al.* 76–80
**Awareness**, The auditory evoked response as an indicator of awareness, THORNTON, C., *et al.* 113–115
**Axilla anatomy**, Ultrasonographic study of the spread of local anaesthetic during axillary brachial plexus block, TING, P. L., *et al.* 326–329
**Axillary block**, Ultrasonographic study of the spread of local anaesthetic during axillary brachial plexus block, TING, P. L., *et al.* 326–329

**Barbiturates**, Influence of thiopentone on upper airway muscles, DRUMMOND, G. B. 12–21
——, Midazolam acts synergistically with methohexitone for induction of anaesthesia, TVERSKOY, M., *et al.* 109–112
**Benzodiazepines**, Analgesia and sedation in intensive care, AITKENHEAD, A. R. 196–206
——, Comparison of diazepam with midazolam as i.v. sedation for outpatient gastroscopy, SANDERS, L. D., *et al.* 726–731
——, Midazolam acts synergistically with methohexitone for induction of anaesthesia, TVERSKOY, M., *et al.* 109–112
——, Sedation during spinal anaesthesia: a case for the routine administration of oxygen, MANARA, A. R., *et al.* 343–345
——, Sedation for endoscopy, HOARE, A. M., *et al.*, (*C*) 246–247
——, Sedation for endoscopy, PEARSON, R. C., *et al.*, (*C*) 245–246
**Bile secretion**, Acute effects of halothane and isoflurane on bile secretion in the rat, BRIDGES, R., *et al.*, (*ARS*) 631–632P
**Bioimpedance**, Non-invasive cardiac output measurement by bioimpedance: is it reliable? JEWKES, C., *et al.*, (*ARS*) 619P
**Biophase kinetics**, Effects of incremental doses of alfentanil and propofol on the breathing of anaesthetized patients, GOODMAN, N. W., *et al.* 548–553
**Biotransformation**, Ethanol-inducible cytochrome P450 in rabbits metabolizes enflurane, HOFFMAN, J., *et al.* 103–108
**Blood/gas solubility coefficient**, A method for determining blood/gas solubility coefficient and blood concentrations of volatile anaesthetic agents, TARR, T. J., *et al.*, (*ARS*) 634P
**Body weight**, Sedation for endoscopy, PEARSON, R. C., *et al.*, (*C*) 245–246
**Bolus dose**, Effects of thiopentone on median nerve somatosensory evoked potentials, SLOAN, T. B., *et al.* 51–55
——, Explicit: an interactive pharmacokinetics simulator for injectable anaesthetics, ARUNDEL, P. A., *et al.*, (*ARS*) 230P
——, The control of acute postoperative pain, MITCHELL, R. W. D., *et al.* 147–158
**Book Reviews**
*Acupuncture, Trigger Points and Musculoskeletal Pain*, BALDRY, P. E., (*R*) 368
*Advances in Anesthesia Volume* 6, 1st Edn, STOELTING, R. K., (editor), (*R*) 641
*Anaesthesia*, NIMMO, W. S., *et al.*, (editors), (*R*) 763–764
*Anaesthesia and the Aged Patient*, DAVENPORT, H. T., (editor), (*R*) 130–131
*Anaesthesia at the District Hospital*, 1st Edn, DOBSON, M. B., (*R*) 131–132
*Anesthesia in Hepatic and Biliary Tract Disease*, 1st Edn, BROWN, B. R. jr, (*R*) 130
*Assisted Ventilation of the Neonate*, 2nd Edn, GOLDSMITH, J. P., *et al.*, (editors), (*R*) 640–641
*Cardiac Contraction and the Pressure–Volume Relationship*, 1st Edn, SAGAWA, K., *et al.*, (*R*) 641
*Cardiovascular Anesthesia and Postoperative Care*, 2nd Edn, TARHAN, S., (editor), (*R*) 764–765
*Critical Care Medicine*, 1st Edn, LUCE, J. N., *et al.*, (editors), (*R*) 642
*Disorders of Ventilation*, 1st Edn, SCHNEERSON, J., (*R*) 369
*Fluids, Electrolytes and Acid Bases*, SHIRES, G. T., (editor), (*R*) 248
*Illustrated Manual of Regional Anaesthesia*, RAJ, P., *et al.*, (*R*) 369
*Lectures in Anaesthesiology 1988/1*, 1st Edn, ZORAB, J. S. M., *et al.*, (editors), (*R*) 248
*Manual of Drug Interactions for Anesthesiology*, MUELLER, R. A., *et al.*, (*R*) 130
*Near Misses in Anesthesia*, 1st Edn, LEWIS, J. M., *et al.*, (*R*) 765
*Orofacial Pains*, 4th Edn, BELL, W. E., (*R*) 368
*Pediatric Cardiac Anesthesia*, 1st Edn, LAKE, C. L., (editor), (*R*) 248–249
*Pulmonary Vascular Physiology and Pathophysiology*, 1st Edn, WEIR, E. K., *et al.*, (editors), (*R*) 641–642
*Septicaemia and Endocarditis*, 1st Edn, SHANSON, D. C., (editor), (*R*) 763
*Talking Health: Conventional and Complementary Approaches*, WATT, J., *et al.*, (editors), (*R*) 370–371
*Textbook of Critical Care*, 2nd Edn, SHOEMAKER, W. K., *et al.*, (editors), (*R*) 503
*Textbook of Paediatric Anaesthetic Practice*, SUMNER, E., *et al.*, (editors), (*R*) 764
*Textbook of Respiratory Medicine*, 1st Edn, MURRAY, J. F., *et al.*, (editors), (*R*) 640
*Yearbook of Anesthesia 1988*, MILLER, R. D., *et al.*, (editors), (*R*) 368–369
**Brachial plexus block**, Prolonged brachial plexus block with 0.42% bupivacaine, BROCKWAY, M. S., *et al.* 604–605
**Bradycardia**, Arrhythmias during laparoscopy, BURNS, J. M. A., *et al.*, (*C*) 365
——, Arrhythmias during laparoscopy, MYLES, P., (*C*) 365
——, Complications associated with inhalation anaesthesia, LEW, J., *et al.*, (*ARS*) 236–237P
——, Hypotension and bradycardia following superior laryngeal nerve block, WILES, J. R., *et al.* 125–127
**Brain blood flow**, Cerebral effects of fentanyl in dogs, MILDE, L. N., *et al.* 710–715
**Brain Laryngeal Mask**, Cardiovascular responses to insertion of the Brain Laryngeal Mask, GRIFFIN, R. M., *et al.*, (*ARS*) 624–625P
**Breathing systems**, Controlled ventilation with a Mapleson A (Magill) breathing system, TYLER, C. K. G., *et al.*, (*C*) 501
——, Controlled ventilation with a Mapleson A (Magill) breathing system, WILSON, I. H., *et al.*, (*C*) 501–502
——, Controlled ventilation with a Mapleson A (Magill) breathing system, YOUNG, J. D., (*C*) 501
——, Enclosed afferent reservoir system, SONI, N., (*C*) 760–761
——, Enclosed afferent reservoir systems, MILLER, D. M., (*C*) 760
——, NARKUP: a program demonstrating the effect on anaesthetic uptake of changes in physiological variables and of breathing systems, LOCKWOOD, G. G., *et al.*, (*ARS*) 633–634P
——, Universal breathing system? COULTAS, R. J., (*C*) 366

**Bronchial smooth muscle**, Effects of ketamine on isolated human bronchial preparations, GATEAU, O., *et al.* 692–695
**Bronchoscopy**, Clinical uses of high frequency jet ventilation in anaesthesia, GIUNTA, F., *et al.* 102–106S
**Bupivacaine**, Comparison of bupivacaine and bupivacaine with fentanyl in continuous extradural analgesia during labour, JONES, G., *et al.* 254–259
——, Comparison of bupivacaine and bupivacaine with fentanyl in continuous extradural analgesia during labour, MCCLURE, J. H., *et al.*, (*C*) 637
——, Developments in local anaesthetic drugs and techniques for pain relief, WILDSMITH, J. A. W. 159–164
——, Effect of adrenaline on placental transfer of bupivacaine in the perfused *in situ* rabbit placenta, LAISHLEY, R. S., *et al.* 439–443
——, Effect of adrenaline on the distribution of bupivacaine in the rabbit fetus, LAISHLEY, R. S., *et al.* 721–725
——, Effect of fluid preloading on cardiovascular variables after spinal anaesthesia with glucose-free 0.75% bupivacaine, VENN, P. J. H., *et al.* 682–687
——, Extradural analgesia in the intrapartum management of a patient with pulmonary hypertension, POWER, K. J., *et al.* 116–120
——, Prevention of tourniquet pain by spinal isobaric bupivacaine with clonidine, BONNET, F., *et al.* 93–96
——, Prolonged brachial plexus block with 0.42% bupivacaine, BROCKWAY, M. S., *et al.* 604–605
**Bupivacaine with fentanyl**, Comparison of bupivacaine and bupivacaine with fentanyl in continuous extradural analgesia during labour, MCCLURE, J. H., *et al.*, (*C*) 637
**Buprenorphine**, Effects of opioids on the pulmonary circulation and gas exchange, ELLMAUER, S., *et al.*, (*ARS*) 228P
——, The control of acute postoperative pain, MITCHELL, R. W. D., *et al.* 147–158
**Burned patient**, Alfentanil and propofol infusions for surgery in the burned patient, REYNEKE, C. J., *et al.* 418–422
**BW B1090U (mivacurium)**, Comparison of the neuromuscular block induced by mivacurium, suxamethonium or atracurium during nitrous oxide–fentanyl anaesthesia, CALDWELL, J. E., *et al.* 393–399

**Caesarean section**, Caesarean section at 27 weeks gestation with removal of phaeochromocytoma, HOPKINS, P. M., *et al.* 121–124
——, Complications of spinal anaesthesia following extradural block for Caesarean section, STONE, P. A., *et al.*, (*C*) 366–367
——, Complications of spinal anaesthesia following extradural block for Caesarean section, WILDSMITH, J. A. W., (*C*) 366
——, Ventilation requirements during Caesarean section, DUNCAN, P. W., (*C*) 247
——, Ventilation requirements during Caesarean section, RAMPSON, A. J., (*C*) 247
**Calcium channel blockers**, Effect of verapamil on canine left ventricular function in the presence of fentanyl when apical blood flow is critically limited, DIEDERICKS, J., *et al.* 458–464
——, Interactions between diltiazem and inhalation anaesthetics in the isolated heart, CARCELES, M. D., *et al.* 321–325
**Calf**, Haemodynamic effects of an implantable left ventricular assist device (LVAD) in the calf, WHITHINGTON, P. S., *et al.*, (*ARS*) 243P
**Cannula location**, Ultrasonographic study of the spread of local anaesthetic during axillary brachial plexus block, TING, P. L., *et al.* 326–329
**Capacitance**, Cardiovascular effects of propofol in the anaesthetized dog, GOODCHILD, C. S., *et al.* 87–92
**Capnograph**, Automated analysis of the capnogram and its derived parameters, PATIL, C., *et al.*, (*ARS*) 634–635P
**Carbon dioxide elimination**, Influence of end-expiratory lung volume on carbon dioxide elimination during high frequency ventilation in dogs, BAUM, M., *et al.* 53–58S
**Carbon dioxide monitoring**, Carbon dioxide monitoring during high frequency jet ventilation for direct laryngoscopy, BOURGAIN, J. L., *et al.*, (*ARS*) 620P
**Carden Ventmasta Breathing System**, Universal breathing system? COULTAS, R. J., (*C*) 366
**Cardiac arrhythmia**, Complications associated with inhalation anaesthesia, LEW, J., *et al.*, (*ARS*) 236–237P
*Cardiac Contraction and the Pressure–Volume Relationship*, 1st Edn, SAGAWA, K., *et al.*, (*R*) 641
**Cardiac disease**, Effects of doxacurium chloride on biventricular cardiac function in patients with cardiac disease, REICH, D. L., *et al.* 675–681
**Cardiac fibre contraction**, Effects of halothane on contractile properties of cardiac skinned fibres from cardiomyopathic animals, MURAT, I., *et al.*, (*ARS*) 631P
**Cardiac function**, Effects of doxacurium chloride on biventricular cardiac function in patients with cardiac disease, REICH, D. L., *et al.* 675–681
**Cardiac output**, Caesarean section at 27 weeks gestation with removal of phaeochromocytoma, HOPKINS, P. M., *et al.* 121–124
——, Circulatory depression with high PEEP in the surfactant-deficient rabbit, CHAKRABARTI, M. K., *et al.* 732–735
——, Haemodynamic responses to induction with thiopentone and propofol measured using impedance cardiography, THOMAS, A. N., *et al.*, (*ARS*) 228–229P
——, Non-invasive cardiac output measurement by bioimpedance: is it reliable? JEWKES, C., *et al.*, (*ARS*) 619P
**Cardiac surgery**, Clinical evaluation of the augmented delta quotient monitor for intraoperative electroencephalographic monitoring in children during surgery and cardiopulmonary bypass for repair of congenital cardiac defects, BURROWS, F. A., *et al.* 565–573
**Cardiogenic mixing**, Cardiogenic mixing: mechanisms and experimental evidence in dogs, MEYER, M., *et al.* 95–101S
**Cardiomyopathic animals**, Effects of halothane on contractile properties of cardiac skinned fibres from cardiomyopathic animals, MURAT, I., *et al.*, (*ARS*) 631P
**Cardiopulmonary function**, Comparison of the effects of extradural clonidine with those of morphine on postoperative pain, stress responses, cardiopulmonary function and motor and sensory block, LUND, C., *et al.* 516–519
**Cardiorespiratory effects**, Comparison of the cardiorespiratory effects of ketorolac and alfentanil during propofol anaesthesia, MURRAY, A. W., *et al.* 601–603
**Cardiorespiratory monitoring**, Sedation for endoscopy, MURRAY, A. W., *et al.*, (*C*) 244–245
*Cardiovascular Anesthesia and Postoperative Care*, 2nd Edn, TARHAN, S., (editor), (*R*) 764–765
**Cardiovascular effects**, Cardiovascular effects of propofol in the anaesthetized dog, GOODCHILD, C. S., *et al.* 87–92
——, Cardiovascular responses to insertion of the Brain Laryngeal Mask, GRIFFIN, R. M., *et al.*, (*ARS*) 624–625P
**Cardiovascular responses**, Pressor and catecholamine response to nasal intubation of the trachea, MEIKLEJOHN, B. H., *et al.* 283–286

**Cat**, Effects of a new neuromuscular blocking agent (Org 9426) in anaesthetized cats and pigs and in isolated nerve–muscle preparations, MUIR, A. W., *et al.* 400–410
——, Influence of induced hypotension and spinal distraction on feline spinal somatosensory evoked potentials, YEOMAN, P. M., *et al.* 315–320
——, Regional cerebral blood flow and Doppler flow velocity in the middle cerebral artery of the cat, MORRIS, P. J., *et al.*, (*ARS*) 233–234P
**Catecholamines**, Hypertensive and catecholamine response to tracheal intubation in patients with pregnancy-induced hypertension, LAVIES, N. G., *et al.* 429–434
——, Low-dose sufentanil–isoflurane anaesthesia for coronary artery surgery, VERMEYEN, K. M., *et al.* 44–50
——, Pressor and catecholamine response to nasal intubation of the trachea, MEIKLEJOHN, B. H., *et al.* 283–286
**Central nervous excitation**, Modification of central nervous system effects of laudanosine by inhalation anaesthetics, SHI, W.-Z., *et al.* 598–600
**Central sensitization**, Recent advances in the pathophysiology of acute pain, WOOLF, C. J. 139–146
**Central venous catheter**, Non-fatal paradoxical air embolism, JENSEN, A. G., *et al.*, (*C*) 244
**Cerebral air embolism**, Non-fatal paradoxical air embolism, JENSEN, A. G., *et al.*, (*C*) 244
**Cerebral blood flow**, Effects of nitrous oxide and volatile anaesthetics on cerebral blood flow, HANSEN, T. D., *et al.* 290–295
——, Regional cerebral blood flow and Doppler flow velocity in the middle cerebral artery of the cat, MORRIS, P. J., *et al.*, (*ARS*) 233–234P
**Cerebral blood volume**, Volatile anaesthetic agents in neurosurgery, MOSS, E., (*E*) 4
**Cerebral haemodynamics**, Cerebral effects of fentanyl in dogs, MILDE, L. N., *et al.* 710–715
**Cerebral metabolism**, Cerebral effects of fentanyl in dogs, MILDE, L. N., *et al.* 710–715
**Cerebrospinal fluid**, Cerebrospinal fluid and plasma concentrations of atracurium and laudanosine in man, GWINNUTT, C. L., *et al.*, (*ARS*) 235–236P
——, Concentrations of atracurium and laudanosine in cerebrospinal fluid and plasma during intracranial surgery, EDDLESTON, J. M., *et al.* 525–530
——, Volatile anaesthetic agents in neurosurgery, MOSS, E., (*E*) 4
**Cervical vertebrae**, Disposition of cervical vertebrae, atlanto–axial joint, hyoid and mandible during x-ray laryngoscopy, HORTON, W. A., *et al.* 435–438
**Cholecystectomy**, Hormonal and metabolic responses to cholecystectomy: comparison of extradural somatostatin and diamorphine, DESBOROUGH, J. P., *et al.* 508–515
——, Paravertebral block for post-cholecystectomy pain relief, GIESECKE, K., (*C*) 129
——, Paravertebral block for post-cholecystectomy pain relief, KUMAR, C. M., (*C*) 129
**Cholestasis**, Acute effects of halothane and isoflurane on bile secretion in the rat, BRIDGES, R., *et al.*, (*ARS*) 631–632P
**Chronic pain**, Opioids in chronic pain, MCQUAY, H. J. 213–226
——, Recent advances in the treatment of chronic pain, BUDD, K. 207–212
**Cimetidine**, Neuromuscular block by suxamethonium following treatment with histamine type 2 antagonists or metoclopramide, TURNER, D. R., *et al.* 348–350
——, Preoperative cimetidine does not prevent subclinical halothane hepatotoxicity in man, RAY, D. C., *et al.* 531–535
**Circle absorber system**, The circle system as a humidifier, BENGTSON, J. P., *et al.* 453–457
**Circle system**, The circle system as a humidifier, BENGTSON, J. P., *et al.* 453–457
**Cisapride**, Effects of concomitant administration of cisapride and ranitidine on plasma concentrations in volunteers, MILLIGAN, K. A., *et al.*, (*ARS*) 628P
**Clinical monitoring**, Use of a respiratory mass spectrometer by untrained personnel, ANTROBUS, J. H. L., *et al.*, (*ARS*) 232P
**Clinical trial**, Ropivacaine: a preliminary clinical trial, BANNISTER, J., *et al.*, (*ARS*) 237P
**Clonidine**, Comparison of the effects of extradural clonidine with those of morphine on postoperative pain, stress responses, cardiopulmonary function and motor and sensory block, LUND, C., *et al.* 516–519
——, Postoperative analgesia with extradural clonidine, BONNET, F., *et al.* 465–469
——, Prevention of tourniquet pain by spinal isobaric bupivacaine with clonidine, BONNET, F., *et al.* 93–96
**Cognitive function**, Comparison of diazepam with midazolam as i.v. sedation for outpatient gastroscopy, SANDERS, L. D., *et al.* 726–731
——, Effects of temazepam premedication on cognitive recovery following alfentanil–propofol anaesthesia, BAILIE, R., *et al.* 68–75
**Colonic anastomosis**, Influence of morphine and pethidine on the incidence of anastomotic dehiscence after colonic surgery, AITKENHEAD, A. R., *et al.*, (*ARS*) 230–231P
**Colonic surgery**, Influence of morphine and pethidine on the incidence of anastomotic dehiscence after colonic surgery, AITKENHEAD, A. R., *et al.*, (*ARS*) 230–231P
**Combined anaesthetic regimens**, Surgical stress: the role of pain and analgesia, KEHLET, H. 189–195
**Combined high frequency and conventional ventilation**, Combined high frequency and conventional ventilation, FRISK, C., *et al.* 115S
**Compas ambulatory units**, Continuous ambulatory ECG monitoring for detection of perioperative ischaemia in surgical patients, MCHUGH, P., *et al.*, (*ARS*) 234–235P
**Compliance**, Effects of lung surgery and one-lung ventilation on pulmonary arterial pressure, venous admixture and immediate postoperative lung function, MALMKVIST, G., *et al.* 696–701
**Computer program (NARKUP)**, NARKUP: a program demonstrating the effect on anaesthetic uptake of changes in physiological variables and of breathing systems, LOCKWOOD, G. G., *et al.*, (*ARS*) 633–634P
**Computerized infusion system**, Intraoperative control of propofol using a computerized infusion system, WHITE, M., *et al.*, (*ARS*) 620–621P
**Computerized monitoring**, Computerized monitoring of depth anaesthesia with isoflurane, THOMSEN, C. E., *et al.* 36–43
**Computers in anaesthesia**, Automatic control of neuromuscular block with atracurium, MACLEOD, A. D., *et al.* 31–35
**Continuous i.v. infusion**, The control of acute postoperative pain, MITCHELL, R. W. D., *et al.* 147–158
**Control of breathing**, Effects of incremental doses of alfentanil and propofol on the breathing of anaesthetized patients, GOODMAN, N. W., *et al.* 548–553
**Controlled ventilation**, Controlled ventilation with a Mapleson A (Magill) breathing system, TYLER, C. K. G., *et al.*, (*C*) 501
——, Controlled ventilation with a Mapleson A (Magill) breathing system, WILSON, I. H., *et al.*, (*C*) 501–502
——, Controlled ventilation with a Mapleson A (Magill) breathing system, YOUNG, J. D., (*C*) 501
**Conventional mechanical ventilation**, Combined high frequency and conventional ventilation, FRISK, C., *et al.* 115S
——, High frequency oscillation, BOHN, D. 16–23S

**Convulsants**, Effects of fluorinated convulsants and anaesthetics on the potassium conductance of the squid axon, HENDRY, B. M., *et al.*, (*ARS*) 237–238P
**Coronary artery disease**, Premedication determines the circulatory responses to rapid sequence induction with sufentanil for cardiac surgery, BUTTERWORTH, J. F., *et al.* 351–353
**Coronary artery surgery**, Haemodynamic effects of doxacurium, pancuronium and vecuronium in patients undergoing coronary artery bypass grafting, GOLDHILL, D. R., *et al.*, (*ARS*) 239–240P
——, Low-dose sufentanil–isoflurane anaesthesia for coronary artery surgery, VERMEYEN, K. M., *et al.* 44–50
**Cortisol**, Equine stress responses to anaesthesia, TAYLOR, P. M. 702–709
*Critical Care Medicine*, 1st Edn, LUCE, J. N., *et al.*, (editors), (*R*) 642
**Cytochrome P450**, Ethanol-inducible cytochrome P450 in rabbits metabolizes enflurane, HOFFMAN, J., *et al.* 103–108

**Datex Relaxograph**, Monitoring of vecuronium-induced neuromuscular block: comparison of mechanomyography and integrated electromyography, BELL, P. F., *et al.*, (*ARS*) 241–242P
**Day-case surgery**, Flumazenil in antagonism of midazolam-induced general anaesthesia for day-case surgery, NORTON, A. C., *et al.*, (*ARS*) 626P
**Deadspace calculation**, A new method for calculation of ventilatory deadspace, FLETCHER, R., *et al.*, (*C*) 639–640
**Dental outpatients**, Comparison of i.v. sedation with midazolam and inhalation sedation with isoflurane in dental outpatients, PARBROOK, G. D., *et al.* 81–86
**Dental surgery**, Pharmacokinetics of vecuronium during hypothermic bypass, WIERDA, J. M. K. H., *et al.*, (*ARS*) 627–628P
**Deoxyuridine suppression test (DUST)**, Effect of methionine on impaired DNA synthesis during exposure to nitrous oxide, MCARTHUR, S. E., *et al.*, (*ARS*) 231P
**Depolarizing block**, Sensitivity to both vecuronium and neostigmine in a sero-negative myasthenic patient, KIM, J.-M., *et al.* 497–500
**Depth of anaesthesia**, Computerized monitoring of depth anaesthesia with isoflurane, THOMSEN, C. E., *et al.* 36–43
——, Effect of propofol on the auditory evoked response and oesophageal contractility, THORNTON, C., *et al.* 411–417
——, The auditory evoked response as an indicator of awareness, THORNTON, C., *et al.* 113–115
**Diamorphine**, Hormonal and metabolic responses to cholecystectomy: comparison of extradural somatostatin and diamorphine, DESBOROUGH, J. P., *et al.* 508–515
**Diaphragm**, Relative potency of vecuronium on the diaphragm and the adductor pollicis, LEBRAULT, C., *et al.* 389–392
**Diazepam**, Antagonism of diazepam sedation by flumazenil, SKIELBOE, M., *et al.* 554–557
——, Comparison of diazepam with midazolam as i.v. sedation for outpatient gastroscopy, SANDERS, L. D., *et al.* 726–731
——, Local irritation after administration of diazepam in a rectal solution, HANSEN, H. C., *et al.* 287–289
——, Sedation for endoscopy, HOARE, A. M., *et al.*, (*C*) 246–247
——, Sedation for endoscopy, PEARSON, R. C., *et al.*, (*C*) 245–246
**Diazepam sedation**, Antagonism of diazepam sedation by flumazenil, SKIELBOE, M., *et al.* 554–557
**Diclofenac**, Evaluation of the morphine sparing effects of nefopam and diclofenac after upper abdominal surgery, MOFFAT, A. C., *et al.*, (*ARS*) 629P
**Differential nerve block**, Structure–activity relationships in differential nerve block at high and low frequency stimulation, WILDSMITH, J. A. W., *et al.* 444–452
**Difficult intubation**, Lipoid proteinosis: Urbach–Wiethe disease, KELLY, J. E., *et al.* 609–611
**Diffusion hypoxia**, Hypoxaemia after inhalation of 50% nitrous oxide and oxygen, WILKINS, C. J., *et al.* 346–347
**Diltiazem**, Interactions between diltiazem and inhalation anaesthetics in the isolated heart, CARCELES, M. D., *et al.* 321–325
**Dinamap**, Preoperative arterial pressure measurements: relationship to resting values, HUMPHREYS, K. J., *et al.*, (*ARS*) 242P
*Disorders of Ventilation*, 1st Edn, SCHNEERSON, J., (*R*) 369
**DNA synthesis**, Effect of methionine on impaired DNA synthesis during exposure to nitrous oxide, MCARTHUR, S. E., *et al.*, (*ARS*) 231P
**Dog**, Cardiogenic mixing: mechanisms and experimental evidence in dogs, MEYER, M., *et al.* 95–101S
——, Cardiovascular effects of propofol in the anaesthetized dog, GOODCHILD, C. S., *et al.* 87–92
——, Cerebral effects of fentanyl in dogs, MILDE, L. N., *et al.* 710–715
——, Effect of verapamil on canine left ventricular function in the presence of fentanyl when apical blood flow is critically limited, DIEDERICKS, J., *et al.* 458–464
——, Effects of segmental thoracic extradural analgesia on sympathetic block in conscious dogs, PETERS, J., *et al.* 470–476
——, Influence of end-expiratory lung volume on carbon dioxide elimination during high frequency ventilation in dogs, BAUM, M., *et al.* 53–58S
**Doppler flow velocity**, Regional cerebral blood flow and Doppler flow velocity in the middle cerebral artery of the cat, MORRIS, P. J., *et al.*, (*ARS*) 233–234P
**Dose**, "Maximum recommended doses" of local anaesthetic drugs, SCOTT, D. B., (*E*) 373–374
**Double Burst Stimulaton**, Atracurium and Double Burst Stimulation, BRAUDE, N., *et al.*, (*C*) 637–638
**Doxacurium**, Effects of doxacurium chloride on biventricular cardiac function in patients with cardiac disease, REICH, D. L., *et al.* 675–681
——, Haemodynamic effects of doxacurium, pancuronium and vecuronium in patients undergoing coronary artery bypass grafting, GOLDHILL, D. R., *et al.*, (*ARS*) 239–240P
**Doxapram**, Antagonism of midazolam-induced sedation with flumazenil or doxapram, BILL, K. M., *et al.*, (*ARS*) 627P
**Drug disposition**, Drug metabolism after anaesthesia, LEWIS, R. P., *et al.*, (*ARS*) 229–230P
**Drug metabolism**, Drug metabolism after anaesthesia, LEWIS, R. P., *et al.*, (*ARS*) 229–230P

**Eger A type circle system**, The circle system as a humidifier, BENGTSON, J. P., *et al.* 453–457
**Elective hip replacement**, Analgesia-induced respiratory depression: comparison of meptazinol and morphine in the postoperative period, FRATER, R. A. S., *et al.* 260–265
——, Comparison of piroxicam with placebo in the management of pain after total hip replacement, SERPELL, M. G., *et al.* 354–356
——, Effect of peroperative normothermia on postoperative protein metabolism in elderly patients undergoing hip arthroplasty, CARLI, F., *et al.* 276–282
**Electro acupuncture (ACP)**, Non-invasive application of electro acupuncture: a perioperative anti-emetic, GHALY, R. G., *et al.*, (*ARS*) 235P
**Electrocardiography**, Effect of anaesthesia on the QT interval, MCCONACHIE, I., *et al.* 558–560

——, Complications associated with inhalation anaesthesia, LEW, J., *et al.*, (*ARS*) 236–237P
——, Continuous ambulatory ECG monitoring for detection of perioperative ischaemia in surgical patients, MCHUGH, P., *et al.*, (*ARS*) 234–235P
——, Electrocardiographic changes after surgery, PARSLOE, M. R., *et al.*, (*ARS*) 229P
**Electroencephalogram**, Cerebral effects of fentanyl in dogs, MILDE, L. N., *et al.* 710–715
**Electroencephalographic monitoring**, Clinical evaluation of the augmented delta quotient monitor for intraoperative electroencephalographic monitoring in children during surgery and cardiopulmonary bypass for repair of congenital cardiac defects, BURROWS, F. A., *et al.* 565–573
——, Computerized monitoring of depth anaesthesia with isoflurane, THOMSEN, C. E., *et al.* 36–43
——, Spectral edge analyses and pharmacokinetic studies following induction of anaesthesia with propofol, COLLIER, P. S., *et al.*, (*ARS*) 621–622P
**Electromyogram**, Influence of thiopentone on upper airway muscles, DRUMMOND, G. B. 12–21
**Electromyography**, Neuromuscular block by suxamethonium following treatment with histamine type 2 antagonists or metoclopramide, TURNER, D. R., *et al.* 348–350
——, Spinal cord monitoring 1989, LOUGHNAN, B. A., *et al.* 587–594
**Enclosed afferent reservoir system**, Enclosed afferent reservoir system, SONI, N., (*C*) 760–761
——, Enclosed afferent reservoir systems, MILLER, D. M., (*C*) 760
**Enclosed Magill Breathing System**, Universal breathing system? COULTAS, R. J., (*C*) 366
**End-expiratory lung volume**, Influence of end-expiratory lung volume on carbon dioxide elimination during high frequency ventilation in dogs, BAUM, M., *et al.* 53–58S
**End-tidal carbon dioxide partial pressure**, Monitoring of end-tidal carbon dioxide partial pressure during high frequency jet ventilation, SEHATI, S., *et al.* 47–52S
**Endoscopy**, Clinical uses of high frequency jet ventilation in anaesthesia, GIUNTA, F., *et al.* 102–106S
——, Sedation for endoscopy, HOARE, A. M., *et al.*, (*C*) 246–247
——, Sedation for endoscopy, MURRAY, A. W., *et al.*, (*C*) 244–245
——, Sedation for endoscopy, PEARSON, R. C., *et al.*, (*C*) 245–246
**Endoscopy model**, Dissemination of fibreoptic airway endoscopy skills by means of a workshop utilizing models, DYKES, M. H. M., *et al.* 595–597
**Enflurane**, A method for determining blood/gas solubility coefficient and blood concentrations of volatile anaesthetic agents, TARR, T. J., *et al.*, (*ARS*) 634P
——, A model to test the potency of inhalation anaesthetics, MCKENZIE, J. D., *et al.* 489–491
——, Anaesthesia and the ozone layer, LOGAN, M., *et al.*, (*E*) 645–647
——, Complications associated with inhalation anaesthesia, LEW, J., *et al.*, (*ARS*) 236–237P
——, Effect of anaesthesia on the QT interval, MCCONACHIE, I., *et al.* 558–560
——, Effects of fluorinated convulsants and anaesthetics on the potassium conductance of the squid axon, HENDRY, B. M., *et al.*, (*ARS*) 237–238P
——, Enflurane-induced burst discharge of hippocampal CA1 neurones is blocked by the NMDA receptor antagonist APV, MACIVER, M. B., *et al.* 296–305
——, Ethanol-inducible cytochrome P450 in rabbits metabolizes enflurane, HOFFMAN, J., *et al.* 103–108
——, Modification of central nervous system effects of laudanosine by inhalation anaesthetics, SHI, W.-Z., *et al.* 598–600
**ENT surgery**, Automatic arterial pressure regulation using isoflurane: comparison with manual control, MONK, C. R., *et al.* 22–30
**Entonox**, Hypoxaemia after inhalation of 50% nitrous oxide and oxygen, WILKINS, C. J., *et al.* 346–347
**Ephedrine**, Complications of spinal anaesthesia following extradural block for Caesarean section, STONE, P. A., *et al.*, (*C*) 366–367
——, Complications of spinal anaesthesia following extradural block for Caesarean section, WILDSMITH, J. A. W., (*C*) 366
——, Prophylactic ephedrine during spinal anaesthesia: double-blind study in patients in ASA groups I–III, HEMMINGSEN, C., *et al.* 340–342
**Epilepsy**, Lipoid proteinosis: Urbach–Wiethe disease, KELLY, J. E., *et al.* 609–611
**Equine anaesthesia**, Equine stress responses to anaesthesia, TAYLOR, P. M. 702–709
**Ethanol**, Vasopressin and amino acid concentrations in serum following absorption of irrigating fluid containing glycine and ethanol, HAHN, R. G., *et al.* 337–339
**Eutectic mixture of local anaesthetics**, Effect of a eutectic mixture of local anaesthetic agents (EMLA) on tourniquet pain in volunteers, LOWRIE, A., *et al.* 751–753
——, Vascular response of human skin after analgesia with EMLA cream, BJERRING, P., *et al.* 655–660
**Evoked compound electromyogram**, Priming with alcuronium and tubocurarine accelerates the onset of neuromuscular block, POLLARD, B. J. 7–11
**Explicit**, Explicit: an interactive pharmacokinetics simulator for injectable anaesthetics, ARUNDEL, P. A., *et al.*, (*ARS*) 230P
**Extradural analgesia**, Caesarean section at 27 weeks gestation with removal of phaeochromocytoma, HOPKINS, P. M., *et al.* 121–124
——, Comparison of bupivacaine and bupivacaine with fentanyl in continuous extradural analgesia during labour, JONES, G., *et al.* 254–259
——, Comparison of bupivacaine and bupivacaine with fentanyl in continuous extradural analgesia during labour, MCCLURE, J. H., *et al.*, (*C*) 637
——, Comparison of the effects of extradural clonidine with those of morphine on postoperative pain, stress responses, cardiopulmonary function and motor and sensory block, LUND, C., *et al.* 516–519
——, Effects of segmental thoracic extradural analgesia on sympathetic block in conscious dogs, PETERS, J., *et al.* 470–476
——, Extradural analgesia in the intrapartum management of a patient with pulmonary hypertension, POWER, K. J., *et al.* 116–120
——, Extradural opioids in labour, REYNOLDS, F., (*E*) 251–253
——, Hormonal and metabolic responses to cholecystectomy: comparison of extradural somatostatin and diamorphine, DESBOROUGH, J. P., *et al.* 508–515
——, Postoperative analgesia with extradural clonidine, BONNET, F., *et al.* 465–469
——, Ventilatory response to carbon dioxide during extradural anaesthesia with lignocaine and fentanyl, MORISOT, P., *et al.* 97–102
**Extradural block**, Complications of spinal anaesthesia following extradural block for Caesarean section, STONE, P. A., *et al.*, (*C*) 366–367
——, Complications of spinal anaesthesia following extradural block for Caesarean section, WILDSMITH, J. A. W., (*C*) 366
**Extradural opioids**, Extradural opioids in labour, REYNOLDS, F., (*E*) 251–253

——, Surgical stress: the role of pain and analgesia, KEHLET, H. 189–195
——, The rational use of intrathecal and extradural opioids, MORGAN, M. 165–188
**Extradural space**, Effects of halothane on motor evoked potential recorded in the extradural space, LOUGHNAN, B. A., *et al.* 561–564

**Famotidine**, Effect of preoperative water, famotidine or ranitidine on gastric volume and pH, SAMAAN, A. A., *et al.*, (*ARS*) 238P
——, Neuromuscular block by suxamethonium following treatment with histamine type 2 antagonists or metoclopramide, TURNER, D. R., *et al.* 348–350
**Fentanyl**, Analgesia and sedation in intensive care, AITKENHEAD, A. R. 196–206
——, Cerebral effects of fentanyl in dogs, MILDE, L. N., *et al.* 710–715
——, Comparison of bupivacaine and bupivacaine with fentanyl in continuous extradural analgesia during labour, JONES, G., *et al.* 254–259
——, Comparison of bupivacaine and bupivacaine with fentanyl in continuous extradural analgesia during labour, MCCLURE, J. H., *et al.*, (*C*) 637
——, Comparison of the neuromuscular block induced by mivacurium, suxamethonium or atracurium during nitrous oxide–fentanyl anaesthesia, CALDWELL, J. E., *et al.* 393–399
——, Effect of verapamil on canine left ventricular function in the presence of fentanyl when apical blood flow is critically limited, DIEDERICKS, J., *et al.* 458–464
——, Effects of opioids on the pulmonary circulation and gas exchange, ELLMAUER, S., *et al.*, (*ARS*) 228P
——, Extradural analgesia in the intrapartum management of a patient with pulmonary hypertension, POWER, K. J., *et al.* 116–120
——, Modification by fentanyl and alfentanil of the intraocular pressure response to suxamethonium and tracheal intubation, SWEENEY, J., *et al.* 688–691
——, Neuromuscular effects of pipecuronium bromide, STANLEY, J. C., *et al.*, (*ARS*) 240P
——, Transdermal fentanyl for the relief of pain after upper abdominal surgery, ROWBOTHAM, D. J., *et al.* 56–59
——, Ventilatory response to carbon dioxide during extradural anaesthesia with lignocaine and fentanyl, MORISOT, P., *et al.* 97–102
**Fibreoptic endoscopy**, Dissemination of fibreoptic airway endoscopy skills by means of a workshop utilizing models, DYKES, M. H. M., *et al.* 595–597
**Fibreoptic intubation**, Dissemination of fibreoptic airway endoscopy skills by means of a workshop utilizing models, DYKES, M. H. M., *et al.* 595–597
——, Fibreoptic intubation: attenuating the hypertensive response to laryngoscopy and intubation, HAWKYARD, S., *et al.*, (*ARS*) 624P
**Finapres**, Arterial pressure measurement in the critically ill: comparison of Finapres and intra-arterial cannula, FARQUHAR, I., *et al.*, (*ARS*) 619–620P
**Flow transfer functions**, Computer simulation of respiratory impedance and flow transfer functions during high frequency oscillations, PESLIN, R. 91–94S
**Fluid balance**, Vasopressin and amino acid concentrations in serum following absorption of irrigating fluid containing glycine and ethanol, HAHN, R. G., *et al.* 337–339
——, Vasopressin responses during transurethral resection of the prostate, HAHN, R. G., *et al.* 330–336
*Fluids, Electrolytes and Acid Bases*, SHIRES, G. T., (editor), (*R*) 248
**Flumazenil**, Antagonism of diazepam sedation by flumazenil, SKIELBOE, M., *et al.* 554–557
——, Antagonism of midazolam-induced sedation with flumazenil or doxapram, BILL, K. M., *et al.*, (*ARS*) 627P
——, Flumazenil in antagonism of midazolam-induced general anaesthesia for day-case surgery, NORTON, A. C., *et al.*, (*ARS*) 626P
**Fluorinated convulsants**, Effects of fluorinated convulsants and anaesthetics on the potassium conductance of the squid axon, HENDRY, B. M., *et al.*, (*ARS*) 237–238P
**Fluorothyl (indoklon)**, Effects of fluorinated convulsants and anaesthetics on the potassium conductance of the squid axon, HENDRY, B. M., *et al.*, (*ARS*) 237–238P
**Forced diffusion ventilation**, Influence of end-expiratory lung volume on carbon dioxide elimination during high frequency ventilation in dogs, BAUM, M., *et al.* 53–58S
**Forearm blood flow**, Forearm blood flow during anaesthesia induced and maintained with propofol, MCKEATING, K. T., *et al.*, (*ARS*) 633P
**Four maximal breaths technique**, Preoxygenation in the elderly patient using the four maximal breaths technique, MONK, C. R., *et al.*, (*ARS*) 623–624P
**Fresh gas flow**, Ventilation requirements during Caesarean section, DUNCAN, P. W., (*C*) 247
——, Ventilation requirements during Caesarean section, RAMPSON, A. J., (*C*) 247
**Functional residual capacity**, Relationship between airway deadspace and lung volume in anaesthetized patients: effects of sternotomy, FLETCHER, R., *et al.*, (*ARS*) 242P

**Gas analysers**, Measurement of response time of gas analysers, HUMPHREY, S. J. E., *et al.*, (*ARS*) 227P
**Gas entrainment**, Peak airway pressure during high frequency jet ventilation: theory and measurement, YOUNG, J. D., *et al.* 541–547
**Gas exchange**, Effects of opioids on the pulmonary circulation and gas exchange, ELLMAUER, S., *et al.*, (*ARS*) 228P
——, Frequency response and gas exchange during high frequency jet ventilation in the pig, MOTTRAM, S. D., *et al.* 108–109S
**Gas flow**, A method of measuring ratio of entrained to injected gas during high frequency jet ventilation, JONES, M. J., *et al.*, (*ARS*) 227–228P
**Gas volume measurement**, A method of measuring ratio of entrained to injected gas during high frequency jet ventilation, JONES, M. J., *et al.*, (*ARS*) 227–228P
**Gastric contents**, Effect of i.v. omeprazole on the pH and volume of gastric contents before surgery, CRUICKSHANK, R. H., *et al.* 536–540
**Gastrocnemius muscle**, Characteristics of atracurium block in the gastrocnemius muscle, HARPER, N. J., *et al.*, (*ARS*) 240–241P
**Gastro–oesophageal reflux**, Gastro–oesophageal reflux in pregnancy at term and after delivery, VANNER, R. G., (*ARS*) 238–239P
**Glutamate**, Enflurane-induced burst discharge of hippocampal CA1 neurones is blocked by the NMDA receptor antagonist APV, MACIVER, M. B., *et al.* 296–305
**Glutathione S-transferase**, Preoperative cimetidine does not prevent subclinical halothane hepatotoxicity in man, RAY, D. C., *et al.* 531–535
**Glycine**, Vasopressin and amino acid concentrations in serum following absorption of irrigating fluid containing glycine and ethanol, HAHN, R. G., *et al.* 337–339
**Guest reviewers**, Commentary—Guest reviewers for 1989, SMITH, G. 759

**Haemodynamic changes**, Haemodynamic changes after induction of anaesthesia and tracheal intubation

following propofol or thiopentone in patients of ASA grade I and III, COLEY, S., *et al.* 423–428
**Haemodynamic effects**, Haemodynamic effects of an implantable left ventricular assist device (LVAD) in the calf, WHITHINGTON, P. S., *et al.*, (*ARS*) 243P
——, Haemodynamic effects of doxacurium, pancuronium and vecuronium in patients undergoing coronary artery bypass grafting, GOLDHILL, D. R., *et al.*, (*ARS*) 239–240P
——, Low-dose sufentanil–isoflurane anaesthesia for coronary artery surgery, VERMEYEN, K. M., *et al.* 44–50
**Haemodynamic responses**, Haemodynamic responses to induction with thiopentone and propofol measured using impedance cardiography, THOMAS, A. N., *et al.*, (*ARS*) 228–229P
**Halothane**, A method for determining blood/gas solubility coefficient and blood concentrations of volatile anaesthetic agents, TARR, T. J., *et al.*, (*ARS*) 634P
——, Acute effects of halothane and isoflurane on bile secretion in the rat, BRIDGES, R., *et al.*, (*ARS*) 631–632P
——, Anaesthesia and the ozone layer, LOGAN, M., *et al.*, (*E*) 645–647
——, Complications associated with inhalation anaesthesia, LEW, J., *et al.*, (*ARS*) 236–237P
——, Drug metabolism after anaesthesia, LEWIS, R. P., *et al.*, (*ARS*) 229–230P
——, Effects of halothane on contractile properties of cardiac skinned fibres from cardiomyopathic animals, MURAT, I., *et al.*, (*ARS*) 631P
——, Effects of halothane on motor evoked potential recorded in the extradural space, LOUGHNAN, B. A., *et al.* 561–564
——, Effects of nitrous oxide and volatile anaesthetics on cerebral blood flow, HANSEN, T. D., *et al.* 290–295
——, Equine stress responses to anaesthesia, TAYLOR, P. M. 702–709
——, Interactions between diltiazem and inhalation anaesthetics in the isolated heart, CARCELES, M. D., *et al.* 321–325
——, Modification of central nervous system effects of laudanosine by inhalation anaesthetics, SHI, W.-Z., *et al.* 598–600
——, Neuromuscular effects of pipecuronium bromide, STANLEY, J. C., *et al.*, (*ARS*) 240P
——, Preoperative cimetidine does not prevent subclinical halothane hepatotoxicity in man, RAY, D. C., *et al.* 531–535
**Heart**, Effect of verapamil on canine left ventricular function in the presence of fentanyl when apical blood flow is critically limited, DIEDERICKS, J., *et al.* 458–464
**Heart rate**, Episodic arterial oxygen desaturation and heart rate variations following major abdominal surgery, ROSENBERG, J., *et al.* 651–654
——, Fibreoptic intubation: attenuating the hypertensive response to laryngoscopy and intubation, HAWKYARD, S., *et al.*, (*ARS*) 624P
——, Forearm blood flow during anaesthesia induced and maintained with propofol, MCKEATING, K. T., *et al.*, (*ARS*) 633P
**Hepatic cirrhosis**, Differing effects of hepatic pathology on alfentanil kinetics, BOWER, S., *et al.*, (*ARS*) 635P
**Hepatotoxicity**, Acute effects of halothane and isoflurane on bile secretion in the rat, BRIDGES, R., *et al.*, (*ARS*) 631–632P
——, Preoperative cimetidine does not prevent subclinical halothane hepatotoxicity in man, RAY, D. C., *et al.* 531–535
**High frequency jet ventilation**, A method of measuring ratio of entrained to injected gas during high frequency jet ventilation, JONES, M. J., *et al.*, (*ARS*) 227–228P
——, Apnoea during high frequency jet ventilation in piglets, VAN VUGHT, A. J., *et al.* 110–111S
——, Carbon dioxide monitoring during high frequency jet ventilation for direct laryngoscopy, BOURGAIN, J. L., *et al.*, (*ARS*) 620P
——, Clinical uses of high frequency jet ventilation in anaesthesia, GIUNTA, F., *et al.* 102–106S
——, Combined high frequency and conventional ventilation, FRISK, C., *et al.* 115S
——, Effects of high frequency jet ventilation on the pulmonary clearance of $^{99m}$Tc-DTPA in respiratory failure in rabbits, BOS, J. A. H., *et al.* 59–64S
——, Frequency response and gas exchange during high frequency jet ventilation in the pig, MOTTRAM, S. D., *et al.* 108–109S
——, High frequency ventilation, MAPLESON, W. W., *et al.*, (*E*) 1–2S
——, High frequency ventilation and regional compliance, LUNKENHEIMER, P. P., *et al.* 3–10S
——, High frequency ventilation in acute lung injury, ARMENGOL, J. 11–15S
——, Increase in tracheal pressure during jet ventilation, ISABEY, D., *et al.* 71–77S
——, Influence of end-expiratory lung volume on carbon dioxide elimination during high frequency ventilation in dogs, BAUM, M., *et al.* 53–58S
——, Influence of high frequency ventilation at different end-expiratory lung volumes on the development of lung damage during lung lavage in rabbits, BAUM, M., *et al.* 65–70S
——, Mathematical model of jet ventilation, YOUNG, J. D. 78–84S
——, Monitoring of end-tidal carbon dioxide partial pressure during high frequency jet ventilation, SEHATI, S., *et al.* 47–52S
——, Peak airway pressure during high frequency jet ventilation: theory and measurement, YOUNG, J. D., *et al.* 541–547
——, Review of respiratory tract structure in relation to high frequency ventilation, WHIMSTER, W. F., *et al.* 32–37S
——, Transthoracically-induced high frequency ventilation, CHANG, H. K. 24–31S
**High frequency oscillatory ventilation**, Computer simulation of respiratory impedance and flow transfer functions during high frequency oscillations, PESLIN, R. 91–94S
——, High frequency oscillation, BOHN, D. 16–23S
——, High frequency oscillation for respiratory physiotherapy, FREITAG, L., *et al.* 44–46S
——, High frequency oscillators with adjustable waveforms: practical aspects, FREITAG, L., *et al.* 38–43S
——, Neurophysiological mechanisms inducing apnoea during HFO, KOHL, J., *et al.* 107S
——, Resonant amplification during high frequency oscillation, SPAHN, D. R., *et al.* 112S
——, Respiratory input impedance during high frequency oscillatory ventilation, NAVAJAS, D., *et al.* 85–90S
——, Review of respiratory tract structure in relation to high frequency ventilation, WHIMSTER, W. F., *et al.* 32–37S
**Hippocampal slice**, Enflurane-induced burst discharge of hippocampal CA1 neurones is blocked by the NMDA receptor antagonist APV, MACIVER, M. B., *et al.* 296–305
**Hippocampus**, *In vitro* actions of ketamine and methohexitone in the rat hippocampus, SOUTHAN, A. P., *et al.* 574–580
——, Inhalation anaesthetics block accommodation of pyramidal cell discharge in the rat hippocampus, SOUTHAN, A. P., *et al.* 581–586
**Histamine type 2 antagonists**, Neuromuscular block by suxamethonium following treatment with histamine type 2 antagonists or metoclopramide, TURNER, D. R., *et al.* 348–350

**Hormonal response**, Hormonal and metabolic responses to cholecystectomy: comparison of extradural somatostatin and diamorphine, DESBOROUGH, J. P., *et al.* 508–515
**Horse**, Equine stress responses to anaesthesia, TAYLOR, P. M. 702–709
**Humidity**, The circle system as a humidifier, BENGTSON, J. P., *et al.* 453–457
**Hydrochlorofluorocarbons**, Anaesthesia and the ozone layer, LOGAN, M., *et al.*, (*E*) 645–647
**Hyoid bone**, Disposition of cervical vertebrae, atlanto–axial joint, hyoid and mandible during x-ray laryngoscopy, HORTON, W. A., *et al.* 435–438
**Hyoscine**, Premedication determines the circulatory responses to rapid sequence induction with sufentanil for cardiac surgery, BUTTERWORTH, J. F., *et al.* 351–353
**Hypertension**, Hypertensive and catecholamine response to tracheal intubation in patients with pregnancy-induced hypertension, LAVIES, N. G., *et al.* 429–434
——, Low-dose sufentanil–isoflurane anaesthesia for coronary artery surgery, VERMEYEN, K. M., *et al.* 44–50
——, Vasopressin responses during transurethral resection of the prostate, HAHN, R. G., *et al.* 330–336
**Hyperventilation**, Effect of respiratory alkalosis on oxygen consumption under general anaesthesia, SLATER, R. M., *et al.*, (*ARS*) 232–233P
——, Hypoxaemia after inhalation of 50% nitrous oxide and oxygen, WILKINS, C. J., *et al.* 346–347
——, Pacemaker-induced tachycardia during general anaesthesia: a case report, MADSEN, G. M., *et al.* 360–361
——, Pharmacokinetics of sufentanil in neurosurgical patients undergoing hyperventilation, SCHWARTZ, A. E., *et al.* 385–388
**Hypnotic anaesthetics**, Sedation during spinal anaesthesia: a case for the routine administration of oxygen, MANARA, A. R., *et al.* 343–345
**Hypotension**, Automatic arterial pressure regulation using isoflurane: comparison with manual control, MONK, C. R., *et al.* 22–30
——, Complications associated with inhalation anaesthesia, LEW, J., *et al.*, (*ARS*) 236–237P
——, Complications of spinal anaesthesia following extradural block for Caesarean section, STONE, P. A., *et al.*, (*C*) 366–367
——, Complications of spinal anaesthesia following extradural block for Caesarean section, WILDSMITH, J. A. W., (*C*) 366
——, Hypotension and bradycardia following superior laryngeal nerve block, WILES, J. R., *et al.* 125–127
——, Influence of induced hypotension and spinal distraction on feline spinal somatosensory evoked potentials, YEOMAN, P. M., *et al.* 315–320
——, Prophylactic ephedrine during spinal anaesthesia: double-blind study in patients in ASA groups I–III, HEMMINGSEN, C., *et al.* 340–342
**Hypothermic bypass**, Pharmacokinetics of vecuronium during hypothermic bypass, WIERDA, J. M. K. H., *et al.*, (*ARS*) 627–628P
**Hypoxaemia**, Episodic arterial oxygen desaturation and heart rate variations following major abdominal surgery, ROSENBERG, J., *et al.* 651–654
——, Postoperative myocardial infarction and episodic hypoxaemia, PATEMAN, J. A., *et al.* 648–650
**Hypoxia**, Sedation for endoscopy, HOARE, A. M., *et al.*, (*C*) 246–247
——, Sedation for endoscopy, MURRAY, A. W., *et al.*, (*C*) 244–245
**Hysterectomy**, Comparison of the effects of extradural clonidine with those of morphine on postoperative pain, stress responses, cardiopulmonary function and motor and sensory block, LUND, C., *et al.* 516–519
**IBM PC-based pharmacokinetics simulator**, Explicit: an interactive pharmacokinetics simulator for injectable anaesthetics, ARUNDEL, P. A., *et al.*, (*ARS*) 230P
**ICI 197067**, ICI 197067 produces analgesia at a spinal kappa receptor, SANGHERA, S., *et al.*, (*ARS*) 628–629P
**ICU-patient**, High frequency oscillation for respiratory physiotherapy, FREITAG, L., *et al.* 44–46S
*Illustrated Manual of Regional Anaesthesia*, RAJ, P., *et al.*, (*R*) 369
**Immune response**, Effects of thiopentone on immunoglobulin production *in vitro*, SALO, M. 716–720
**Immunoglobulins**, Effects of thiopentone on immunoglobulin production *in vitro*, SALO, M. 716–720
**Impedance cardiography**, Haemodynamic responses to induction with thiopentone and propofol measured using impedance cardiography, THOMAS, A. N., *et al.*, (*ARS*) 228–229P
**Inflammation**, Local irritation after administration of diazepam in a rectal solution, HANSEN, H. C., *et al.* 287–289
**Infusions**, Alfentanil and propofol infusions for surgery in the burned patient, REYNEKE, C. J., *et al.* 418–422
——, Continuous infusion of mivacurium in children, ALIFIMOFF, J. K., *et al.* 520–524
——, Explicit: an interactive pharmacokinetics simulator for injectable anaesthetics, ARUNDEL, P. A., *et al.*, (*ARS*) 230P
——, "Induction" dose of midazolam in a young male population, DUNDAS, C. R., *et al.*, (*ARS*) 635–636P
——, Production of laudanosine following infusion of atracurium in man and its effects on awakening, BEEMER, G. H., *et al.* 76–80
——, Relative potencies of propofol and methohexitone infusions, MACKENZIE, N., *et al.*, (*C*) 637
——, Relative potencies of propofol and methohexitone infusions, SCHWILDEN, H., (*C*) 637
**Inhalation anaesthesia**, Complications associated with inhalation anaesthesia, LEW, J., *et al.*, (*ARS*) 236–237P
**Inhalation anaesthetics**, A model to test the potency of inhalation anaesthetics, MCKENZIE, J. D., *et al.* 489–491
——, Analgesia and sedation in intensive care, AITKENHEAD, A. R. 196–206
——, Effects of fluorinated convulsants and anaesthetics on the potassium conductance of the squid axon, HENDRY, B. M., *et al.*, (*ARS*) 237–238P
——, Inhalation anaesthetics block accommodation of pyramidal cell discharge in the rat hippocampus, SOUTHAN, A. P., *et al.* 581–586
——, Interactions between diltiazem and inhalation anaesthetics in the isolated heart, CARCELES, M. D., *et al.* 321–325
——, Modification of central nervous system effects of laudanosine by inhalation anaesthetics, SHI, W.-Z., *et al.* 598–600
——, The circle system as a humidifier, BENGTSON, J. P., *et al.* 453–457
**Integrated electromyography**, Monitoring of vecuronium-induced neuromuscular block: comparison of mechanomyography and integrated electromyography, BELL, P. F., *et al.*, (*ARS*) 241–242P
**Intensive care unit**, Analgesia and sedation in intensive care, AITKENHEAD, A. R. 196–206
**Interactive pharmacokinetics simulator**, Explicit: an interactive pharmacokinetics simulator for injectable anaesthetics, ARUNDEL, P. A., *et al.*, (*ARS*) 230P
**Intra-arterial cannula**, Arterial pressure measurement in the critically ill: comparison of Finapres and intra-arterial cannula, FARQUHAR, I., *et al.*, (*ARS*) 619–620P
**Intracranial pressure**, Volatile anaesthetic agents in neurosurgery, MOSS, E., (*E*) 4

**Intracranial surgery**, Concentrations of atracurium and laudanosine in cerebrospinal fluid and plasma during intracranial surgery, EDDLESTON, J. M., *et al.* 525–530
**Intraocular pressure**, Modification by fentanyl and alfentanil of the intraocular pressure response to suxamethonium and tracheal intubation, SWEENEY, J., *et al.* 688–691
**Intraoperative suggestions**, Intraoperative suggestions and postoperative analgesic requirements, MCLINTOCK, T. T. C., *et al.*, (*ARS*) 629–630P
**Intrathecal bupivacaine**, Prevention of tourniquet pain by spinal isobaric bupivacaine with clonidine, BONNET, F., *et al.* 93–96
**Intrathecal clonidine**, Prevention of tourniquet pain by spinal isobaric bupivacaine with clonidine, BONNET, F., *et al.* 93–96
**Intrathecal opioids**, Surgical stress: the role of pain and analgesia, KEHLET, H. 189–195
——, The rational use of intrathecal and extradural opioids, MORGAN, M. 165–188
**Intratracheal intubation**, Disposition of cervical vertebrae, atlanto–axial joint, hyoid and mandible during x-ray laryngoscopy, HORTON, W. A., *et al.* 435–438
**Irrigating fluid**, Vasopressin and amino acid concentrations in serum following absorption of irrigating fluid containing glycine and ethanol, HAHN, R. G., *et al.* 337–339
**Ischaemic heart disease**, Continuous ambulatory ECG monitoring for detection of perioperative ischaemia in surgical patients, MCHUGH, P., *et al.*, (*ARS*) 234–235P
——, Electrocardiographic changes after surgery, PARSLOE, M. R., *et al.*, (*ARS*) 229P
**Isoflurane**, A method for determining blood/gas solubility coefficient and blood concentrations of volatile anaesthetic agents, TARR, T. J., *et al.*, (*ARS*) 634P
——, A model to test the potency of inhalation anaesthetics, MCKENZIE, J. D., *et al.* 489–491
——, Acute effects of halothane and isoflurane on bile secretion in the rat, BRIDGES, R., *et al.*, (*ARS*) 631–632P
——, Anaesthesia and the ozone layer, LOGAN, M., *et al.*, (*E*) 645–647
——, Arterial partial pressures of isoflurane during induction of anaesthesia in young and elderly subjects, DWYER, R., *et al.*, (*ARS*) 630–631P
——, Atropine should be given to children before induction of anaesthesia with isoflurane, LAIRD, C. R. D., *et al.*, (*ARS*) 623P
——, Automatic arterial pressure regulation using isoflurane: comparison with manual control, MONK, C. R., *et al.* 22–30
——, Comparison of i.v. sedation with midazolam and inhalation sedation with isoflurane in dental outpatients, PARBROOK, G. D., *et al.* 81–86
——, Complications associated with inhalation anaesthesia, LEW, J., *et al.*, (*ARS*) 236–237P
——, Computerized monitoring of depth anaesthesia with isoflurane, THOMSEN, C. E., *et al.* 36–43
——, Effect of anaesthesia on the QT interval, MCCONACHIE, I., *et al.* 558–560
——, Effects of fluorinated convulsants and anaesthetics on the potassium conductance of the squid axon, HENDRY, B. M., *et al.*, (*ARS*) 237–238P
——, Effects of nitrous oxide and volatile anaesthetics on cerebral blood flow, HANSEN, T. D., *et al.* 290–295
——, Interactions between diltiazem and inhalation anaesthetics in the isolated heart, CARCELES, M. D., *et al.* 321–325
——, Low-dose sufentanil–isoflurane anaesthesia for coronary artery surgery, VERMEYEN, K. M., *et al.* 44–50
——, Modification of central nervous system effects of laudanosine by inhalation anaesthetics, SHI, W.-Z., *et al.* 598–600
**Isolated heart**, Interactions between diltiazem and inhalation anaesthetics in the isolated heart, CARCELES, M. D., *et al.* 321–325
**Isolated nerve–muscle preparations**, Effects of a new neuromuscular blocking agent (Org 9426) in anaesthetized cats and pigs and in isolated nerve–muscle preparations, MUIR, A. W., *et al.* 400–410
**I.v. anaesthesia**, Alfentanil and propofol infusions for surgery in the burned patient, REYNEKE, C. J., *et al.* 418–422
——, Effect of i.v. omeprazole on the pH and volume of gastric contents before surgery, CRUICKSHANK, R. H., *et al.* 536–540
——, Haemodynamic changes after induction of anaesthesia and tracheal intubation following propofol or thiopentone in patients of ASA grade I and III, COLEY, S., *et al.* 423–428
——, *In vitro* actions of ketamine and methohexitone in the rat hippocampus, SOUTHAN, A. P., *et al.* 574–580
**I.v. anaesthetics**, Analgesia and sedation in intensive care, AITKENHEAD, A. R. 196–206
——, Cerebral effects of fentanyl in dogs, MILDE, L. N., *et al.* 710–715
——, Comparison of diazepam with midazolam as i.v. sedation for outpatient gastroscopy, SANDERS, L. D., *et al.* 726–731
——, Comparison of the neuromuscular block induced by mivacurium, suxamethonium or atracurium during nitrous oxide–fentanyl anaesthesia, CALDWELL, J. E., *et al.* 393–399
——, Effect of verapamil on canine left ventricular function in the presence of fentanyl when apical blood flow is critically limited, DIEDERICKS, J., *et al.* 458–464
——, Effects of ketamine on isolated human bronchial preparations, GATEAU, O., *et al.* 692–695
——, Effects of thiopentone on median nerve somatosensory evoked potentials, SLOAN, T. B., *et al.* 51–55
——, Low-dose sufentanil–isoflurane anaesthesia for coronary artery surgery, VERMEYEN, K. M., *et al.* 44–50
——, Midazolam acts synergistically with methohexitone for induction of anaesthesia, TVERSKOY, M., *et al.* 109–112
——, Pharmacokinetics of sufentanil in neurosurgical patients undergoing hyperventilation, SCHWARTZ, A. E., *et al.* 385–388
——, Production of laudanosine following infusion of atracurium in man and its effects on awakening, BEEMER, G. H., *et al.* 76–80
**I.v. fluids**, Effect of fluid preloading on cardiovascular variables after spinal anaesthesia with glucose-free 0.75% bupivacaine, VENN, P. J. H., *et al.* 682–687
**I.v. propofol**, Pharmacokinetics of propofol in young children after a single dose, SAINT-MAURICE, C., *et al.* 667–670
**I.v. regional anaesthesia**, Effect of alkalinization of prilocaine on i.v. regional anaesthesia, ARMSTRONG, P., *et al.*, (*ARS*) 625–626P

**Jet ventilation**, Peak airway pressure during high frequency jet ventilation: theory and measurement, YOUNG, J. D., *et al.* 541–547
**Journals for Poland**, Journals for Poland, BALLANCE, J. H. W., (*C*) 128

**Kappa opioid receptors**, ICI 197067 produces analgesia at a spinal kappa receptor, SANGHERA, S., *et al.*, (*ARS*) 628–629P

**Ketamine**, Effects of ketamine on isolated human bronchial preparations, GATEAU, O., *et al.* 692–695
——, Effects of pentobarbitone, ketamine and lignocaine on synaptic transmission in the rat olfactory cortex *in vitro*, IWASAKI, M. 306–314
——, *In vitro* actions of ketamine and methohexitone in the rat hippocampus, SOUTHAN, A. P., *et al.* 574–580
——, Pharmacokinetics of rectal ketamine in children, PEDRAZ, J. L., *et al.* 671–674
**Ketocyclazocine**, ICI 197067 produces analgesia at a spinal kappa receptor, SANGHERA, S., *et al.*, (*ARS*) 628–629P
**Ketorolac**, Comparison of the cardiorespiratory effects of ketorolac and alfentanil during propofol anaesthesia, MURRAY, A. W., *et al.* 601–603
**Kinetics**, Differing effects of hepatic pathology on alfentanil kinetics, BOWER, S., *et al.*, (*ARS*) 635P

**Labetalol**, Hypertensive and catecholamine response to tracheal intubation in patients with pregnancy-induced hypertension, LAVIES, N. G., *et al.* 429–434
**Labour**, Comparison of bupivacaine and bupivacaine with fentanyl in continuous extradural analgesia during labour, MCCLURE, J. H., *et al.*, (*C*) 637
**Laparoscopy**, Arrhythmias during laparoscopy, BURNS, J. M. A., *et al.*, (*C*) 365
——, Arrhythmias during laparoscopy, MYLES, P., (*C*) 365
**Laryngeal microsurgery**, Clinical uses of high frequency jet ventilation in anaesthesia, GIUNTA, F., *et al.* 102–106S
**Laryngoscopy**, An unusual cause of stridor following anaesthesia requiring tracheostomy, ABDEL-SALAM, M. G., *et al.* 606–608
——, Carbon dioxide monitoring during high frequency jet ventilation for direct laryngoscopy, BOURGAIN, J. L., *et al.*, (*ARS*) 620P
——, Clinical uses of high frequency jet ventilation in anaesthesia, GIUNTA, F., *et al.* 102–106S
——, Disposition of cervical vertebrae, atlanto–axial joint, hyoid and mandible during x-ray laryngoscopy, HORTON, W. A., *et al.* 435–438
——, Fibreoptic intubation: attenuating the hypertensive response to laryngoscopy and intubation, HAWKYARD, S., *et al.*, (*ARS*) 624P
——, Pressor and catecholamine response to nasal intubation of the trachea, MEIKLEJOHN, B. H., *et al.* 283–286
**Laser Doppler blood flowmetry**, Vascular response of human skin after analgesia with EMLA cream, BJERRING, P., *et al.* 655–660
**Laser surgery**, Clinical uses of high frequency jet ventilation in anaesthesia, GIUNTA, F., *et al.* 102–106S
**Laudanosine**, Cerebrospinal fluid and plasma concentrations of atracurium and laudanosine in man, GWINNUTT, C. L., *et al.*, (*ARS*) 235–236P
——, Concentrations of atracurium and laudanosine in cerebrospinal fluid and plasma during intracranial surgery, EDDLESTON, J. M., *et al.* 525–530
——, Modification of central nervous system effects of laudanosine by inhalation anaesthetics, SHI, W.-Z., *et al.* 598–600
——, Pharmacokinetics of atracurium and laudanosine in the elderly, KENT, A. P., *et al.* 661–666
——, Production of laudanosine following infusion of atracurium in man and its effects on awakening, BEEMER, G. H., *et al.* 76–80
*Lectures in Anaesthesiology 1988/1*, 1st Edn, ZORAB, J. S. M., *et al.*, (editors), (*R*) 248
**Left ventricle function**, Effect of verapamil on canine left ventricular function in the presence of fentanyl when apical blood flow is critically limited, DIEDERICKS, J., *et al.* 458–464
**Left ventricular assist device (LVAD)**, Haemodynamic effects of an implantable left ventricular assist device (LVAD) in the calf, WHITHINGTON, P. S., *et al.*, (*ARS*) 243P
**Lignocaine**, Effects of pentobarbitone, ketamine and lignocaine on synaptic transmission in the rat olfactory cortex *in vitro*, IWASAKI, M. 306–314
——, Ultrasonographic study of the spread of local anaesthetic during axillary brachial plexus block, TING, P. L., *et al.* 326–329
——, Ventilatory response to carbon dioxide during extradural anaesthesia with lignocaine and fentanyl, MORISOT, P., *et al.* 97–102
**Lipoid proteinosis**, Lipoid proteinosis: Urbach–Wiethe disease, KELLY, J. E., *et al.* 609–611
**Lipopolysaccharide inhalation**, Synergism in acute lung injury, SMIT, J. C., *et al.*, (*ARS*) 632–633P
**Liver**, Extrahepatic morphine metabolism in man during the anhepatic phase of orthotopic liver transplantation, BODENHAM, A., *et al.* 380–384
**Liver transplantation**, Extrahepatic morphine metabolism in man during the anhepatic phase of orthotopic liver transplantation, BODENHAM, A., *et al.* 380–384
——, Pharmacokinetics of morphine in patients following orthotopic liver transplantation, SHELLY, M. P., *et al.* 375–379
**Local anaesthesia**, Effect of a eutectic mixture of local anaesthetic agents (EMLA) on tourniquet pain in volunteers, LOWRIE, A., *et al.* 751–753
——, Prevention of tourniquet pain by spinal isobaric bupivacaine with clonidine, BONNET, F., *et al.* 93–96
**Local anaesthetics**, Developments in local anaesthetic drugs and techniques for pain relief, WILDSMITH, J. A. W. 159–164
——, "Maximum recommended doses" of local anaesthetic drugs, SCOTT, D. B., (*E*) 373–374
——, Postoperative analgesia with extradural clonidine, BONNET, F., *et al.* 465–469
——, Ropivacaine: a preliminary clinical trial, BANNISTER, J., *et al.*, (*ARS*) 237P
——, Ultrasonographic study of the spread of local anaesthetic during axillary brachial plexus block, TING, P. L., *et al.* 326–329
**Long-term operations**, Somatosensory-evoked potentials during block of surgical stimulation with propofol, FREYE, E. C., *et al.* 357–359
**Lorazepam**, Premedication determines the circulatory responses to rapid sequence induction with sufentanil for cardiac surgery, BUTTERWORTH, J. F., *et al.* 351–353
**Lower abdominal surgery**, Effect of fluid preloading on cardiovascular variables after spinal anaesthesia with glucose-free 0.75% bupivacaine, VENN, P. J. H., *et al.* 682–687
**Lower limb surgery**, Effect of fluid preloading on cardiovascular variables after spinal anaesthesia with glucose-free 0.75% bupivacaine, VENN, P. J. H., *et al.* 682–687
**Lung damage**, Influence of high frequency ventilation at different end-expiratory lung volumes on the development of lung damage during lung lavage in rabbits, BAUM, M., *et al.* 65–70S
**Lung function**, Effects of lung surgery and one-lung ventilation on pulmonary arterial pressure, venous admixture and immediate postoperative lung function, MALMKVIST, G., *et al.* 696–701
**Lung lavage**, Influence of high frequency ventilation at different end-expiratory lung volumes on the development of lung damage during lung lavage in rabbits, BAUM, M., *et al.* 65–70S
**Lung ventilation**, A method of measuring ratio of entrained to injected gas during high frequency jet ventilation, JONES, M. J., *et al.*, (*ARS*) 227–228P

**Lung volume**, Relationship between airway deadspace and lung volume in anaesthetized patients: effects of sternotomy, FLETCHER, R., *et al.*, (*ARS*) 242P

**Magill breathing system**, Enclosed afferent reservoir system, SONI, N., (*C*) 760–761
——, Enclosed afferent reservoir systems, MILLER, D. M., (*C*) 760
**Magnetic stimulation**, Spinal cord monitoring 1989, LOUGHNAN, B. A., *et al.* 587–594
**Mandible**, Disposition of cervical vertebrae, atlanto–axial joint, hyoid and mandible during x-ray laryngoscopy, HORTON, W. A., *et al.* 435–438
*Manual of Drug Interactions for Anesthesiology*, MUELLER, R. A., *et al.*, (*R*) 130
**Mapleson A breathing system**, Controlled ventilation with a Mapleson A (Magill) breathing system, TYLER, C. K. G., *et al.*, (*C*) 501
——, Controlled ventilation with a Mapleson A (Magill) breathing system, WILSON, I. H., *et al.*, (*C*) 501–502
——, Controlled ventilation with a Mapleson A (Magill) breathing system, YOUNG, J. D., (*C*) 501
——, Enclosed afferent reservoir system, SONI, N., (*C*) 760–761
——, Enclosed afferent reservoir systems, MILLER, D. M., (*C*) 760
**Mass spectrometer**, Use of a respiratory mass spectrometer by untrained personnel, ANTROBUS, J. H. L., *et al.*, (*ARS*) 232P
**Mathematical model**, Mathematical model of jet ventilation, YOUNG, J. D. 78–84S
**Mechanomyography**, Monitoring of vecuronium-induced neuromuscular block: comparison of mechanomyography and integrated electromyography, BELL, P. F., *et al.*, (*ARS*) 241–242P
**Median nerve evoked potentials**, Effects of thiopentone on median nerve somatosensory evoked potentials, SLOAN, T. B., *et al.* 51–55
**Mepivacaine**, Developments in local anaesthetic drugs and techniques for pain relief, WILDSMITH, J. A. W. 159–164
**Meptazinol**, Analgesia-induced respiratory depression: comparison of meptazinol and morphine in the postoperative period, FRATER, R. A. S., *et al.* 260–265
——, The control of acute postoperative pain, MITCHELL, R. W. D., *et al.* 147–158
**Metabolic response**, Hormonal and metabolic responses to cholecystectomy: comparison of extradural somatostatin and diamorphine, DESBOROUGH, J. P., *et al.* 508–515
**Methionine**, Effect of methionine on impaired DNA synthesis during exposure to nitrous oxide, MCARTHUR, S. E., *et al.*, (*ARS*) 231P
**Methohexitone**, *In vitro* actions of ketamine and methohexitone in the rat hippocampus, SOUTHAN, A. P., *et al.* 574–580
——, Midazolam acts synergistically with methohexitone for induction of anaesthesia, TVERSKOY, M., *et al.* 109–112
——, Relative potencies of propofol and methohexitone infusions, MACKENZIE, N., *et al.*, (*C*) 637
——, Relative potencies of propofol and methohexitone infusions, SCHWILDEN, H., (*C*) 637
**Methoxyflurane**, Ethanol-inducible cytochrome P450 in rabbits metabolizes enflurane, HOFFMAN, J., *et al.* 103–108
**Metoclopramide**, Neuromuscular block by suxamethonium following treatment with histamine type 2 antagonists or metoclopramide, TURNER, D. R., *et al.* 348–350
**Microcomputerized cognitive testing**, Effects of temazepam premedication on cognitive recovery following alfentanil–propofol anaesthesia, BAILIE, R., *et al.* 68–75
**Midazolam**, Antagonism of midazolam-induced sedation with flumazenil or doxapram, BILL, K. M., *et al.*, (*ARS*) 627P
——, Comparison of diazepam with midazolam as i.v. sedation for outpatient gastroscopy, SANDERS, L. D., *et al.* 726–731
——, Comparison of i.v. sedation with midazolam and inhalation sedation with isoflurane in dental outpatients, PARBROOK, G. D., *et al.* 81–86
——, Flumazenil in antagonism of midazolam-induced general anaesthesia for day-case surgery, NORTON, A. C., *et al.*, (*ARS*) 626P
——, "Induction" dose of midazolam in a young male population, DUNDAS, C. R., *et al.*, (*ARS*) 635–636P
——, Midazolam acts synergistically with methohexitone for induction of anaesthesia, TVERSKOY, M., *et al.* 109–112
——, Sedation during spinal anaesthesia: a case for the routine administration of oxygen, MANARA, A. R., *et al.* 343–345
——, Sedation for endoscopy, HOARE, A. M., *et al.*, (*C*) 246–247
——, Sedation for endoscopy, PEARSON, R. C., *et al.*, (*C*) 245–246
**Minor gynaecology**, Movement of the tongue on induction of anaesthesia, ABERNETHY, L. J., *et al.*, (*ARS*) 236P
**Mivacurium**, Comparison of the neuromuscular block induced by mivacurium, suxamethonium or atracurium during nitrous oxide–fentanyl anaesthesia, CALDWELL, J. E., *et al.* 393–399
——, Continuous infusion of mivacurium in children, ALIFIMOFF, J. K., *et al.* 520–524
**Mixed agonist–antagonist drugs**, Opioids in chronic pain, MCQUAY, H. J. 213–226
**Momentum equation**, Peak airway pressure during high frequency jet ventilation: theory and measurement, YOUNG, J. D., *et al.* 541–547
**Monitoring**, Monitoring of end-tidal carbon dioxide partial pressure during high frequency jet ventilation, SEHATI, S., *et al.* 47–52S
**Morphine**, Analgesia after hip replacement surgery: comparison of nalbuphine with morphine, FEE, J. P. H., *et al.* 756–758
——, Analgesia and sedation in intensive care, AITKENHEAD, A. R. 196–206
——, Analgesia-induced respiratory depression: comparison of meptazinol and morphine in the postoperative period, FRATER, R. A. S., *et al.* 260–265
——, Comparison of the effects of extradural clonidine with those of morphine on postoperative pain, stress responses, cardiopulmonary function and motor and sensory block, LUND, C., *et al.* 516–519
——, Effects of opioids on the pulmonary circulation and gas exchange, ELLMAUER, S., *et al.*, (*ARS*) 228P
——, Evaluation of the morphine sparing effects of nefopam and diclofenac after upper abdominal surgery, MOFFAT, A. C., *et al.*, (*ARS*) 629P
——, Extrahepatic morphine metabolism in man during the anhepatic phase of orthotopic liver transplantation, BODENHAM, A., *et al.* 380–384
——, Influence of morphine and pethidine on the incidence of anastomotic dehiscence after colonic surgery, AITKENHEAD, A. R., *et al.*, (*ARS*) 230–231P
——, Pharmacokinetics of morphine in patients following orthotopic liver transplantation, SHELLY, M. P., *et al.* 375–379
——, Premedication determines the circulatory responses to rapid sequence induction with sufentanil for cardiac surgery, BUTTERWORTH, J. F., *et al.* 351–353

——, The rational use of intrathecal and extradural opioids, MORGAN, M. 165–188
**Morphine metabolism**, Extrahepatic morphine metabolism in man during the anhepatic phase of orthotopic liver transplantation, BODENHAM, A., *et al.* 380–384
**Motor block**, Comparison of the effects of extradural clonidine with those of morphine on postoperative pain, stress responses, cardiopulmonary function and motor and sensory block, LUND, C., *et al.* 516–519
**Motor evoked potentials**, Effects of halothane on motor evoked potential recorded in the extradural space, LOUGHNAN, B. A., *et al.* 561–564
——, Spinal cord monitoring 1989, LOUGHNAN, B. A., *et al.* 587–594
**Mucostasis**, High frequency oscillation for respiratory physiotherapy, FREITAG, L., *et al.* 44–46S
**Myocardial afterloading**, Effect of acute afterloading on myocardium with normal and critically restricted blood supply, DIEDERICKS, J., *et al.*, (*ARS*) 234P
**Myocardial function**, Effect of verapamil on canine left ventricular function in the presence of fentanyl when apical blood flow is critically limited, DIEDERICKS, J., *et al.* 458–464
**Myocardial infarction**, Electrocardiographic changes after surgery, PARSLOE, M. R., *et al.*, (*ARS*) 229P
——, Postoperative myocardial infarction and episodic hypoxaemia, PATEMAN, J. A., *et al.* 648–650
**Myocardial ischaemia**, Complications associated with inhalation anaesthesia, LEW, J., *et al.*, (*ARS*) 236–237P
——, Premedication determines the circulatory responses to rapid sequence induction with sufentanil for cardiac surgery, BUTTERWORTH, J. F., *et al.* 351–353

**Nadolol**, Arrhythmias during laparoscopy, BURNS, J. M. A., *et al.*, (*C*) 365
——, Arrhythmias during laparoscopy, MYLES, P., (*C*) 365
**Nalbuphine**, Analgesia after hip replacement surgery: comparison of nalbuphine with morphine, FEE, J. P. H., *et al.* 756–758
——, Effects of opioids on the pulmonary circulation and gas exchange, ELLMAUER, S., *et al.*, (*ARS*) 228P
——, The control of acute postoperative pain, MITCHELL, R. W. D., *et al.* 147–158
**Naloxone**, ICI 197067 produces analgesia at a spinal kappa receptor, SANGHERA, S., *et al.*, (*ARS*) 628–629P
**Nasal intubation**, Pressor and catecholamine response to nasal intubation of the trachea, MEIKLEJOHN, B. H., *et al.* 283–286
**Nausea**, The rational use of intrathecal and extradural opioids, MORGAN, M. 165–188
*Near Misses in Anesthesia*, 1st Edn, LEWIS, J. M., *et al.*, (*R*) 765
**Nefopam**, Evaluation of the morphine sparing effects of nefopam and diclofenac after upper abdominal surgery, MOFFAT, A. C., *et al.*, (*ARS*) 629P
**Neostigmine**, Sensitivity to both vecuronium and neostigmine in a sero-negative myasthenic patient, KIM, J.-M., *et al.* 497–500
**Nerve block**, Structure–activity relationships in differential nerve block at high and low frequency stimulation, WILDSMITH, J. A. W., *et al.* 444–452
**Neurological damage**, The rational use of intrathecal and extradural opioids, MORGAN, M. 165–188
**Neuromuscular block**, Accelerated recovery from neuromuscular block, KOEHLI, N., (*C*) 761
——, Accelerated recovery from neuromuscular block, STIRT, J. A., (*C*) 761–762
——, Atracurium and Double Burst Stimulation, BRAUDE, N., *et al.*, (*C*) 637–638
——, Automatic control of neuromuscular block with atracurium, MACLEOD, A. D., *et al.* 31–35
——, Cerebrospinal fluid and plasma concentrations of atracurium and laudanosine in man, GWINNUTT, C. L., *et al.*, (*ARS*) 235–236P
——, Characteristics of atracurium block in the gastrocnemius muscle, HARPER, N. J., *et al.*, (*ARS*) 240–241P
——, Comparative potency of pipecuronium bromide and pancuronium bromide, STANLEY, J. C., *et al.* 754–755
——, Comparison of the neuromuscular block induced by mivacurium, suxamethonium or atracurium during nitrous oxide–fentanyl anaesthesia, CALDWELL, J. E., *et al.* 393–399
——, Concentrations of atracurium and laudanosine in cerebrospinal fluid and plasma during intracranial surgery, EDDLESTON, J. M., *et al.* 525–530
——, Continuous infusion of mivacurium in children, ALIFIMOFF, J. K., *et al.* 520–524
——, Effects of a new neuromuscular blocking agent (Org 9426) in anaesthetized cats and pigs and in isolated nerve–muscle preparations, MUIR, A. W., *et al.* 400–410
——, Effects of doxacurium chloride on biventricular cardiac function in patients with cardiac disease, REICH, D. L., *et al.* 675–681
——, Effects of suxamethonium on recovery from atracurium and vecuronium, BLACK, A., *et al.*, (*ARS*) 622P
——, Haemodynamic effects of doxacurium, pancuronium and vecuronium in patients undergoing coronary artery bypass grafting, GOLDHILL, D. R., *et al.*, (*ARS*) 239–240P
——, Monitoring of vecuronium-induced neuromuscular block: comparison of mechanomyography and integrated electromyography, BELL, P. F., *et al.*, (*ARS*) 241–242P
——, Neuromuscular block by suxamethonium following treatment with histamine type 2 antagonists or metoclopramide, TURNER, D. R., *et al.* 348–350
——, Neuromuscular effects of pipecuronium bromide, STANLEY, J. C., *et al.*, (*ARS*) 240P
——, Priming with alcuronium and tubocurarine accelerates the onset of neuromuscular block, POLLARD, B. J. 7–11
——, Production of laudanosine following infusion of atracurium in man and its effects on awakening, BEEMER, G. H., *et al.* 76–80
——, Relative potency of vecuronium on the diaphragm and the adductor pollicis, LEBRAULT, C., *et al.* 389–392
——, The priming principle: how does it work and should we be using it? JONES, R. M., (*E*) 1
**Neuromuscular junction**, Effects of a new neuromuscular blocking agent (Org 9426) in anaesthetized cats and pigs and in isolated nerve–muscle preparations, MUIR, A. W., *et al.* 400–410
**Neurophysiological mechanisms**, Neurophysiological mechanisms inducing apnoea during HFO, KOHL, J., *et al.* 107S
**Neurosurgery**, Cerebrospinal fluid and plasma concentrations of atracurium and laudanosine in man, GWINNUTT, C. L., *et al.*, (*ARS*) 235–236P
——, Pharmacokinetics of sufentanil in neurosurgical patients undergoing hyperventilation, SCHWARTZ, A. E., *et al.* 385–388
——, Volatile anaesthetic agents in neurosurgery, MOSS, E., (*E*) 4
**Nitrous oxide**, Antagonism of diazepam sedation by flumazenil, SKIELBOE, M., *et al.* 554–557
——, Effect of methionine on impaired DNA synthesis during exposure to nitrous oxide, MCARTHUR, S. E., *et al.*, (*ARS*) 231P
——, Effects of nitrous oxide and volatile anaesthetics on cerebral blood flow, HANSEN, T. D., *et al.* 290–295
——, Hypoxaemia after inhalation of 50% nitrous oxide and oxygen, WILKINS, C. J., *et al.* 346–347

——, Modification of central nervous system effects of laudanosine by inhalation anaesthetics, SHI, W.-Z., *et al.* 598–600
**Nitrous oxide in oxygen**, Somatosensory-evoked potentials during block of surgical stimulation with propofol, FREYE, E. C., *et al.* 357–359
**NMDA**, Enflurane-induced burst discharge of hippocampal CA1 neurones is blocked by the NMDA receptor antagonist APV, MACIVER, M. B., *et al.* 296–305
**Non-steroidal anti-inflammatory drugs**, The control of acute postoperative pain, MITCHELL, R. W. D., *et al.* 147–158
**Noradrenaline**, Haemodynamic changes after induction of anaesthesia and tracheal intubation following propofol or thiopentone in patients of ASA grade I and III, COLEY, S., *et al.* 423–428
——, Pharmacological responses in vascular smooth muscle determined by elastance measurement, CROSSLEY, A. W. A., *et al.*, (*ARS*) 232P
**Normothermia**, Effect of peroperative normothermia on postoperative protein metabolism in elderly patients undergoing hip arthroplasty, CARLI, F., *et al.* 276–282

**OAV 7710 Ventilator**, The Ohmeda OAV 7710 Ventilator, THORBURN, J., *et al.*, (*C*) 638–639
**Obstetric anaesthesia**, Arterial partial pressures of isoflurane during induction of anaesthesia in young and elderly subjects, DWYER, R., *et al.*, (*ARS*) 630–631P
——, Caesarean section at 27 weeks gestation with removal of phaeochromocytoma, HOPKINS, P. M., *et al.* 121–124
——, Comparison of bupivacaine and bupivacaine with fentanyl in continuous extradural analgesia during labour, JONES, G., *et al.* 254–259
——, Effect of peroperative normothermia on postoperative protein metabolism in elderly patients undergoing hip arthroplasty, CARLI, F., *et al.* 276–282
——, Extradural analgesia in the intrapartum management of a patient with pulmonary hypertension, POWER, K. J., *et al.* 116–120
——, Extradural opioids in labour, REYNOLDS, F., (*E*) 251–253
——, Gastro–oesophageal reflux in pregnancy at term and after delivery, VANNER, R. G., (*ARS*) 238–239P
——, Pharmacokinetics of atracurium and laudanosine in the elderly, KENT, A. P., *et al.* 661–666
——, Preoxygenation in the elderly patient using the four maximal breaths technique, MONK, C. R., *et al.*, (*ARS*) 623–624P
——, The rational use of intrathecal and extradural opioids, MORGAN, M. 165–188
——, Ventilation requirements during Caesarean section, DUNCAN, P. W., (*C*) 247
——, Ventilation requirements during Caesarean section, RAMPSON, A. J., (*C*) 247
**Obstructive diseases**, Evaluation and significance of respiratory acoustical impedance, DEPEURSINGE, C. 113–114S
**Obstructive sleep apnoea**, Obstructive sleep apnoea, HANNING, C. D. 477–488
**Occlusion technique**, Total respiratory compliance during anaesthesia in infants and young children, FLETCHER, M. E., *et al.* 266–275
**Oesophageal bypass**, Anaesthetic management of malignant tracheo–oesophageal fistula, GREBENIK, C. R. 492–496
**Oesophageal contractility**, Effect of propofol on the auditory evoked response and oesophageal contractility, THORNTON, C., *et al.* 411–417
**Ohmeda 600 multi-gas monitor**, Use of a respiratory mass spectrometer by untrained personnel, ANTROBUS, J. H. L., *et al.*, (*ARS*) 232P
**Ohmeda OAV 7710 ventilator**, The Ohmeda OAV 7710 Ventilator, THORBURN, J., *et al.*, (*C*) 638–639
**Olfactory cortex**, Effects of pentobarbitone, ketamine and lignocaine on synaptic transmission in the rat olfactory cortex *in vitro*, IWASAKI, M. 306–314
**Omeprazole**, Effect of i.v. omeprazole on the pH and volume of gastric contents before surgery, CRUICKSHANK, R. H., *et al.* 536–540
**On-demand analgesic computer**, Comparison of piroxicam with placebo in the management of pain after total hip replacement, SERPELL, M. G., *et al.* 354–356
**One-lung ventilation**, Effects of lung surgery and one-lung ventilation on pulmonary arterial pressure, venous admixture and immediate postoperative lung function, MALMKVIST, G., *et al.* 696–701
**Opioid anaesthetics**, Analgesia after hip replacement surgery: comparison of nalbuphine with morphine, FEE, J. P. H., *et al.* 756–758
——, Analgesia and sedation in intensive care, AITKENHEAD, A. R. 196–206
——, Comparison of the neuromuscular block induced by mivacurium, suxamethonium or atracurium during nitrous oxide–fentanyl anaesthesia, CALDWELL, J. E., *et al.* 393–399
——, Effects of opioids on the pulmonary circulation and gas exchange, ELLMAUER, S., *et al.*, (*ARS*) 228P
——, Effect of verapamil on canine left ventricular function in the presence of fentanyl when apical blood flow is critically limited, DIEDERICKS, J., *et al.* 458–464
——, Opioids in chronic pain, MCQUAY, H. J. 213–226
——, Sedation for endoscopy, MURRAY, A. W., *et al.*, (*C*) 244–245
——, Sedation for endoscopy, PEARSON, R. C., *et al.*, (*C*) 245–246
——, The control of acute postoperative pain, MITCHELL, R. W. D., *et al.* 147–158
**Opioid-insensitive pain**, Opioids in chronic pain, MCQUAY, H. J. 213–226
**Opioid receptors**, Modification of central nervous system effects of laudanosine by inhalation anaesthetics, SHI, W.-Z., *et al.* 598–600
——, Opioids in chronic pain, MCQUAY, H. J. 213–226
**Oral analgesics**, Opioids in chronic pain, MCQUAY, H. J. 213–226
**Oral surgery**, Comparison of i.v. sedation with midazolam and inhalation sedation with isoflurane in dental outpatients, PARBROOK, G. D., *et al.* 81–86
**Org 9426 (vecuronium)**, Effects of a new neuromuscular blocking agent (Org 9426) in anaesthetized cats and pigs and in isolated nerve–muscle preparations, MUIR, A. W., *et al.* 400–410
**Organophosphorus insecticides**, Organophosphorus insecticide poisoning, KARALLIEDDE, L., *et al.* 736–750
*Orofacial Pains*, 4th Edn, BELL, W. E., (*R*) 368
**Outpatient gastroscopy**, Comparison of diazepam with midazolam as i.v. sedation for outpatient gastroscopy, SANDERS, L. D., *et al.* 726–731
**Oxygen**, Sedation during spinal anaesthesia: a case for the routine administration of oxygen, MANARA, A. R., *et al.* 343–345
**Oxygen consumption**, Cerebral effects of fentanyl in dogs, MILDE, L. N., *et al.* 710–715
——, Effect of respiratory alkalosis on oxygen consumption under general anaesthesia, SLATER, R. M., *et al.*, (*ARS*) 232–233P
**Ozone layer**, Anaesthesia and the ozone layer, LOGAN, M., *et al.*, (*E*) 645–647

**P6 acupuncture**, Does the timing of P6 acupuncture influence its efficacy as a postoperative anti-emetic? DUNDEE, J. W., *et al.*, (*ARS*) 630P
**P6 antiemetic point**, Effect of stimulation of the P6

antiemetic point on postoperative nausea and vomiting, DUNDEE, J. W., *et al.* 612–618
**Paediatric anaesthesia**, Atropine should be given to children before induction of anaesthesia with isoflurane, LAIRD, C. R. D., *et al.*, (*ARS*) 623P
——, Clinical evaluation of the augmented delta quotient monitor for intraoperative electroencephalographic monitoring in children during surgery and cardiopulmonary bypass for repair of congenital cardiac defects, BURROWS, F. A., *et al.* 565–573
——, Continuous infusion of mivacurium in children, ALIFIMOFF, J. K., *et al.* 520–524
——, Pharmacokinetics of propofol in young children after a single dose, SAINT-MAURICE, C., *et al.* 667–670
——, Pharmacokinetics of rectal ketamine in children, PEDRAZ, J. L., *et al.* 671–674
——, The rational use of intrathecal and extradural opioids, MORGAN, M. 165–188
——, Total respiratory compliance during anaesthesia in infants and young children, FLETCHER, M. E., *et al.* 266–275
**Pain**, Analgesia after hip replacement surgery: comparison of nalbuphine with morphine, FEE, J. P. H., *et al.* 756–758
——, Aspects of pain, WILDSMITH, J. A. W., (*E*) 135
——, Comparison of the effects of extradural clonidine with those of morphine on postoperative pain, stress responses, cardiopulmonary function and motor and sensory block, LUND, C., *et al.* 516–519
——, Effect of a eutectic mixture of local anaesthetic agents (EMLA) on tourniquet pain in volunteers, LOWRIE, A., *et al.* 751–753
——, Postoperative pain—prevention or relief? ARMITAGE, E. N., (*E*) 136–138
——, Recent advances in the pathophysiology of acute pain, WOOLF, C. J. 139–146
——, Surgical stress: the role of pain and analgesia, KEHLET, H. 189–195
——, The control of acute postoperative pain, MITCHELL, R. W. D., *et al.* 147–158
**Pain relief**, Developments in local anaesthetic drugs and techniques for pain relief, WILDSMITH, J. A. W. 159–164
——, Paravertebral block for post-cholecystectomy pain relief, GIESECKE, K., (*C*) 129
——, Paravertebral block for post-cholecystectomy pain relief, KUMAR, C. M., (*C*) 129
——, Postoperative analgesia with extradural clonidine, BONNET, F., *et al.* 465–469
——, Transdermal fentanyl for the relief of pain after upper abdominal surgery, ROWBOTHAM, D. J., *et al.* 56–59
**Pancuronium**, Comparative potency of pipecuronium bromide and pancuronium bromide, STANLEY, J. C., *et al.* 754–755
——, Haemodynamic effects of doxacurium, pancuronium and vecuronium in patients undergoing coronary artery bypass grafting, GOLDHILL, D. R., *et al.*, (*ARS*) 239–240P
**Papaveretum**, Analgesia and sedation in intensive care, AITKENHEAD, A. R. 196–206
**Paracetamol metabolism**, Drug metabolism after anaesthesia, LEWIS, R. P., *et al.*, (*ARS*) 229–230P
**Paralysis**, Total respiratory compliance during anaesthesia in infants and young children, FLETCHER, M. E., *et al.* 266–275
**Paravertebral block**, Paravertebral block for post-cholecystectomy pain relief, GIESECKE, K., (*C*) 129
——, Paravertebral block for post-cholecystectomy pain relief, KUMAR, C. M., (*C*) 129
**Parturients**, Hypertensive and catecholamine response to tracheal intubation in patients with pregnancy-induced hypertension, LAVIES, N. G., *et al.* 429–434
**Passive ventilatory mechanics**, Total respiratory compliance during anaesthesia in infants and young children, FLETCHER, M. E., *et al.* 266–275
**Pathological pain**, Recent advances in the pathophysiology of acute pain, WOOLF, C. J. 139–146
**Pathophysiology**, Recent advances in the pathophysiology of acute pain, WOOLF, C. J. 139–146
**Patient-controlled anaesthesia**, Analgesia-induced respiratory depression: comparison of meptazinol and morphine in the postoperative period, FRATER, R. A. S., *et al.* 260–265
——, Comparison of piroxicam with placebo in the management of pain after total hip replacement, SERPELL, M. G., *et al.* 354–356
**Patient-controlled analgesia**, The control of acute postoperative pain, MITCHELL, R. W. D., *et al.* 147–158
——, Intraoperative suggestions and postoperative analgesic requirements, MCLINTOCK, T. T. C., *et al.*, (*ARS*) 629–630P
*Pediatric Cardiac Anesthesia*, 1st Edn, LAKE, C. L., (editor), (*R*) 248–249
**Pentazocine**, Effects of opioids on the pulmonary circulation and gas exchange, ELLMAUER, S., *et al.*, (*ARS*) 228P
——, The control of acute postoperative pain, MITCHELL, R. W. D., *et al.* 147–158
**Pentobarbitone**, Effects of pentobarbitone, ketamine and lignocaine on synaptic transmission in the rat olfactory cortex *in vitro*, IWASAKI, M. 306–314
**Peripheral nerve block**, Developments in local anaesthetic drugs and techniques for pain relief, WILDSMITH, J. A. W. 159–164
**Peripheral sensitization**, Recent advances in the pathophysiology of acute pain, WOOLF, C. J. 139–146
**Pethidine**, Analgesia and sedation in intensive care, AITKENHEAD, A. R. 196–206
——, Effects of opioids on the pulmonary circulation and gas exchange, ELLMAUER, S., *et al.*, (*ARS*) 228P
——, Influence of morphine and pethidine on the incidence of anastomotic dehiscence after colonic surgery, AITKENHEAD, A. R., *et al.*, (*ARS*) 230–231P
——, Sedation for endoscopy, HOARE, A. M., *et al.*, (*C*) 246–247
**Phaeochromocytoma**, Caesarean section at 27 weeks gestation with removal of phaeochromocytoma, HOPKINS, P. M., *et al.* 121–124
**Pharmacodynamic model**, A new four-parameter threshold model for the plasma atracurium–response relationship, PARKER, C. J. R., *et al.*, (*ARS*) 622–623P
**Pharmacokinetics**, Effects of incremental doses of alfentanil and propofol on the breathing of anaesthetized patients, GOODMAN, N. W., *et al.* 548–553
——, Pharmacokinetics of atracurium and laudanosine in the elderly, KENT, A. P., *et al.* 661–666
——, Pharmacokinetics of morphine in patients following orthotopic liver transplantation, SHELLY, M. P., *et al.* 375–379
——, Pharmacokinetics of propofol in young children after a single dose, SAINT-MAURICE, C., *et al.* 667–670
——, Pharmacokinetics of rectal ketamine in children, PEDRAZ, J. L., *et al.* 671–674
——, Pharmacokinetics of sufentanil in neurosurgical patients undergoing hyperventilation, SCHWARTZ, A. E., *et al.* 385–388
——, Pharmacokinetics of vecuronium during hypothermic bypass, WIERDA, J. M. K. H., *et al.*, (*ARS*) 627–628P
——, Sufentanil disposition in patients undergoing renal transplantation: influence of choice of kinetic model, SEAR, J. W. 60–67
**Pharmacological responses**, Pharmacological responses in vascular smooth muscle determined by elastance measurement, CROSSLEY, A. W. A., *et al.*, (*ARS*) 232P

**Pharmacological therapy**, Recent advances in the treatment of chronic pain, BUDD, K. 207–212
**Phenoperidine**, Analgesia and sedation in intensive care, AITKENHEAD, A. R. 196–206
**Physical therapy**, Recent advances in the treatment of chronic pain, BUDD, K. 207–212
**Physiological pain**, Recent advances in the pathophysiology of acute pain, WOOLF, C. J. 139–146
**Pigs**, Apnoea during high frequency jet ventilation in piglets, VAN VUGHT, A. J., *et al.* 110–111S
——, Effects of a new neuromuscular blocking agent (Org 9426) in anaesthetized cats and pigs and in isolated nerve–muscle preparations, MUIR, A. W., *et al.* 400–410
——, Frequency response and gas exchange during high frequency jet ventilation in the pig, MOTTRAM, S. D., *et al.* 108–109S
**Pipecuronium**, Comparative potency of pipecuronium bromide and pancuronium bromide, STANLEY, J. C., *et al.* 754–755
——, Neuromuscular effects of pipecuronium bromide, STANLEY, J. C., *et al.*, (*ARS*) 240P
**Piroxicam**, Comparison of piroxicam with placebo in the management of pain after total hip replacement, SERPELL, M. G., *et al.* 354–356
**Placental transfer**, Effect of adrenaline on placental transfer of bupivacaine in the perfused *in situ* rabbit placenta, LAISHLEY, R. S., *et al.* 439–443
——, Effect of adrenaline on the distribution of bupivacaine in the rabbit fetus, LAISHLEY, R. S., *et al.* 721–725
**Plasma concentrations**, Effects of concomitant administration of cisapride and ranitidine on plasma concentrations in volunteers, MILLIGAN, K. A., *et al.*, (*ARS*) 628P
**Poisoning**, Organophosphorus insecticide poisoning, KARALLIEDDE, L., *et al.* 736–750
**Positive end-expiratory pressure**, Circulatory depression with high PEEP in the surfactant-deficient rabbit, CHAKRABARTI, M. K., *et al.* 732–735
——, Effects of high frequency jet ventilation on the pulmonary clearance of $^{99m}$Tc-DTPA in respiratory failure in rabbits, BOS, J. A. H., *et al.* 59–64S
**Positive pressure ventilation**, Circulatory depression with high PEEP in the surfactant-deficient rabbit, CHAKRABARTI, M. K., *et al.* 732–735
**Postoperative analgesic requirements**, Intraoperative suggestions and postoperative analgesic requirements, MCLINTOCK, T. T. C., *et al.*, (*ARS*) 629–630P
**Postoperative anti-emesis**, Does the timing of P6 acupuncture influence its efficacy as a postoperative anti-emetic? DUNDEE, J. W., *et al.*, (*ARS*) 630P
**Postoperative nausea**, Effect of stimulation of the P6 antiemetic point on postoperative nausea and vomiting, DUNDEE, J. W., *et al.* 612–618
**Postoperative pain**, Analgesia after hip replacement surgery: comparison of nalbuphine with morphine, FEE, J. P. H., *et al.* 756–758
——, Aspects of pain, WILDSMITH, J. A. W., (*E*) 135
——, Comparison of the effects of extradural clonidine with those of morphine on postoperative pain, stress responses, cardiopulmonary function and motor and sensory block, LUND, C., *et al.* 516–519
——, Evaluation of the morphine sparing effects of nefopam and diclofenac after upper abdominal surgery, MOFFAT, A. C., *et al.*, (*ARS*) 629P
——, Hormonal and metabolic responses to cholecystectomy: comparison of extradural somatostatin and diamorphine, DESBOROUGH, J. P., *et al.* 508–515
——, Postoperative analgesia with extradural clonidine, BONNET, F., *et al.* 465–469
——, Postoperative pain—prevention or relief? ARMITAGE, E. N., (*E*) 136–138
——, Surgical stress: the role of pain and analgesia, KEHLET, H. 189–195
——, The control of acute postoperative pain, MITCHELL, R. W. D., *et al.* 147–158
——, The rational use of intrathecal and extradural opioids, MORGAN, M. 165–188
**Postoperative period**, Episodic arterial oxygen desaturation and heart rate variations following major abdominal surgery, ROSENBERG, J., *et al.* 651–654
**Postoperative recovery**, Flumazenil in antagonism of midazolam-induced general anaesthesia for day-case surgery, NORTON, A. C., *et al.*, (*ARS*) 626P
**Potassium conductance**, Effects of fluorinated convulsants and anaesthetics on the potassium conductance of the squid axon, HENDRY, B. M., *et al.*, (*ARS*) 237–238P
**Preload**, Cardiovascular effects of propofol in the anaesthetized dog, GOODCHILD, C. S., *et al.* 87–92
**Premedication**, Effects of temazepam premedication on cognitive recovery following alfentanil–propofol anaesthesia, BAILIE, R., *et al.* 68–75
——, Lipoid proteinosis: Urbach–Wiethe disease, KELLY, J. E., *et al.* 609–611
——, Premedication determines the circulatory responses to rapid sequence induction with sufentanil for cardiac surgery, BUTTERWORTH, J. F., *et al.* 351–353
**Preoperative arterial pressure**, Preoperative arterial pressure measurements: relationship to resting values, HUMPHREYS, K. J., *et al.*, (*ARS*) 242P
**Preoperative oral fluids**, Effect of preoperative water, famotidine or ranitidine on gastric volume and pH, SAMAAN, A. A., *et al.*, (*ARS*) 238P
**Preoxygenation**, Preoxygenation in the elderly patient using the four maximal breaths technique, MONK, C. R., *et al.*, (*ARS*) 623–624P
——, Rebreathing during pre-oxygenation: improved ventilation after propofol, GALLOWAY, D. W., (*ARS*) 624P
**Pressor response**, Haemodynamic changes after induction of anaesthesia and tracheal intubation following propofol or thiopentone in patients of ASA grade I and III, COLEY, S., *et al.* 423–428
——, Hypertensive and catecholamine response to tracheal intubation in patients with pregnancy-induced hypertension, LAVIES, N. G., *et al.* 429–434
**Pressure support ventilation**, Clinical evaluation of pressure support ventilation, STEWART, K. G. 362–364
**Prilocaine**, Effect of alkalinization of prilocaine on i.v. regional anaesthesia, ARMSTRONG, P., *et al.*, (*ARS*) 625–626P
**Priming dose**, Priming with alcuronium and tubocurarine accelerates the onset of neuromuscular block, POLLARD, B. J. 7–11
**Priming principle**, The priming principle: how does it work and should we be using it? JONES, R. M., (*E*) 1
**Prophylactic vasopressor therapy**, Prophylactic ephedrine during spinal anaesthesia: double-blind study in patients in ASA groups I–III, HEMMINGSEN, C., *et al.* 340–342
**Propofol**, Alfentanil and propofol infusions for surgery in the burned patient, REYNEKE, C. J., *et al.* 418–422
——, Cardiovascular effects of propofol in the anaesthetized dog, GOODCHILD, C. S., *et al.* 87–92
——, Comparison of the cardiorespiratory effects of ketorolac and alfentanil during propofol anaesthesia, MURRAY, A. W., *et al.* 601–603
——, Effect of anaesthesia on the QT interval, MCCONACHIE, I., *et al.* 558–560
——, Effect of propofol on the auditory evoked response and oesophageal contractility, THORNTON, C., *et al.* 411–417
——, Effects of incremental doses of alfentanil and propofol

on the breathing of anaesthetized patients, GOODMAN, N. W., *et al.* 548–553
——, Effects of temazepam premedication on cognitive recovery following alfentanil–propofol anaesthesia, BAILIE, R., *et al.* 68–75
——, Forearm blood flow during anaesthesia induced and maintained with propofol, MCKEATING, K. T., *et al.*, (*ARS*) 633P
——, Haemodynamic changes after induction of anaesthesia and tracheal intubation following propofol or thiopentone in patients of ASA grade I and III, COLEY, S., *et al.* 423–428
——, Haemodynamic responses to induction with thiopentone and propofol measured using impedance cardiography, THOMAS, A. N., *et al.*, (*ARS*) 228–229P
——, Intraoperative control of propofol using a computerized infusion system, WHITE, M., *et al.*, (*ARS*) 620–621P
——, Pharmacokinetics of propofol in young children after a single dose, SAINT-MAURICE, C., *et al.* 667–670
——, Rebreathing during pre-oxygenation: improved ventilation after propofol, GALLOWAY, D. W., (*ARS*) 624P
——, Relative potencies of propofol and methohexitone infusions, MACKENZIE, N., *et al.*, (*C*) 637
——, Relative potencies of propofol and methohexitone infusions, SCHWILDEN, H., (*C*) 637
——, Somatosensory-evoked potentials during block of surgical stimulation with propofol, FREYE, E. C., *et al.* 357–359
——, Spectral edge analyses and pharmacokinetic studies following induction of anaesthesia with propofol, COLLIER, P. S., *et al.*, (*ARS*) 621–622P
**Protein metabolism**, Effect of peroperative normothermia on postoperative protein metabolism in elderly patients undergoing hip arthroplasty, CARLI, F., *et al.* 276–282
**Pruritis**, The rational use of intrathecal and extradural opioids, MORGAN, M. 165–188
**Pseudocholinesterase**, Neuromuscular block by suxamethonium following treatment with histamine type 2 antagonists or metoclopramide, TURNER, D. R., *et al.* 348–350
**Psychological therapy**, Recent advances in the treatment of chronic pain, BUDD, K. 207–212
**Psychomotor recovery**, Comparison of diazepam with midazolam as i.v. sedation for outpatient gastroscopy, SANDERS, L. D., *et al.* 726–731
**Psychopharmacological drugs**, Recent advances in the treatment of chronic pain, BUDD, K. 207–212
**Pulmonary arterial pressure**, Effects of lung surgery and one-lung ventilation on pulmonary arterial pressure, venous admixture and immediate postoperative lung function, MALMKVIST, G., *et al.* 696–701
**Pulmonary clearance**, Effects of high frequency jet ventilation on the pulmonary clearance of $^{99m}$Tc-DTPA in respiratory failure in rabbits, BOS, J. A. H., *et al.* 59–64S
**Pulmonary haemodynamics**, Effects of opioids on the pulmonary circulation and gas exchange, ELLMAUER, S., *et al.*, (*ARS*) 228P
**Pulmonary hypertension**, Extradural analgesia in the intrapartum management of a patient with pulmonary hypertension, POWER, K. J., *et al.* 116–120
**Pulmonary surfactant**, Circulatory depression with high PEEP in the surfactant-deficient rabbit, CHAKRABARTI, M. K., *et al.* 732–735
*Pulmonary Vascular Physiology and Pathophysiology*, 1st Edn, WEIR, E. K., *et al.*, (editors), (*R*) 641–642
**Pulse oximetry**, Episodic arterial oxygen desaturation and heart rate variations following major abdominal surgery, ROSENBERG, J., *et al.* 651–654
**QT interval**, Effect of anaesthesia on the QT interval, MCCONACHIE, I., *et al.* 558–560
**Rabbit**, Circulatory depression with high PEEP in the surfactant-deficient rabbit, CHAKRABARTI, M. K., *et al.* 732–735
——, Effect of adrenaline on placental transfer of bupivacaine in the perfused *in situ* rabbit placenta, LAISHLEY, R. S., *et al.* 439–443
——, Effect of adrenaline on the distribution of bupivacaine in the rabbit fetus, LAISHLEY, R. S., *et al.* 721–725
——, Effects of high frequency jet ventilation on the pulmonary clearance of $^{99m}$Tc-DTPA in respiratory failure in rabbits, BOS, J. A. H., *et al.* 59–64S
——, Ethanol-inducible cytochrome P450 in rabbits metabolizes enflurane, HOFFMAN, J., *et al.* 103–108
——, Influence of high frequency ventilation at different end-expiratory lung volumes on the development of lung damage during lung lavage in rabbits, BAUM, M., *et al.* 65–70S
——, Modification of central nervous system effects of laudanosine by inhalation anaesthetics, SHI, W.-Z., *et al.* 598–600
——, Structure–activity relationships in differential nerve block at high and low frequency stimulation, WILDSMITH, J. A. W., *et al.* 444–452
——, Synergism in acute lung injury, SMIT, J. C., *et al.*, (*ARS*) 632–633P
**Ranitidine**, Effect of preoperative water, famotidine or ranitidine on gastric volume and pH, SAMAAN, A. A., *et al.*, (*ARS*) 238P
——, Effects of concomitant administration of cisapride and ranitidine on plasma concentrations in volunteers, MILLIGAN, K. A., *et al.*, (*ARS*) 628P
——, Neuromuscular block by suxamethonium following treatment with histamine type 2 antagonists or metoclopramide, TURNER, D. R., *et al.* 348–350
**Rapid-response thermistor pulmonary arterial catheter**, Effects of doxacurium chloride on biventricular cardiac function in patients with cardiac disease, REICH, D. L., *et al.* 675–681
**Rapid sequence induction**, Premedication determines the circulatory responses to rapid sequence induction with sufentanil for cardiac surgery, BUTTERWORTH, J. F., *et al.* 351–353
**Rat**, Acute effects of halothane and isoflurane on bile secretion in the rat, BRIDGES, R., *et al.*, (*ARS*) 631–632P
——, Effects of nitrous oxide and volatile anaesthetics on cerebral blood flow, HANSEN, T. D., *et al.* 290–295
——, Effects of pentobarbitone, ketamine and lignocaine on synaptic transmission in the rat olfactory cortex *in vitro*, IWASAKI, M. 306–314
——, Enflurane-induced burst discharge of hippocampal CA1 neurones is blocked by the NMDA receptor antagonist APV, MACIVER, M. B., *et al.* 296–305
——, ICI 197067 produces analgesia at a spinal kappa receptor, SANGHERA, S., *et al.*, (*ARS*) 628–629P
——, Inhalation anaesthetics block accommodation of pyramidal cell discharge in the rat hippocampus, SOUTHAN, A. P., *et al.* 581–586
**Rate-responsive pacemaker**, Pacemaker-induced tachycardia during general anaesthesia: a case report, MADSEN, G. M., *et al.* 360–361
**Rebreathing**, Rebreathing during pre-oxygenation: improved ventilation after propofol, GALLOWAY, D. W., (*ARS*) 624P
**Rectal administration**, Local irritation after administration of diazepam in a rectal solution, HANSEN, H. C., *et al.* 287–289
——, Pharmacokinetics of rectal ketamine in children, PEDRAZ, J. L., *et al.* 671–674
**Reflectance spectroscopy**, Vascular response of human

skin after analgesia with EMLA cream, BJERRING, P., *et al.* 655–660
**Regional anaesthesia**, Analgesia and sedation in intensive care, AITKENHEAD, A. R. 196–206
——, Sedation during spinal anaesthesia: a case for the routine administration of oxygen, MANARA, A. R., *et al.* 343–345
——, Surgical stress: the role of pain and analgesia, KEHLET, H. 189–195
**Regional compliance**, High frequency ventilation and regional compliance, LUNKENHEIMER, P. P., *et al.* 3–10S
**Regional skin temperature**, Effects of segmental thoracic extradural analgesia on sympathetic block in conscious dogs, PETERS, J., *et al.* 470–476
**Regurgitation**, Gastro–oesophageal reflux in pregnancy at term and after delivery, VANNER, R. G., (*ARS*) 238–239P
**Renal transplantation**, Sufentanil disposition in patients undergoing renal transplantation: influence of choice of kinetic model, SEAR, J. W. 60–67
**Residual gastric volume**, Effect of preoperative water, famotidine or ranitidine on gastric volume and pH, SAMAAN, A. A., *et al.*, (*ARS*) 238P
**Resonant amplification**, Resonant amplification during high frequency oscillation, SPAHN, D. R., *et al.* 112S
**Respiratory acoustical impedance**, Evaluation and significance of respiratory acoustical impedance, DEPEURSINGE, C. 113–114S
**Respiratory alkalosis**, Effect of respiratory alkalosis on oxygen consumption under general anaesthesia, SLATER, R. M., *et al.*, (*ARS*) 232–233P
**Respiratory depression**, Analgesia-induced respiratory depression: comparison of meptazinol and morphine in the postoperative period, FRATER, R. A. S., *et al.* 260–265
——, Opioids in chronic pain, MCQUAY, H. J. 213–226
——, The rational use of intrathecal and extradural opioids, MORGAN, M. 165–188
——, Ventilatory response to carbon dioxide during extradural anaesthesia with lignocaine and fentanyl, MORISOT, P., *et al.* 97–102
**Respiratory distress syndrome**, Circulatory depression with high PEEP in the surfactant-deficient rabbit, CHAKRABARTI, M. K., *et al.* 732–735
**Respiratory failure**, Effects of high frequency jet ventilation on the pulmonary clearance of $^{99m}$Tc-DTPA in respiratory failure in rabbits, BOS, J. A. H., *et al.* 59–64S
**Respiratory impedance**, Computer simulation of respiratory impedance and flow transfer functions during high frequency oscillations, PESLIN, R. 91–94S
**Respiratory input impedance**, Respiratory input impedance during high frequency oscillatory ventilation, NAVAJAS, D., *et al.* 85–90S
**Respiratory physiotherapy**, High frequency oscillation for respiratory physiotherapy, FREITAG, L., *et al.* 44–46S
——, Transthoracically-induced high frequency ventilation, CHANG, H. K. 24–31S
**Respiratory tract structure**, Frequency response and gas exchange during high frequency jet ventilation in the pig, MOTTRAM, S. D., *et al.* 108–109S
——, Review of respiratory tract structure in relation to high frequency ventilation, WHIMSTER, W. F., *et al.* 32–37S
**Response time**, Measurement of response time of gas analysers, HUMPHREY, S. J. E., *et al.*, (*ARS*) 227P
**Risk group**, Prophylactic ephedrine during spinal anaesthesia: double-blind study in patients in ASA groups I–III, HEMMINGSEN, C., *et al.* 340–342
**Ropivacaine**, Developments in local anaesthetic drugs and techniques for pain relief, WILDSMITH, J. A. W. 159–164
——, Ropivacaine: a preliminary clinical trial, BANNISTER, J., *et al.*, (*ARS*) 237P

**Saturation**, Analgesia-induced respiratory depression: comparison of meptazinol and morphine in the postoperative period, FRATER, R. A. S., *et al.* 260–265
——, Episodic arterial oxygen desaturation and heart rate variations following major abdominal surgery, ROSENBERG, J., *et al.* 651–654
——, Hypoxaemia after inhalation of 50% nitrous oxide and oxygen, WILKINS, C. J., *et al.* 346–347
——, Sedation during spinal anaesthesia: a case for the routine administration of oxygen, MANARA, A. R., *et al.* 343–345
**Scoliosis**, Influence of induced hypotension and spinal distraction on feline spinal somatosensory evoked potentials, YEOMAN, P. M., *et al.* 315–320
**Sedation**, Comparison of i.v. sedation with midazolam and inhalation sedation with isoflurane in dental outpatients, PARBROOK, G. D., *et al.* 81–86
**Segmental extradural analgesia**, Effects of segmental thoracic extradural analgesia on sympathetic block in conscious dogs, PETERS, J., *et al.* 470–476
**Seizure**, Enflurane-induced burst discharge of hippocampal CA1 neurones is blocked by the NMDA receptor antagonist APV, MACIVER, M. B., *et al.* 296–305
**Sensory block**, Comparison of the effects of extradural clonidine with those of morphine on postoperative pain, stress responses, cardiopulmonary function and motor and sensory block, LUND, C., *et al.* 516–519
*Septicaemia and Endocarditis*, 1st Edn, SHANSON, D. C., (editor), (*R*) 763
**Sero-negative myasthenia gravis**, Sensitivity to both vecuronium and neostigmine in a sero-negative myasthenic patient, KIM, J.-M., *et al.* 497–500
**Sevoflurane**, Ethanol-inducible cytochrome P450 in rabbits metabolizes enflurane, HOFFMAN, J., *et al.* 103–108
**Shunting**, Effects of lung surgery and one-lung ventilation on pulmonary arterial pressure, venous admixture and immediate postoperative lung function, MALMKVIST, G., *et al.* 696–701
**Side effects**, The rational use of intrathecal and extradural opioids, MORGAN, M. 165–188
**Single twitch stimulation**, Neuromuscular effects of pipecuronium bromide, STANLEY, J. C., *et al.*, (*ARS*) 240P
**Sleep apnoea**, Obstructive sleep apnoea, HANNING, C. D. 477–488
**Smoke inhalation**, Synergism in acute lung injury, SMIT, J. C., *et al.*, (*ARS*) 632–633P
**Somatosensory evoked potentials**, Effects of thiopentone on median nerve somatosensory evoked potentials, SLOAN, T. B., *et al.* 51–55
——, Somatosensory-evoked potentials during block of surgical stimulation with propofol, FREYE, E. C., *et al.* 357–359
——, Spinal cord monitoring 1989, LOUGHNAN, B. A., *et al.* 587–594
**Somatostatin**, Hormonal and metabolic responses to cholecystectomy: comparison of extradural somatostatin and diamorphine, DESBOROUGH, J. P., *et al.* 508–515
**Sonomicrometry**, Effect of acute afterloading on myocardium with normal and critically restricted blood supply, DIEDERICKS, J., *et al.*, (*ARS*) 234P
**Spectral edge analysis**, Spectral edge analyses and pharmacokinetic studies following induction of anaesthesia with propofol, COLLIER, P. S., *et al.*, (*ARS*) 621–622P
**Spinal anaesthesia**, Comparison of piroxicam with placebo in the management of pain after total hip replacement, SERPELL, M. G., *et al.* 354–356
——, Complications of spinal anaesthesia following

extradural block for Caesarean section, STONE, P. A., *et al.*, (*C*) 366–367
——, Complications of spinal anaesthesia following extradural block for Caesarean section, WILDSMITH, J. A. W., (*C*) 366
——, Effect of fluid preloading on cardiovascular variables after spinal anaesthesia with glucose-free 0.75% bupivacaine, VENN, P. J. H., *et al.* 682–687
——, Neurological sequelae of spinal anaesthesia, WILDSMITH, J. A. W., *et al.*, (*E*) 505–507
——, Prophylactic ephedrine during spinal anaesthesia: double-blind study in patients in ASA groups I–III, HEMMINGSEN, C., *et al.* 340–342
——, Sedation during spinal anaesthesia: a case for the routine administration of oxygen, MANARA, A. R., *et al.* 343–345
**Spinal cord**, Influence of induced hypotension and spinal distraction on feline spinal somatosensory evoked potentials, YEOMAN, P. M., *et al.* 315–320
**Spinal cord monitoring**, Spinal cord monitoring 1989, LOUGHNAN, B. A., *et al.* 587–594
**Spinal distraction injury**, Influence of induced hypotension and spinal distraction on feline spinal somatosensory evoked potentials, YEOMAN, P. M., *et al.* 315–320
**Spinal opioids**, Opioids in chronic pain, MCQUAY, H. J. 213–226
**Spinal somatosensory evoked potentials**, Influence of induced hypotension and spinal distraction on feline spinal somatosensory evoked potentials, YEOMAN, P. M., *et al.* 315–320
**Spontaneous breathing**, Total respiratory compliance during anaesthesia in infants and young children, FLETCHER, M. E., *et al.* 266–275
**Sternotomy**, Relationship between airway deadspace and lung volume in anaesthetized patients: effects of sternotomy, FLETCHER, R., *et al.*, (*ARS*) 242P
**Stress**, The control of acute postoperative pain, MITCHELL, R. W. D., *et al.* 147–158
**Stress response**, Comparison of the effects of extradural clonidine with those of morphine on postoperative pain, stress responses, cardiopulmonary function and motor and sensory block, LUND, C., *et al.* 516–519
——, Equine stress responses to anaesthesia, TAYLOR, P. M. 702–709
**Stridor**, An unusual cause of stridor following anaesthesia requiring tracheostomy, ABDEL-SALAM, M. G., *et al.* 606–608
**Subarachnoid block**, Developments in local anaesthetic drugs and techniques for pain relief, WILDSMITH, J. A. W. 159–164
**Sufentanil**, Low-dose sufentanil–isoflurane anaesthesia for coronary artery surgery, VERMEYEN, K. M., *et al.* 44–50
——, Pharmacokinetics of sufentanil in neurosurgical patients undergoing hyperventilation, SCHWARTZ, A. E., *et al.* 385–388
——, Premedication determines the circulatory responses to rapid sequence induction with sufentanil for cardiac surgery, BUTTERWORTH, J. F., *et al.* 351–353
——, Sufentanil disposition in patients undergoing renal transplantation: influence of choice of kinetic model, SEAR, J. W. 60–67
**Superior laryngeal nerve block**, Hypotension and bradycardia following superior laryngeal nerve block, WILES, J. R., *et al.* 125–127
**Surgical stress**, Surgical stress: the role of pain and analgesia, KEHLET, H. 189–195
**Suxamethonium**, Comparison of the neuromuscular block induced by mivacurium, suxamethonium or atracurium during nitrous oxide–fentanyl anaesthesia, CALDWELL, J. E., *et al.* 393–399
——, Effects of suxamethonium on recovery from atracurium and vecuronium, BLACK, A., *et al.*, (*ARS*) 622P
——, Modification by fentanyl and alfentanil of the intraocular pressure response to suxamethonium and tracheal intubation, SWEENEY, J., *et al.* 688–691
——, Neuromuscular block by suxamethonium following treatment with histamine type 2 antagonists or metoclopramide, TURNER, D. R., *et al.* 348–350
——, Premedication determines the circulatory responses to rapid sequence induction with sufentanil for cardiac surgery, BUTTERWORTH, J. F., *et al.* 351–353
**Sympathetic block**, Effects of segmental thoracic extradural analgesia on sympathetic block in conscious dogs, PETERS, J., *et al.* 470–476
——, Neurological sequelae of spinal anaesthesia, WILDSMITH, J. A. W., *et al.*, (*E*) 505–507
**Sympathetic nervous system**, Pressor and catecholamine response to nasal intubation of the trachea, MEIKLEJOHN, B. H., *et al.* 283–286
**Sympathoadrenal activity**, Pressor and catecholamine response to nasal intubation of the trachea, MEIKLEJOHN, B. H., *et al.* 283–286
**Sympathoadrenal responses**, Haemodynamic changes after induction of anaesthesia and tracheal intubation following propofol or thiopentone in patients of ASA grade I and III, COLEY, S., *et al.* 423–428
**Synaptic transmission**, Effects of pentobarbitone, ketamine and lignocaine on synaptic transmission in the rat olfactory cortex *in vitro*, IWASAKI, M. 306–314
**Synergistic priming**, Priming with alcuronium and tubocurarine accelerates the onset of neuromuscular block, POLLARD, B. J. 7–11

**Tachycardia**, Complications associated with inhalation anaesthesia, LEW, J., *et al.*, (*ARS*) 236–237P
——, Episodic arterial oxygen desaturation and heart rate variations following major abdominal surgery, ROSENBERG, J., *et al.* 651–654
——, Pacemaker-induced tachycardia during general anaesthesia: a case report, MADSEN, G. M., *et al.* 360–361
*Talking Health: Conventional and Complementary Approaches*, WATT, J., *et al.*, (editors), (*R*) 370–371
**Technetium 99m diethylene triamine pentaacetate**, Effects of high frequency jet ventilation on the pulmonary clearance of $^{99m}$Tc-DTPA in respiratory failure in rabbits, BOS, J. A. H., *et al.* 59–64S
**Temazepam**, Effects of temazepam premedication on cognitive recovery following alfentanil–propofol anaesthesia, BAILIE, R., *et al.* 68–75
*Textbook of Critical Care*, 2nd Edn, SHOEMAKER, W. K., *et al.*, (editors), (*R*) 503
*Textbook of Paediatric Anaesthetic Practice*, SUMNER, E., *et al.*, (editors), (*R*) 764
*Textbook of Respiratory Medicine*, 1st Edn, MURRAY, J. F., *et al.*, (editors), (*R*) 640
**Thiopentone**, Effect of anaesthesia on the QT interval, MCCONACHIE, I., *et al.* 558–560
——, Effects of thiopentone on immunoglobulin production *in vitro*, SALO, M. 716–720
——, Effects of thiopentone on median nerve somatosensory evoked potentials, SLOAN, T. B., *et al.* 51–55
——, Haemodynamic changes after induction of anaesthesia and tracheal intubation following propofol or thiopentone in patients of ASA grade I and III, COLEY, S., *et al.* 423–428
——, Haemodynamic responses to induction with thiopentone and propofol measured using impedance cardiography, THOMAS, A. N., *et al.*, (*ARS*) 228–229P
——, Influence of thiopentone on upper airway muscles, DRUMMOND, G. B. 12–21

——, Production of laudanosine following infusion of atracurium in man and its effects on awakening, BEEMER, G. H., *et al.* 76–80
**Thoracic extradural analgesia**, Effects of segmental thoracic extradural analgesia on sympathetic block in conscious dogs, PETERS, J., *et al.* 470–476
**Thoracic impedance cardiograph**, Non-invasive cardiac output measurement by bioimpedance: is it reliable? JEWKES, C., *et al.*, (*ARS*) 619P
**Thoracic nerve block**, Developments in local anaesthetic drugs and techniques for pain relief, WILDSMITH, J. A. W. 159–164
**Tidal volume**, Relationship between airway deadspace and lung volume in anaesthetized patients: effects of sternotomy, FLETCHER, R., *et al.*, (*ARS*) 242P
**Tongue movement**, Movement of the tongue on induction of anaesthesia, ABERNETHY, L. J., *et al.*, (*ARS*) 236P
**Total body potassium**, Effect of peroperative normothermia on postoperative protein metabolism in elderly patients undergoing hip arthroplasty, CARLI, F., *et al.* 276–282
**Tourniquet pain**, Effect of a eutectic mixture of local anaesthetic agents (EMLA) on tourniquet pain in volunteers, LOWRIE, A., *et al.* 751–753
——, Prevention of tourniquet pain by spinal isobaric bupivacaine with clonidine, BONNET, F., *et al.* 93–96
**Tracheal intubation**, Disposition of cervical vertebrae, atlanto–axial joint, hyoid and mandible during x-ray laryngoscopy, HORTON, W. A., *et al.* 435–438
——, Haemodynamic changes after induction of anaesthesia and tracheal intubation following propofol or thiopentone in patients of ASA grade I and III, COLEY, S., *et al.* 423–428
——, Hypertensive and catecholamine response to tracheal intubation in patients with pregnancy-induced hypertension, LAVIES, N. G., *et al.* 429–434
——, Modification by fentanyl and alfentanil of the intraocular pressure response to suxamethonium and tracheal intubation, SWEENEY, J., *et al.* 688–691
——, Site of airway obstruction in anaesthetized patients, DRUMMOND, G. B., (*ARS*) 625P
**Tracheal pressure**, Increase in tracheal pressure during jet ventilation, ISABEY, D., *et al.* 71–77S
**Tracheo–oesophageal fistula**, Anaesthetic management of malignant tracheo–oesophageal fistula, GREBENIK, C. R. 492–496
**Tracheostomy**, An unusual cause of stridor following anaesthesia requiring tracheostomy, ABDEL-SALAM, M. G., *et al.* 606–608
**Train-of-four**, Neuromuscular block by suxamethonium following treatment with histamine type 2 antagonists or metoclopramide, TURNER, D. R., *et al.* 348–350
——, Neuromuscular effects of pipecuronium bromide, STANLEY, J. C., *et al.*, (*ARS*) 240P
**Tramadol**, Effects of opioids on the pulmonary circulation and gas exchange, ELLMAUER, S., *et al.*, (*ARS*) 228P
**Transdermal delivery**, Transdermal fentanyl for the relief of pain after upper abdominal surgery, ROWBOTHAM, D. J., *et al.* 56–59
**Transthoracic oscillation**, Transthoracically-induced high frequency ventilation, CHANG, H. K. 24–31S
**Transtracheal ventilation**, Airways re-revisited, CHARTERS, P., *et al.*, (*C*) 128
——, Airways re-revisited, LAYMAN, P. R., (*C*) 128
——, Airways re-revisited, VAUGHAN, R. S., (*C*) 129
**Transurethral prostatectomy**, Vasopressin and amino acid concentrations in serum following absorption of irrigating fluid containing glycine and ethanol, HAHN, R. G., *et al.* 337–339
——, Vasopressin responses during transurethral resection of the prostate, HAHN, R. G., *et al.* 330–336
**Trichloromethane**, Effects of fluorinated convulsants and anaesthetics on the potassium conductance of the squid axon, HENDRY, B. M., *et al.*, (*ARS*) 237–238P
**Tubocurarine**, Priming with alcuronium and tubocurarine accelerates the onset of neuromuscular block, POLLARD, B. J. 7–11
**Tunstall's isolated forearm technique**, The auditory evoked response as an indicator of awareness, THORNTON, C., *et al.* 113–115
**Two-dimensional transoesophageal echocardiography**, Effects of doxacurium chloride on biventricular cardiac function in patients with cardiac disease, REICH, D. L., *et al.* 675–681

**Ultrasonic scanning**, Movement of the tongue on induction of anaesthesia, ABERNETHY, L. J., *et al.*, (*ARS*) 236P
**Ultrasonography**, Ultrasonographic study of the spread of local anaesthetic during axillary brachial plexus block, TING, P. L., *et al.* 326–329
**Upper abdominal surgery**, Evaluation of the morphine sparing effects of nefopam and diclofenac after upper abdominal surgery, MOFFAT, A. C., *et al.*, (*ARS*) 629P
——, Transdermal fentanyl for the relief of pain after upper abdominal surgery, ROWBOTHAM, D. J., *et al.* 56–59
**Upper airway muscles**, Influence of thiopentone on upper airway muscles, DRUMMOND, G. B. 12–21
**Upper gastrointestinal endoscopy**, Sedation for endoscopy, HOARE, A. M., *et al.*, (*C*) 246–247
——, Sedation for endoscopy, MURRAY, A. W., *et al.*, (*C*) 244–245
——, Sedation for endoscopy, PEARSON, R. C., *et al.*, (*C*) 245–246
**Urbach–Wiethe disease**, Lipoid proteinosis: Urbach–Wiethe disease, KELLY, J. E., *et al.* 609–611
**Urinary retention**, The rational use of intrathecal and extradural opioids, MORGAN, M. 165–188

**Vascular response**, Vascular response of human skin after analgesia with EMLA cream, BJERRING, P., *et al.* 655–660
**Vascular wall elastance**, Pharmacological responses in vascular smooth muscle determined by elastance measurement, CROSSLEY, A. W. A., *et al.*, (*ARS*) 232P
**Vasopressin**, Vasopressin and amino acid concentrations in serum following absorption of irrigating fluid containing glycine and ethanol, HAHN, R. G., *et al.* 337–339
——, Vasopressin responses during transurethral resection of the prostate, HAHN, R. G., *et al.* 330–336
**Vecuronium**, Accelerated recovery from neuromuscular block, KOEHLI, N., (*C*) 761
——, Accelerated recovery from neuromuscular block, STIRT, J. A., (*C*) 761–762
——, Effects of a new neuromuscular blocking agent (Org 9426) in anaesthetized cats and pigs and in isolated nerve–muscle preparations, MUIR, A. W., *et al.* 400–410
——, Effects of suxamethonium on recovery from atracurium and vecuronium, BLACK, A., *et al.*, (*ARS*) 622P
——, Haemodynamic effects of doxacurium, pancuronium and vecuronium in patients undergoing coronary artery bypass grafting, GOLDHILL, D. R., *et al.*, (*ARS*) 239–240P
——, Monitoring of vecuronium-induced neuromuscular block: comparison of mechanomyography and integrated electromyography, BELL, P. F., *et al.*, (*ARS*) 241–242P
——, Pharmacokinetics of vecuronium during hypothermic bypass, WIERDA, J. M. K. H., *et al.*, (*ARS*) 627–628P
——, Relative potency of vecuronium on the diaphragm and the adductor pollicis, LEBRAULT, C., *et al.* 389–392

——, Sensitivity to both vecuronium and neostigmine in a sero-negative myasthenic patient, KIM, J.-M., *et al.* 497–500
**Ventilation**, Analgesia-induced respiratory depression: comparison of meptazinol and morphine in the postoperative period, FRATER, R. A. S., *et al.* 260–265
——, Clinical evaluation of pressure support ventilation, STEWART, K. G. 362–364
——, Pharmacokinetics of sufentanil in neurosurgical patients undergoing hyperventilation, SCHWARTZ, A. E., *et al.* 385–388
**Ventilation requirements**, Ventilation requirements during Caesarean section, DUNCAN, P. W., (*C*) 247
——, Ventilation requirements during Caesarean section, RAMPSON, A. J., (*C*) 247
**Ventilator**, The Ohmeda OAV 7710 Ventilator, THORBURN, J., *et al.*, (*C*) 638–639
——, Universal breathing system? COULTAS, R. J., (*C*) 366
**Ventilatory deadspace**, A new method for calculation of ventilatory deadspace, FLETCHER, R., *et al.*, (*C*) 639–640
**Ventilatory minute volume**, Pacemaker-induced tachycardia during general anaesthesia: a case report, MADSEN, G. M., *et al.* 360–361
**Ventilatory response**, Ventilatory response to carbon dioxide during extradural anaesthesia with lignocaine and fentanyl, MORISOT, P., *et al.* 97–102
**Verapamil**, Effect of verapamil on canine left ventricular function in the presence of fentanyl when apical blood flow is critically limited, DIEDERICKS, J., *et al.* 458–464
**Volatile anaesthetics**, A method for determining blood/gas solubility coefficient and blood concentrations of volatile anaesthetic agents, TARR, T. J., *et al.*, (*ARS*) 634P
——, Acute effects of halothane and isoflurane on bile secretion in the rat, BRIDGES, R., *et al.*, (*ARS*) 631–632P
——, Effects of halothane on contractile properties of cardiac skinned fibres from cardiomyopathic animals, MURAT, I., *et al.*, (*ARS*) 631P
——, Effects of nitrous oxide and volatile anaesthetics on cerebral blood flow, HANSEN, T. D., *et al.* 290–295
——, Low-dose sufentanil–isoflurane anaesthesia for coronary artery surgery, VERMEYEN, K. M., *et al.* 44–50
——, Volatile anaesthetic agents in neurosurgery, MOSS, E., (*E*) 4
**Volume-controlled ventilation**, Effects of high frequency jet ventilation on the pulmonary clearance of $^{99m}$Tc-DTPA in respiratory failure in rabbits, BOS, J. A. H., *et al.* 59–64S
**Vomiting**, The rational use of intrathecal and extradural opioids, MORGAN, M. 165–188

**Water flea model**, A model to test the potency of inhalation anaesthetics, MCKENZIE, J. D., *et al.* 489–491
**Waveforms**, High frequency oscillators with adjustable waveforms: practical aspects, FREITAG, L., *et al.* 38–43S

**X-ray laryngoscopy**, Disposition of cervical vertebrae, atlanto–axial joint, hyoid and mandible during x-ray laryngoscopy, HORTON, W. A., *et al.* 435–438

*Yearbook of Anesthesia 1988*, MILLER, R. D., *et al.*, (editors), (*R*) 368–369